

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	08051		10/30/12	4040 RFH	6 5/8" COUPLING
I	06647		10/12/04	AMT	2 1/16" AMT rotary shouldered connection - thread dia. set. dim. for rod style stds.
M	07504		07/22/10	AM MT	7/8" EXTERNAL THREAD FORM
M	07505		07/22/10	AM MT	7/8" INTERNAL THREAD FORM
M	07506		07/22/10	AM MT	7/8" PIN
M	07507		07/22/10	AM MT	7/8" BOX
A	06667		11/03/04	API 10 RD	3 1/2" PRESSURE TEST CAP
M	06703		01/24/05	API 5CT SEAL RING	1.050" - 20" SEAL RING GROOVE FOR API 5CT
M	05327	G	01/19/09	API BUTTRESS	4 1/2" - 8 5/8" PIN
M	05325	D	12/22/11	API BUTTRESS	4 1/2" - 20" COUPLING
A	05814	E	12/22/11	API BUTTRESS	4 1/2" - 20" ACCESSORY BOX
A	06666		11/03/04	API BUTTRESS	5 1/2" 15.50 - 23# PRESSURE TEST PLUG
A	07178		04/01/08	API BUTTRESS	7 5/8" PRESSURE TEST CAP
A	07179	A	01/19/09	API BUTTRESS	7 5/8" PRESSURE TEST PLUG
M	05328	G	01/19/09	API BUTTRESS	9 5/8" - 20" PIN
A	06907		08/07/06	API EUE	3 1/2" 9.30# - 12.95# PRESSURE TEST CAP
A	06908	A	01/19/09	API EUE	3 1/2" 9.30# - 12.95# PRESSURE TEST PLUG
M	07187		04/23/08	API EUE	3 1/2" 10.20# EUE 8RD PIN x 3 1/2" 10.20# VAM TOP PIN CROSSOVER SUB
M	05287	D	01/19/09	API EUE 8 & 10 RD	1.050" - 4 1/2" COUPLING
M	05288	E	01/19/09	API EUE 8 & 10 RD	1.050" - 4 1/2" PIN
A	05815	C	01/19/09	API EUE 8 RD	1.050" - 4 1/2" ACCESSORY BOX
A	06893	A	01/19/09	API EUE 8 RD	2 3/8" 4.70# - 5.95# PRESSURE TEST PLUG
A	06894		05/24/06	API EUE 8 RD	2 3/8" 4.70# - 5.95# PRESSURE TEST CAP
A	06891	A	01/19/09	API EUE 8 RD	2 7/8" 6.50# - 8.70# PRESSURE TEST PLUG
A	06892		05/24/06	API EUE 8 RD	2 7/8" 6.50# - 8.70# PRESSURE TEST CAP
G	07551		09/13/10	API EXTREME LINE	5 1/2" 23# SOFT SETTING STANDARD - PIN
G	07552		09/13/10	API EXTREME LINE	5 1/2" 23# SOFT SETTING STANDARD - BOX
G	07553		09/13/10	API EXTREME LINE	7" 35# SOFT SETTING STANDARD - PIN
G	07554		09/13/10	API EXTREME LINE	7" 35# SOFT SETTING STANDARD - BOX
M	05307	E	12/22/11	API LTC 8 RD	4 1/2" - 20" COUPLING
M	05308	D	01/19/09	API LTC 8 RD	4 1/2" - 20" PIN
A	05813	D	12/22/11	API LTC 8 RD	4 1/2" - 20" ACCESSORY BOX
M	07091		10/19/07	API LTC 8 RD	7 5/8" LC PIN x 3 1/2" NU BOX TEST SUB
M	07092		10/19/07	API LTC 8 RD	7 5/8" LC BOX x 3.000" LINE PIPE TEST SUB
M	06267		11/30/93	API LTC 8 RD	7 5/8" 26.40# CEMENT LINED RING
M	06268		11/30/93	API LTC 8 RD	7 5/8" 26.40# CEMENT LINED TEFLON RING
M	06269		01/26/94	API LTC 8 RD	7 5/8" 26.40# CEMENT LINED RING, 1" WIDE
M	06270		01/26/94	API LTC 8 RD	7 5/8" 26.40# CEMENT LINED TEFLON RING (1" RING)
M	06794	B	08/10/05	API LTC 8 RD	9 5/8" API LC (LTC) PIN ON 9 7/8" 62.80# PIPE - BLANKING DETAIL

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	05357	C	01/19/09	API NUE 8 & 10 RD	1.050" - 4 1/2" COUPLING
M	05358	D	01/19/09	API NUE 8 & 10 RD	1.050" - 4 1/2" PIN
A	05817	D	01/19/09	API NUE 8 & 10 RD	1.050" - 4 1/2" ACCESSORY BOX
G	06264		04/15/03	API NUE 8 & 10 RD	2 3/8" - 4 1/2" API NUE PIN SETTING STANDARD
G	06265		04/15/03	API NUE 8 & 10 RD	2 3/8" - 4 1/2" API NUE COUPLING P.D. SETTING STANDARD
M	05890		01/11/02	API SPEC 7	1" - 8 5/8" REGULAR PIN
M	05891		01/11/02	API SPEC 7	1" - 8 5/8" REGULAR BOX
M	05892		01/11/02	API SPEC 7	5 1/2" & 6 5/8" FULL-HOLE PIN
M	05893		01/11/02	API SPEC 7	5 1/2" & 6 5/8" FULL-HOLE BOX
M	05883		01/10/02	API SPEC 7	EXTERNAL THREAD FORM: V-0.038R 2 TPF ROTARY CONNECTION
M	05881		01/10/02	API SPEC 7	EXTERNAL THREAD FORM: V-0.038R 3 TPF ROTARY CONNECTION
M	05879		01/10/02	API SPEC 7	EXTERNAL THREAD FORM: V-0.040 3 TPF ROTARY CONNECTION
M	05877		01/10/02	API SPEC 7	EXTERNAL THREAD FORM: V-0.050 2 TPF ROTARY CONNECTION
M	05875		01/10/02	API SPEC 7	EXTERNAL THREAD FORM: V-0.050 3 TPF ROTARY CONNECTION
M	05873		01/10/02	API SPEC 7	EXTERNAL THREAD FORM: V-0.055 ROTARY CONNECTION
M	05884		01/10/02	API SPEC 7	INTERNAL THREAD FORM: V-0.038R 2 TPF ROTARY CONNECTION
M	05882		01/10/02	API SPEC 7	INTERNAL THREAD FORM: V-0.038R 3 TPF ROTARY CONNECTION
M	05880		01/10/02	API SPEC 7	INTERNAL THREAD FORM: V-0.040 3 TPF ROTARY CONNECTION
M	05878		01/10/02	API SPEC 7	INTERNAL THREAD FORM: V-0.050 2 TPF ROTARY CONNECTION
M	05876		01/10/02	API SPEC 7	INTERNAL THREAD FORM: V-0.050 3 TPF ROTARY CONNECTION
M	05874		01/10/02	API SPEC 7	INTERNAL THREAD FORM: V-0.055 ROTARY CONNECTION
M	05888		01/11/02	API SPEC 7	NC23 - NC77 PIN
M	05889		01/11/02	API SPEC 7	NC23 - NC77 BOX
M	06849		12/16/05	API SPEC 7	OPTIONAL "H-SERIES" BENCHMARK ON BOX
M	06848		12/16/05	API SPEC 7	OPTIONAL "H-SERIES" BENCHMARK ON PIN
I	06996		03/05/07	API SPEC 7	V-0.040 3 TPF THREAD FORM PER API SPEC 7 - COMPENSATED
M	05311	D	12/22/11	API STC 8 RD	4 1/2" - 20" COUPLING
M	05312	C	01/19/09	API STC 8 RD	4 1/2" - 20" PIN
A	05816	D	12/22/11	API STC 8 RD	4 1/2" - 20" ACCESSORY BOX
I	01507		8-3-89	BLOCK OFFSETS	2 3/8 - 3 1/2" SL, SLPC & SLHC tubing box
I	01493		8-29-89	BLOCK OFFSETS	2 3/8 - 3 1/2" SL, TC NU-Lock & IJ NU-Lock tubing pin
I	01516		8-4-89	BLOCK OFFSETS	2 3/8 - 3 1/2" TC NU-Lock & TC NU-Lock PC tubing box
I	02481	B	6-18-97	BLOCK OFFSETS	7 5/8 - 20" Boss casing box mic-trac riser block settings
M	06862	A	01/19/09	BUTTRESS	13 5/8" 88.20# PIN (NON STANDARD API)
M	06863		02/15/06	BUTTRESS	13 5/8" 88.20# COUPLING (NON STANDARD API)
I	06864		02/15/06	BUTTRESS	13 5/8" 88.20# GAGE SETTING DIMENSIONS (NON STANDARD API)
A	06962		01/17/07	BUTTRESS	13 5/8" 88.20# ACCESSORY BOX (NON STANDARD API)
M	06806	B	01/19/09	BUTTRESS	14" 99# - 112.60# PIN (NON STANDARD API)
M	06807	A	12/08/05	BUTTRESS	14" 99# - 112.60# COUPLING (NON STANDARD API)

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
I	06808	A	12/08/05	BUTTRESS	14" 99# - 122.60# GAGE SETTING DIMENSIONS (NON STANDARD API)
M	07204	A	01/19/09	BUTTRESS	16" 65# PIN (NON STANDARD API)
P	07772	B	07/07/11	CWC	ACCESSORY BLANKING DIMS PIN & BOX
M	07671	B	06/21/11	CWC	9 5/8" END SEAL
G	07672	B	06/21/11	CWC	9 5/8" ALL WEIGHTS PIN SET. STD. - EDM FRAME STYLE
G	07673	B	05/19/11	CWC	9 5/8" ALL WEIGHTS COUPLING SET. STD. - EDM FRAME STYLE
M	07669	B	06/21/11	CWC	9 5/8" 47# PIN
M	07670	B	06/21/11	CWC	9 5/8" 47# COUPLING
M	07471	E	06/21/11	CWC	13 3/8" END SEAL
M	07469	E	06/21/11	CWC	13 3/8" 68# COUPLING
M	07470	E	06/21/11	CWC	13 3/8" 68# PIN
I	07484	C	06/21/11	CWC	13 3/8" 68# PIN & BOX GAGE SET. DIMS FOR ROD STYLE STDS.
G	07500	C	06/21/11	CWC	13 3/8" ALL WEIGHTS PIN SET STD - EDM FRAME STYLE
G	07499	B	06/21/11	CWC & CCWC	13 3/8" ALL WEIGHTS CPLG SET. STD. - EDM FRAME STYLE
M	07498	B	06/21/11	CCWC	13 3/8" COUPLING
G	00898	A	3-26-90	IJNL	2 3/8" Pin setting standard for all grades
G	00904	A	8-22-90	IJNL	2 3/8" Coupling setting standard for J, L & N grades
I	01567		5-30-89	IJNL	2 3/8" Box gage offsets
I	01581		6-20-89	IJNL	2 3/8" Pin gage offsets
I	01582		6-20-89	IJNL	2 3/8" Pin and box depth setting dimensions
A	00831	A	1-24-90	IJNL	2 3/8 - 3 1/2" Pin coating mask
A	00836	A	1-24-90	IJNL	2 3/8 - 3 1/2" Accessory box coating mask
I	00937		4-9-88	IJNL	2 3/8 - 3 1/2" Box gage setting information for all grades
M	01288		2-2-89	IJNL	2 3/8 - 3 1/2" Box connector (all grades)
I	01515		8-4-89	IJNL	2 3/8 - 3 1/2" Tubing box mic-trac block offsets & riser block settings
G	00899	A	3-26-90	IJNL	2 7/8" Pin setting standard for all grades
G	00905		4-9-88	IJNL	2 7/8" Coupling setting standard for J, L & N grades
I	01503	A	3-31-89	IJNL	2 7/8" Box gage offsets
I	01566		5-25-89	IJNL	2 7/8" Pin gage offsets
I	01577		6-14-89	IJNL	2 7/8" Pin and box depth setting dimensions
A	01618		8-17-89	IJNL	2 7/8" 6.5 - 8.90 Pressure test plug
A	01619		8-17-89	IJNL	2 7/8" 6.5 - 8.9# Pressure test cap
G	00901	A	3-26-90	IJNL	3 1/2" Pin setting standard for all grades
G	00906	A	11-14-90	IJNL	3 1/2" Coupling setting standard for J, L & N grades
I	01921		2-6-90	IJNL	3 1/2" Pin and box depth setting dimensions
I	01922		2-6-90	IJNL	3 1/2" Box gage offsets
I	02405		9-6-91	IJNL	3 1/2" Pin gage offsets
A	02934		6-13-93	IJNL	3 1/2" Pressure test cap
M	02225		1-17-91	IJNL	10 5/8" Pin connector all grades

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	02226		1-17-91	IJNL	10 5/8" Casing box connector
P	00726	B	2-14-89	IJNL	Plastic coating specification
M	01287	D	3-6-90	IJNL, IJNL PR, IJNL PC	2 3/8 - 3 1/2" Pin connector (all grades)
M	01289	C	8-20-90	IJNL PC	2 3/8 - 3 1/2" Box connector (all grades)
T	06117		09/17/02	INSERT	External profile (on edge): .0900 load flank x .1134 stab flank x 1.000 lead (SL DC)
T	07748	A	05/23/11	INSERT	External Profile: TNEA54 4P EXT MOD STUBE ACME 1250 TAPER
T	07713	A	05/23/11	INSERT	External Profile: TNEA54 4P EXT MOD STUBE ACME 375 TAPER
T	07750	A	05/23/11	INSERT	External Profile: TNEA54 6P EXT MOD STUBE ACME
T	00585	D	9-30-91	INSERT	External profile: .0300 Load flank x .0339 Stab flank x .125 Pitch
T	00971		9-6-94	INSERT	External profile: .0300 Load flank x .0345 Stab flank x .125 Pitch
T	00276	A	3-19-91	INSERT	External profile: .0315 Load flank x .0385 Stab flank x .1667 Pitch
T	00272	C	6-28-91	INSERT	External profile: .0388 Load flank x .0492 Stab flank x .200 Pitch
T	00892	D	09/19/05	INSERT	External profile: .0394 Load flank x .0464 Stab flank x .1667 Pitch
T	00837	B	7-29-94	INSERT	External profile: .0394 Load flank x .0481 Stab flank x .1667 Pitch
T	00929	A	8-3-94	INSERT	External Profile: .0500 Load flank x .0615 Stab flank x .2000 Pitch
T	00274	B	7-24-91	INSERT	External profile: .0508 Load flank x .0612 Stab flank x .200 Pitch
T	00224		8-3-88	INSERT	External Profile: .056 Load flank x .0643 Stab flank x .200 Pitch
T	02273		5-2-91	INSERT	External profile: .070 Load flank x .0856 Stab flank x .3333 Pitch
T	00378	B	3-21-91	INSERT	External profile: .0866 Load flank x .1040 Stab flank x .3333 Pitch
TC	3500	A	02/06/13	INSERT	EXTERNAL CHASER INSERT TKC 4040
TC	0585	B	9-30-91	INSERT	External chaser: .0300 Load flank x .0339 Stab flank x .1250 Pitch
TC	0272		7-30-91	INSERT	External chaser: .0388 Load flank x .0492 Stab flank x .2000 Pitch
TC	0892	C	9-30-91	INSERT	External chaser: .0394 Load flank x .0464 Stab flank x .1667 Pitch
TC	2765		4-16-20	INSERT	External chaser: .0420 Load flank x .0503 Stab flank x .2000 Pitch
TC	0274		7-25-91	INSERT	External chaser: .0508 Load flank x .0612 Stab flank x .2000 Pitch
TC	2443	B	8-10-94	INSERT	External chaser: .0508 Load flank x .0638 Stab flank x .2500 Pitch
TC	2698		4-15-93	INSERT	External chaser: .0600 Load flank x .0730 Stab flank x .250 Pitch
TC	2700		4-14-93	INSERT	External chaser: .0680 Load flank x .0888 Stab flank x .250 Pitch
TC	2273		7-9-91	INSERT	External chaser: .070 Load flank x .0856 Stab flank x .3333 Pitch
TC	0378	A	9-10-91	INSERT	External chaser: .0866 Load flank x .1040 Stab flank x .3333 Pitch
TD	0585	A	9-7-93	INSERT	External chaser: .0300 Load flank x .0339 Stab flank x .1250 Pitch
TD	0272	A	10-27-93	INSERT	External chaser: .0388 Load flank x .0492 Stab flank x .2000 Pitch
TD	0274	A	10-27-93	INSERT	External chaser: .0508 Load flank x .0612 Stab flank x .2000 Pitch
TD	2443	A	9-7-93	INSERT	External chaser: .0508 Load flank x .0638 Stab flank x .2500 Pitch
TD	2698	A	9-7-93	INSERT	External chaser: .0600 Load flank x .0730 Stab flank x .250 Pitch
TD	2273	A	10-27-93	INSERT	External chaser: .070 Load flank x .0856 Stab flank x .3333 Pitch
TD	7971		07/15/13	INSERT	EXTERNAL PROFILE (DIAMOND) WEDGE-LOCK SF
TE	3502	B	08/12/04	INSERT	External (on edge) FS-150 & FJ-150
TE	2765		12-22-92	INSERT	External .042 Load flank x .0503 Stab flank x .200 Pitch

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
TE	8153		05/10/13	INSERT	EXTERNAL PROFILE (ON EDGE) WEDGE-LOCK FLUSH SERIES
TE	7265	A	08/04/09	INSERT	EXTERNAL PROFILE (ON EDGE): .0440 LOAD FLANK X .0560 STAB FLANK
TE	7330		05/08/09	INSERT	EXTERNAL PROFILE (ON EDGE): .0660 LOAD FLANK X .0920 STAB FLANK
TE	6811		09/30/05	INSERT	EXTERNAL PROFILE (ON EDGE): .070 LOAD FLANK X .0856 STAB FLANK X .3333 PITCH
TE	7971	K	10/14/16	INSERT	EXTERNAL PROFILE (ON EDGE): WEDGE-LOCK SEMI-FLUSH SERIES
XTE	8224	B	03/12/15	INSERT	EXTERNAL PROFILE (ON EDGE) (PROTOTYPE): WEDGE-LOCK SEMI-FLUSH SERIES
XTE	9288		08/11/16	INSERT	EXTERNAL THIN INSERT PROFILE (ON EDGE) (PROTOTYPE): WEDGE-LOCK SEMI-FLUSH SERIES
TE	7853		10/12/11	INSERT	External profile (on edge): .0400 load flank x .0460 stab flank
TE	4963		1/22/99	INSERT	External profile (on edge): .0400 load flank x .0515 stab flank x .200 pitch
TE	5709		02/22/01	INSERT	External profile (on edge): .0400 load flank x .0515 stab flank x .200 pitch
TE	7512		08/02/10	INSERT	External profile (on edge): .0440 load flank x .0540 stab flank
TE	5754		05/16/01	INSERT	External profile (on edge): .0500 load flank x .0700 stab flank x .200 pitch
TE	7689		03/09/11	INSERT	External profile (on edge): .0540 load flank x .0720 stab flank
TE	6737		08/13/10	INSERT	External profile (on edge): .060 load flank x .0756 stab flank x .3333 pitch
TE	5538	A	02/05/01	INSERT	External profile (on edge): .0866 load flank x .1040 stab flank x .3333 pitch
TE	3484		02/06/04	INSERT	EXTERNAL PROFILE (ON EDGE): API BUTTRESS - .750 IN/FT TAPER
TE	3486		02/06/04	INSERT	EXTERNAL PROFILE (ON EDGE): API BUTTRESS - 1.00 IN/FT TAPER
TE	4564		8-4-98	INSERT	External profile: .0320 load & flank x .125pitch (TS-HP threadform)
TE	4566		8-4-98	INSERT	External profile: .0505 load & flank x .1667pitch (TS-HD threadform)
TE	0585		2-18-98	INSERT	External profile: .030 Load flank x .0339 Stab flank x .125 Pitch
TE	0272		6-7-94	INSERT	External profile: .0388 Load flank x .0492 Stab flank x .200 Pitch
TE	0274		5-22-92	INSERT	External profile: .0508 Load flank x .0612 Stab flank x .200 Pitch
TE	2443		5-6-94	INSERT	External profile: .0508 Load flank x .0638 Stab flank x .2500 Pitch
TE	2698		8-27-92	INSERT	External profile: .0600 Load flank x .0730 Stab flank x .250 Pitch
TE	2700	A	2-15-93	INSERT	External profile: .0680 Load flank x .0888 Stab flank x .250 Pitch
TE	2273		1-27-94	INSERT	External profile: .070 Load flank x .0856 Stab flank x .3333 Pitch
TE	3500	B	11/19/12	INSERT	EXTERNAL THREADING INSERT (ON EDGE) TKC 4040
TLH	272		7-27-90	INSERT	External Left hand : .0388 Load flank x .0492 Stab flank x .200 Pitch
X	02280		4-11-91	INSERT	External profile: .0600 Thread height, .335 Average pitch, .750" Taper
T	09182	B	11/08/16	INSERT	External profile for handling plug: .0500 Load flank x .0615 Stab flank x .200 Pitch
TE	8097	G	12/02/16	INSERT	EXTERNAL PROFILE (ON EDGE) SL XD
T	06116		09/17/02	INSERT	Internal profile (on edge): .0900 load flank x .1134 stab flank x 1.000 lead (SL DC)
T	04964		02/14/06	INSERT	Internal profile: .042 load flank x .0535 stab flank x .200 Pitch
T	07749	A	05/23/11	INSERT	Internal profile: TNEA54 4P INT MOD STUB ACME 1250 TAPER
T	07747	A	05/23/11	INSERT	Internal profile: TNEA54 4P INT MOD STUB ACME 375 TAPER
T	07751	A	05/23/11	INSERT	Internal profile: TNEA54 6P INT MOD STUB ACME
T	02620	A	5-9-96	INSERT	Internal profile: .0330 Load flank x .0369 Stab flank x .125 Pitch
T	00970	A	09/19/05	INSERT	Internal profile: .0330 Load flank x .0375 Stab flank x .125 Pitch
T	00277	C	09/19/05	INSERT	Internal profile: .0335 Load flank x .0405 Stab flank x .1667 Pitch

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
T	00586	E	3-5-96	INSERT	Internal profile: .0400 Load flank x .0439 Stab flank x .125 Pitch
T	02548	A	2-28-96	INSERT	Internal profile: .0414 Load flank x .0485 Stab flank x .1667 Pitch
T	02766	A	1-14-98	INSERT	Internal profile: .0430 Load flank x .0513 Stab flank x .200 Pitch
T	00838	C	09/19/05	INSERT	Internal profile: .0434 Load flank x .0521 Stab flank x .1667 Pitch
T	01668		9-27-89	INSERT	Internal profile: .0468 Load flank x .0572 Stab flank x .200 Pitch
T	00273	E	1-30-95	INSERT	Internal profile: .0488 Load flank x .0592 Stab flank x .200 Pitch
T	03318		1-17-95	INSERT	Internal profile: .0488 Load flank x .0592 Stab flank x .200 Pitch
T	00893	D	19/19/05	INSERT	Internal profile: .0494 Load flank x .0565 Stab flank x .1667 Pitch
T	03908		9-4-96	INSERT	Internal profile: .0520 Load flank x .0603 Stab flank x .200 Pitch
T	02444	B	09/19/05	INSERT	Internal profile: .0528 Load flank x .0658 Stab flank x .2500 Pitch
T	00930	B	09/19/05	INSERT	Internal profile: .0530 Load flank x .0645 Stab flank x .2000 Pitch
T	00275	C	09/19/05	INSERT	Internal profile: .0588 Load flank x .0692 Stab flank x .200 Pitch
T	01666		9-25-89	INSERT	Internal profile: .0588 Load flank x .0692 Stab flank x .200 Pitch
T	00225		8-3-88	INSERT	Internal profile: .059 Load flank x .0673 Stab flank x .200 Pitch
T	02699	A	09/19/05	INSERT	Internal profile: .0610 Load flank x .0740 Stab flank x .250 Pitch
T	02274	D	11-28-94	INSERT	Internal profile: .0720 Load flank x .0876 Stab flank x .3333 Pitch
T	00379	D	09/19/05	INSERT	Internal profile: .0896 Load flank x .1070 Stab flank x .3333 Pitch
T	01674		9-28-89	INSERT	Internal profile: .0946 Load flank x .1120 Stab flank x .3333 Pitch
T	00764		2-8-88	INSERT	O A Dimensions machine tool study
TC	3501	A	02/06/13	INSERT	Internal Chaser TKC 4040
TD	7976		07/15/13	INSERT	INTERNAL PROFILE (DIAMOND) WEDGE-LOCK SEMI-FLUSH SERIES
TD	0273		2-2-98	INSERT	Internal profile: .0488 Load flank x .0592 Stab flank x .2000 Pitch
TD	2444		11-11-94	INSERT	Internal profile: .0528 Load flank x .0658 Stab flank x .2500 Pitch
TD	2699		10-2-96	INSERT	Internal profile: .0610 Load flank x .0740 Stab flank x .2500 Pitch
TD	2274		11-11-94	INSERT	Internal profile: .072 Load flank x .0876 Stab flank x .3333 Pitch
TE	0275	A	09/19/05	INSERT	Internal profile: .0588 Load flank x .0692 Stab flank x .200 Pitch
TE	3503	B	08/12/04	INSERT	Internal (on edge) FS-150 & FJ-150
TE	2766	A	09/19/05	INSERT	Internal .043 Load flank x .0513 Stab flank x .200 Pitch
TE	2274	B	09/19/05	INSERT	Internal .072 Load flank x .0876 Stab flank x .3333 Pitch
TE	3479	A	6-9-97	INSERT	Internal 8 Round
TE	8154		05/10/13	INSERT	INTERNAL PROFILE (ON EDGE) WEDGE-LOCK FLUSH SERIES
TE	7976	K	10/14/16	INSERT	INTERNAL PROFILE (ON EDGE) WEDGE-LOCK SEMI-FLUSH SERIES
XTE	8223	B	03/12/15	INSERT	INTERNAL PROFILE (ON EDGE) (PROTOTYPE) WEDGE-LOCK SEMI-FLUSH SERIES
XTE	9287		08/11/16	INSERT	INTERNAL THIN INSERT PROFILE (ON EDGE) (PROTOTYPE) WEDGE-LOCK SF SERIES
TE	7854		10/12/11	INSERT	INTERNAL PROFILE (ON EDGE): .0400 LOAD FLANK X .0460 STAB FLANK
TE	7266	A	08/04/09	INSERT	INTERNAL PROFILE (ON EDGE): .0440 LOAD FLANK X .0560 STAB FLANK
TE	7690		03/09/11	INSERT	Internal profile (on edge): .0540 LOAD FLANK X .0720 STAB FLANK
TE	4964		1/22/99	INSERT	Internal profile (on edge): .042 load flank x .0535 stab flank x .200 pitch
TE	7513		08/02/10	INSERT	Internal profile (on edge): .0440 load flank x .0540 stab flank

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
TE	5755		05/16/01	INSERT	Internal profile (on edge): .050 load flank x .0700 stab flank x .200 pitch
TE	0930		02/18/05	INSERT	Internal profile (on edge): .0530 load flank x .0645 stab flank x .200 pitch
TE	2701	C	04/27/11	INSERT	Internal profile (on edge): .0690 Load flank x .0898 Stab flank x .250 Pitch
TE	5537	B	09/19/05	INSERT	Internal profile (on edge): .0896 load flank x .1070 stab flank x .3333 pitch
TE	3485		02/06/04	INSERT	INTERNAL PROFILE (ON EDGE): API BUTTRESS - .750 IN/FT TAPER
TE	3487		02/06/04	INSERT	INTERNAL PROFILE (ON EDGE): API BUTTRESS - 1.00 IN/FT TAPER
TE	4565		7-17-98	INSERT	Internal profile: .0320 load & flankx .125 pitch (TS-HP threadform)
TE	4567		8-4-98	INSERT	Internal profile: .0505 load & flankx .1667 pitch (TS-HD threadform)
TE	2620	A	8-12-98	INSERT	Internal profile: .033 Load flank x .0369 Stab flank x .125 Pitch
TE	0586	A	09/19/05	INSERT	Internal profile: .0400 Load flank x .0439 Stab flank x .125 Pitch
TE	0273	A	09/19/05	INSERT	Internal profile: .0488 Load flank x .0592 Stab flank x .200 Pitch
TE	3908	A	9-4-96	INSERT	Internal profile: .052 Load flank x .0603 Stab flank x .200 Pitch
TE	2444	A	09/19/05	INSERT	Internal profile: .0528 Load flank x .0658 Stab flank x .250 Pitch
TE	2699	A	09/19/05	INSERT	Internal profile: .0610 Load flank x .0740 Stab flank x .250 Pitch
TE	3913		6-28-96	INSERT	Internal profile: .0700 Load flank x .0830 Stab flank x .2500 Pitch
TE	0379	A	09/19/05	INSERT	Internal profile: .0896 Load flank x .1070 Stab flank x .3333 Pitch
TE	7847		10/03/11	INSERT	INTERNAL PROFLIE (ON EDGE): .0660 LOAD FLANK x .0816 STAB FLANK X .3333 PITCH
TE	7331		05/08/09	INSERT	INTERNAL PROFLIE (ON EDGE): .0660 LOAD FLANK x .0920 STAB FLANK
TE	3501	D	11/12/12	INSERT	INTERNAL THREADING INSERT (ON EDGE) TKC 4040
TLH	273		7-27-90	INSERT	Internal Left hand : .0408 Load flank x .0512 Stab flank x .200 Pitch
TP	0892_1		9-22-88	INSERT	PMC #1: .0394 Load flank x .0459 Stab flank x .1667 Pitch
TP	0892_2		9-21-88	INSERT	PMC #2: .0394 Load flank x .0459 Stab flank x .1667 Pitch
TP	0892_3		9-16-88	INSERT	PMC #3: .0394 Load flank x .0459 Stab flank x .1667 Pitch
TS	0273	A	09/19/05	INSERT	Internal profile: .0488 Load flank x .0592 Stab flank x .200 Pitch
X	02281		4-11-91	INSERT	Internal profile: .0650 Thread height, .335 Average pitch, .750" Taper
TE	8098	G	12/02/16	INSERT	INTERNAL INSERT PROFILE (ON EDGE) SL XD
G	04830		7/31/98	LEAD STANDARD	.125, 3 1/2" - 4 1/2", TS-HP
G	04819		7-31-98	LEAD STANDARD	.125, 3/4" - 2 7/8", TS-HP
G	04821		7-31-98	LEAD STANDARD	.1667 , 2 3/8" - 4 1/2", TS-HD
G	05776		05/25/01	LEAD STANDARD	.200 PITCH X 2.400 IN/FT TAPER
G	07857		10/07/11	LEAD STANDARD	.290" PITCH x .308" PITCH x .012 IN/PITCH TAPER
G	07590	A	01/07/11	LEAD STANDARD	.290" PITCH x .308" PITCH x .020 IN/PITCH TAPER
G	07501	A	01/07/11	LEAD STANDARD	.290" PITCH x .308" PITCH x .024 IN/PITCH TAPER
G	07523	A	01/07/11	LEAD STANDARD	.292" PITCH x .308" PITCH x .020 IN/PITCH TAPER
G	07607		01/05/11	LEAD STANDARD	.292" PITCH x .308" PITCH x .024 IN/PITCH TAPER
G	07867		09/12/11	LEAD STANDARD	.350" PITCH x .368 PITCH x .036 IN/PITCH TAPER
G	08083		12/31/12	LEAD STANDARD	.480 TPF SLXD
G	08057	X	01/06/13	LEAD STANDARD	.720 TPT SLXD
G	04140		2-3-97	LEAD STANDARD	1.000 T.P.F. x .198" (7" 23- 29# Apex-e)

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
G	03408		6-7-95	LEAD STANDARD	1.125 T.P.F.
G	04077		12-10-96	LEAD STANDARD	1.25 T.P.F. X .248"
G	00708	B	6-20-95	LEAD STANDARD	1.250 T.P.F.
G	03823		5-7-96	LEAD STANDARD	1.375 T.P.F.
G	00502	C	8-30-91	LEAD STANDARD	2 3/8 - 3 1/2" Pin and box 6 pitch
G	00755	C	03/03/10	LEAD STANDARD	2 3/8 - 4 1/2 Pin & box HD lock-it, 5" - 7" SL HT, 2 3/8- 3 1/2" Apex, Apex-E
G	02850	A	05/31/02	LEAD STANDARD	10 3/4" and 8" SEAL-LOCK APEX w/ 2.00" T.P.F.
G	03652	A	10-23-95	LEAD STANDARD	4040
G	03648	A	08/12/04	LEAD STANDARD	FS-150 & FJ-150
G	01892	A	8-30-91	LEAD STANDARD	Pin & box 8 pitch .750 T.P.F.
G	08987		08/27/14	LEAD STANDARD	SL XD .600 TPF
G	08944	A	02/24/15	LEAD STANDARD	-0001 WEDGE-LOCK SF SERIES
G	08945	A	02/24/15	LEAD STANDARD	-0002 WEDGE-LOCK SF SERIES
G	08180	A	02/24/15	LEAD STANDARD	-0003 WEDGE-LOCK SF SERIES
G	07993	A	02/24/15	LEAD STANDARD	-0004 WEDGE-LOCK SF SERIES
G	08094	B	02/24/15	LEAD STANDARD	-0005 WEDGE-LOCK SF SERIES
G	08183	A	02/24/15	LEAD STANDARD	-0006 WEDGE-LOCK SF SERIES
G	08946	A	02/24/15	LEAD STANDARD	-0007 WEDGE-LOCK SF SERIES
G	08947	A	02/24/15	LEAD STANDARD	-0008 WEDGE-LOCK SF SERIES
G	08948	A	02/24/15	LEAD STANDARD	-0009 WEDGE-LOCK SF SERIES
G	08949	A	02/24/15	LEAD STANDARD	-0010 WEDGE-LOCK SF SERIES
G	08950	A	02/24/15	LEAD STANDARD	-0011 WEDGE-LOCK SF SERIES
G	08951	A	02/24/15	LEAD STANDARD	-0012 WEDGE-LOCK SF SERIES
X	08221	A	02/24/15	LEAD STANDARD	-0013 WEDGE-LOCK SF SERIES
G	08952	B	02/24/15	LEAD STANDARD	-0014 WEDGE-LOCK SF SERIES
G	09061	A	02/24/15	LEAD STANDARD	-0017 WEDGE-LOCK SF SERIES
G	09289	A	10/14/16	LEAD STANDARD	-0019 WEDGE-LOCK SF SERIES
M	06091	A	1/19/2009	LTC 8 ROUND (NON API)	11 3/4" PIN
I	07385		10/02/09	NC31	BOX GAGE SETTING DIMENSIONS FOR ROD STYLE STANDARDS
M	06318	A	06/04/08	P.A.C. CONNECTION	2 3/8" - 3 1/2" Box
M	06317	A	06/04/08	P.A.C. CONNECTION	2 3/8" - 3 1/2" Pin
M	06315	A	06/04/08	P.A.C. CONNECTION	External thread form
M	06316	A	06/04/08	P.A.C. CONNECTION	Internal thread form
G	04833	A	08/20/99	PROFILE GAGES	3/4" - 4 1/2" TS-HP (M04564/M04565 Threadform)
G	04832	A	08/20/99	PROFILE GAGES	2 3/8" - 4 1/2" TS-HD (M04566/M04567 Threadform)
G	01233	B	8-27-91	PROFILE GAGES	4 1/2 - 10 3/4" Box seal-lock & seal-lock HC casing
G	00636	B	8-26-91	PROFILE GAGES	4 1/2 - 10 3/4" Seal-lock casing pin
G	01234	B	8-28-91	PROFILE GAGES	11 3/4 - 13 5/8" Seal-lock casing 4 1/2- 13 5/8" HW seal-lock box
G	00637	B	8-29-91	PROFILE GAGES	11 3/4 - 13 5/8" Seal-lock casing 4 1/2- 13 5/8" HW seal-lock casing pin

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
G	03653	C	5-2-96	PROFILE GAGES	4040 Box
G	03654	B	9-18-95	PROFILE GAGES	4040 Pin
G	01235	A	9-3-91	PROFILE GAGES	Big "O" Seal-lock casing box
G	00749	B	9-5-91	PROFILE GAGES	Big "O" Seal-lock casing pin
G	02308	B	4-28-92	PROFILE GAGES	Boss casing box
G	03227		7-28-94	PROFILE GAGES	Box gage for .750" TPF, .125 pitch, M02620 threadform
G	03267		9-8-94	PROFILE GAGES	Box gage for .864" TPF, .125 pitch, M00970 threadform
G	03226	A	4-10-96	PROFILE GAGES	Box gage for 1.0205" TPF, .1667 pitch, M02548 threadform
G	01236	B	10-15-91	PROFILE GAGES	Box gage for 8 pitch threadform w/ .0400 LFH x .0439 SFH
G	01232	A	9-12-91	PROFILE GAGES	Box gage for seal-lock, I-J NU-lock, & TC NU-lock tubing
G	03266		9-8-94	PROFILE GAGES	External gage .864" TPF, .125 pitch, M00971 threadform
G	02306	C	12-8-97	PROFILE GAGES	External gage for M02273 threadform
G	02471	E	12-8-97	PROFILE GAGES	External gage for M02443 threadform
G	02723	A	4-27-93	PROFILE GAGES	External gage for M02698 threadform
G	02834		2-25-93	PROFILE GAGES	External gage for M02700 threadform (Apex)
G	02806	B	6-27-97	PROFILE GAGES	External gage for M02765 threadform (Apex & SLHT)
G	04076		12-10-96	PROFILE GAGES	External gage for M04073 threadform
G	04256		5-29-97	PROFILE GAGES	External gage for M04134 threadform (Apex-E)
G	03197		6-27-94	PROFILE GAGES	External gage M00837 threadform (Flush seal-lock)
G	03238		8-4-94	PROFILE GAGES	External gage M00929 threadform (Flush seal-lock)
G	05122		07/12/99	PROFILE GAGES	External M04963 threadform (Seal-lock SF)
G	05573	A	02/05/01	PROFILE GAGES	External M05538 threadform (Seal-lock RP)
G	05761		05/21/01	PROFILE GAGES	External M05754 threadform (Seal-lock Big Bore)
G	06800	A	08/18/10	PROFILE GAGES	EXTERNAL M06737 THREADFORM
G	07849	A	10/03/11	PROFILE GAGES	EXTERNAL FOR M07847 THREADFORM
G	08966		08/28/14	PROFILE GAGES	External M08097-0001 threadform 6 5/8" - 8 5/8" (SL XD)
G	08989		08/28/14	PROFILE GAGES	External M08097-0001 threadform 4 1/2" - 5 1/2" (SL XD)
G	08990		08/28/14	PROFILE GAGES	External M08097-0002 threadform 4 1/2" - 6 5/8" (SL XD)
G	08991		08/28/14	PROFILE GAGES	External M08097-0002 threadform 7" - 8 5/8" (SL XD)
G	08992		08/28/14	PROFILE GAGES	External M08097-0002 threadform 9 5/8" - 13 3/8" (SL XD)
G	08993	A	02/10/15	PROFILE GAGES	External M08097-0003 threadform 9 7/8" - 13 5/8" (SL XD)
G	08994		08/28/14	PROFILE GAGES	External M08097-0004 threadform 9 5/8" (SL XD)
G	08995		08/28/14	PROFILE GAGES	External M08097-0005 threadform 7 5/8" (SL XD)
G	08996		08/28/14	PROFILE GAGES	External M08097-0005 threadform 11 3/4" - 13 3/8" (SL XD)
G	09183	B	11/08/16	PROFILE GAGES	EXTERNAL M09182 THREADFORM
G	03649	A	08/12/04	PROFILE GAGES	FS-150 & FJ-150 Box
G	03650	A	08/12/04	PROFILE GAGES	FS-150 FJ-150 Pin
G	01231	B	10-23-96	PROFILE GAGES	Internal gage for M00053 threadform
G	02476		3-31-92	PROFILE GAGES	Internal gage for M02444 threadform

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
G	02724		9-22-92	PROFILE GAGES	Internal gage for M02699 threadform
G	02835		2-25-93	PROFILE GAGES	Internal gage for M02701 threadform (Apex)
G	02807		2-4-93	PROFILE GAGES	Internal gage for M02766 threadform (Apex)
G	04038		10-23-96	PROFILE GAGES	Internal gage for M03908 threadform (Apex-E)
G	04039	A	12-10-96	PROFILE GAGES	Internal gage for M03913 threadform
G	04257		5-29-97	PROFILE GAGES	Internal gage for M04135 threadform (Apex-E)
G	03198		6-27-94	PROFILE GAGES	Internal gage M00838 threadform (Flush seal-lock)
G	03239		8-4-94	PROFILE GAGES	Internal gage M00930 threadform (Flush seal-lock)
G	05123		07/12/99	PROFILE GAGES	Internal M04964 threadform (Seal-lock SF)
G	05574	A	02/05/01	PROFILE GAGES	Internal M05537 threadform (Seal-lock RP)
G	05762		05/21/01	PROFILE GAGES	Internal M05755 threadform (Seal-lock Big Bore)
G	08967		08/28/14	PROFILE GAGES	Internal M08098-0001 threadform (SL XD)
G	08997		08/28/14	PROFILE GAGES	Internal M08098-0002 threadform (SL XD)
G	08998		08/28/14	PROFILE GAGES	Internal M08098-0003 threadform (SL XD)
G	08999		08/28/14	PROFILE GAGES	Internal M08098-0004 threadform (SL XD)
G	09000		08/28/14	PROFILE GAGES	Internal M08098-0005 threadform (SL XD)
G	00499	A	10-27-87	PROFILE GAGES	Lock-it tubing pin
G	01827	E	6-27-97	PROFILE GAGES	Lock-it-eight, Seal-lock HT, Flush seal-lock pin w/ threadform M00585
G	04277		6-13-97	PROFILE GAGES	No go gauge for threadform M02274
G	00746	B	9-4-96	PROFILE GAGES	Pin gage for threadform M00052
G	00750	B	9-6-91	PROFILE GAGES	Seal-lock, TC NU-lock, & I-J NU-lock tubing
M	06401		10/24/03	RUPTURE DISK	3/8" HEX BURST DISK GREASE DISPLACEMENT TOOL
M	06402		10/27/03	RUPTURE DISK	1/2" HEX BURST DISK GREASE DISPLACEMENT TOOL
A	06260	C	06/26/03	RUPTURE DISK	7/8" BURST DISK CAP
A	06240	AI	08/23/16	RUPTURE DISK	7/8" APRS EXTERNAL PRESSURE (COLLAPSE) DISK
A	06239	BE	03/22/16	RUPTURE DISK	7/8" APRS INTERNAL PRESSURE (BURST/RUPTURE) DISK
A	06244	F	01/08/16	RUPTURE DISK	7/8" APRS DISK RECEPTACLE
A	06263	A	07/21/03	RUPTURE DISK	7/8" BURST DISK RECEPTICLE PROTECTOR
A	06261		03/26/03	RUPTURE DISK	7/8" BURST DISK TEST PLUG
A	08071		12/05/12	RUPTURE DISK	7/8" DUMMY PLUG
A	06250		01/30/03	RUPTURE DISK	1 1/4" OSECO O-RING BURST RECEPTICLE
A	06327		07/18/03	RUPTURE DISK	1 1/4" Receptacle Protector
A	06831		10/20/05	RUPTURE DISK	3 1/2" 12.70# VAM TOP BURST DISK SUB
A	07383		10/01/09	RUPTURE DISK	4 1/2" 17# VAM TOP BOX x BOX SUB
A	06830		10/20/05	RUPTURE DISK	5 1/2" 23# VAM TOP BURST DISK SUB
A	07384		10/01/09	RUPTURE DISK	5 1/2" 23# VAM TOP BOX x BOX SUB
A	08013		09/11/12	RUPTURE DISK	7" 32# VAM 21 PIN x BOX SUB
A	07965	B	12/07/12	RUPTURE DISK	7" 35# VAM TOP HC PIN x BOX SUB
A	07142		02/11/08	RUPTURE DISK	7 5/8" 51.20# SL SF x NC46 RUPTURE DISK SUB FOR FIX A8219-X RUPTURE DISK

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
A	07362		08/05/09	RUPTURE DISK	7 5/8" 51.20# SL SF BOX x NC38 PIN SUB FOR FIKE A8219-X RUPTURE DISK
A	08014		09/11/12	RUPTURE DISK	7 5/8" 51.20# VAM SLIJ-II BOX x PIN SUB
M	06676		11/11/06	RUPTURE DISK	9 5/8" 47# TKC PLUS BUTTRESS BURST DISK COUPLING
M	09074		02/17/15	RUPTURE DISK	9 5/8" 47.00# TENARIS HYDRIL 513 RUPTURE DISK SUB, PIN x BOX
M	05234	B	07/31/03	RUPTURE DISK	9 5/8" 53.50# P-110 BOSS BURST DISK COUPLING
A	09173		09/09/15	RUPTURE DISK	9 5/8" 53.50# SL SF APRS DISK SUB, PIN X BOX
A	08007		08/20/12	RUPTURE DISK	9 5/8" 53.50# VAM 21 PIN x BOX SUB
A	08008		08/20/12	RUPTURE DISK	9 7/8" 66.90# VAM 21 PIN x BOX SUB
A	07962		03/28/12	RUPTURE DISK	9 7/8" 68.90# VAM SLIJ-II-KA RUPTURE DISK SUB, PIN x BOX
A	08009		08/20/12	RUPTURE DISK	10 3/4" 85.30# VAM HP SC73 PIN x BOX SUB
A	07708		03/24/11	RUPTURE DISK	11 3/4" 60# HYDRIL 513 RUPTURE DISK SUB, PIN x BOX
A	07964		04/17/12	RUPTURE DISK	11 3/4" 60# VAM FJL RUPTURE DISK SUB, PIN x BOX
A	06948		12/15/06	RUPTURE DISK	11 3/4" 65# HYDRIL SLX BOX x PIN BURST DISK SUB
A	07828		08/16/11	RUPTURE DISK	11 3/4" 65# SL SF RUPTURE DISK SUB
A	09025		09/10/14	RUPTURE DISK	11 3/4" 65# VAM SLIJ-II RUPTURE DISK SUB PIN x BOX
A	09264		07/15/16	RUPTURE DISK	11 3/4" 65# TENARIS HYDRIL 513 APRS DISK SUB, PIN x BOX
A	09049		11/18/14	RUPTURE DISK	11 3/4" 80.50# VAM SLIJ-II PIN x BOX SUB
A	08010		08/20/12	RUPTURE DISK	11 7/8" 71.80# VAM SLIJ-II BOX x PIN SUB
A	05951	E	01/29/08	RUPTURE DISK	13 3/8" 68# BUTTRESS BURST DISK SUB
A	05764	C	07/31/03	RUPTURE DISK	13 3/8" 68# N-80 VAM TOP SUB
A	07510		07/30/10	RUPTURE DISK	13 3/8" 68# DINO VAM SUB
A	07656		02/03/11	RUPTURE DISK	13 3/8" 68# HYDRIL 523 SUB
A	08940	A	05/08/14	RUPTURE DISK	13 3/8" 68# DINO VAM MS PIN x BOX SUB
A	07293		03/24/09	RUPTURE DISK	13 3/8" 68# TS 3SB RUPTURE DISK SUB
A	06156	B	06/23/03	RUPTURE DISK	13 3/8" 72# ADVANCED NJO BURST DISK SUB
A	06767		07/26/05	RUPTURE DISK	13 3/8" 72# API BUTTRESS With 4 offset disks BURST DISK SUB for DEVON
M	05683	B	07/31/03	RUPTURE DISK	13 3/8" 72# BUTTRESS TKC PLUS COUPLING
M	05235	B	06/09/03	RUPTURE DISK	13 3/8" 72# P-110 BOSS BURST DISK COUPLING
A	06262	C	02/12/09	RUPTURE DISK	13 3/8" 72# VAM TOP BOX X BOX BURST DISK SUB
A	06903	B	05/11/16	RUPTURE DISK	13 3/8" 72# VAM TOP APRS DISK SUB, PIN & BOX
A	07103	A	12/13/07	RUPTURE DISK	13 3/8" 72# HYDRIL 523 RUPTURE DISK SUB
A	07252		11/12/08	RUPTURE DISK	13 3/8" 72# VAM TOP-KB PIN x PIN SUB
A	07253		11/12/08	RUPTURE DISK	13 3/8" 72# API BUTTRESS PIN x BOX SUB
A	07259		12/03/08	RUPTURE DISK	13 3/8" 72# DINO VAM RUPTURE DISK SUB
A	07967	A	07/31/12	RUPTURE DISK	13 3/8" 72# VAM TOP; 75.05 O.A.L. BURST DISK SUB FOR PETROBRAS
A	08942		05/13/14	RUPTURE DISK	13 3/8" 80.70# BTC PIN x BOX SUB
A	06963		01/17/07	RUPTURE DISK	13 5/8" 88.20# BUTTRESS BURST DISK SUB
A	06876	A	04/24/07	RUPTURE DISK	13 5/8" 88.20# HYDRIL 523 BOX x PIN SUB
A	06895	A	03/17/10	RUPTURE DISK	13 5/8" 88.20# HYDRIL SLX BOX x PIN SUB

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	06829		10/20/05	RUPTURE DISK	13 5/8" 88.20# SL BOSS 14.275 MAX S.C.O.D. X 12.375 MIN. I.D.
A	06853		02/10/06	RUPTURE DISK	13 5/8" 88.20# STL BOX X PIN SUB
A	07316		04/20/09	RUPTURE DISK	13 5/8" SL SF RUPTURE DISK SUB
M	05895	C	06/09/03	RUPTURE DISK	13 5/8" BOSS 88.20# P-110 & ABOVE BURST DISK COUPLING
M	05957	A	06/09/03	RUPTURE DISK	13 5/8" BOSS 88.20# P-110 & ABOVE, 14.250 S.C.O.D. BURST DISK COUPLING
M	05898	C	06/09/03	RUPTURE DISK	13 5/8" BOSS 88.20# P-110 & ABOVE, 14.275 S.C.O.D. BURST DISK COUPLING
A	07185	B	01/06/10	RUPTURE DISK	13 5/8" 88.20# VAM SLIJ-II BOX x PIN RUPTURE DISK SUB
A	07350	C	11/04/09	RUPTURE DISK	13 5/8" 88.20# VAM TOP PIN x BOX RUPTURE DISK SUB
A	06728	B	08/10/15	RUPTURE DISK	14" 82.50# DINO VAM PIN x BOX APRS DISK SUB
A	06249	C	06/23/03	RUPTURE DISK	14" 96.90# VAM TOP KA, BOX X BOX BURST DISK SUB
A	07263		12/16/08	RUPTURE DISK	14" 112.60# VAM SLIJ-II BURST DISK SUB
A	07274		02/06/09	RUPTURE DISK	14 3/8" 68# VAM TOP KX PIN x BOX BURST DISK SUB
A	06756		06/07/05	RUPTURE DISK	16" 83# HYDRIL 521 BOX X 75# DINO VAM PIN BURST DISK SUB
A	06922		10/04/06	RUPTURE DISK	16" 84# HYDRIL 521 BOX x PIN BURST DISK SUB
A	07372		09/11/09	RUPTURE DISK	16" 84# BUTTRESS BOX x PIN RUPTURE DISK SUB
A	07373		09/11/09	RUPTURE DISK	16" 84# BUTTRESS BOX x BOX RUPTURE DISK SUB
A	08006		08/15/12	RUPTURE DISK	16" 84# DINO VAM RUPTURE DISK SUB
A	09156		06/11/15	RUPTURE DISK	16" 84# HD-L APRS DISK SUB, PIN X BOX
A	09172		09/07/15	RUPTURE DISK	16" 84# SEAL LOCK BOSS APRS DISK SUB, PIN X BOX
A	06379		09/15/03	RUPTURE DISK	16" 94.50# DINO VAM BOX X BOX BURST DISK SUB
A	06343	A	08/19/03	RUPTURE DISK	16" 94.50# DINO VAM BOX X PIN BURST DISK SUB
A	08206		09/23/13	RUPTURE DISK	16" 95# VAM AB HD-L PIN x BOX RUPTURE DISK SUB
A	08132	A	02/10/17	RUPTURE DISK	16" 95# - 96# HYDRIL 513 APRS DISK SUB PIN x BOX
A	06637	E	06/18/07	RUPTURE DISK	16" 95# - 97# HYDRIL 511 BUST DISK SUB
A	07153		02/18/08	RUPTURE DISK	16" 95# - 97# HYDRIL 521 BOX x PIN BUST DISK SUB
A	06839		11/09/05	RUPTURE DISK	16" 97# SL SF BURST DISK SUB
A	07317		04/20/09	RUPTURE DISK	16" 97# SL FLUSH RUPTURE DISK SUB
A	07325		04/29/09	RUPTURE DISK	16" 97# G.P. HD-L RUPTURE DISK SUB
A	06184	E	01/06/10	RUPTURE DISK	16" 109# HYDRIL 511 W/ 14.600" SPECIAL DRIFT BURST DISK SUB
A	07262		12/16/08	RUPTURE DISK	16" 109# HD-L RUPTURE DISK SUB
A	07272		01/30/09	RUPTURE DISK	16" 109# SL SF RUPTURE DISK SUB
A	08225		10/10/13	RUPTURE DISK	16" 109# TENARIS HYDRIL 523 RUPTURE DISK SUB
M	05823	A	07/31/03	RUPTURE DISK	16" 109# (.656" WALL) BOSS burst disk coupling
A	08230		11/27/13	RUPTURE DISK	16" 109# TENARIS HYDRIL 513 PIN x BOX RUPTURE DISK SUB
A	07418		01/26/10	RUPTURE DISK	16" 109# HYDRIL 511 PIN x BOX W/ 14.600" SD RUPTURE DISK SUB (FROM PIPE)
A	08031		09/26/12	RUPTURE DISK	16" 109# HYDRIL ER PIN x BOX RUPTURE DISK SUB
A	08581		04/16/14	RUPTURE DISK	16" 109# SEAL-LOCK FLUSH PIN x BOX RUPTURE DISK SUB
A	08953		05/28/14	RUPTURE DISK	16" 109# TSH-ER PIN x BOX SUB
M	05596	B	06/09/03	RUPTURE DISK	16" W/ 16.500" S.C. O.D., 97# (.575" WALL) BOSS BURST DISK COUPLING

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	05896	A	06/09/03	RUPTURE DISK	16" BOSS w/ 16.600" S.C. O.D. 97# (.575" WALL) BURST DISK COUPLING
M	05821	A	06/09/03	RUPTURE DISK	16" BOSS w/ 16.600" S.C. O.D. 109# (.656" wall) burst disk coupling
M	05894	A	06/09/03	RUPTURE DISK	16" BOSS w/ 16.750" S.C. O.D. 97# (.575"WALL) BUST DISK COUPLING
A	09248		02/18/16	RUPTURE DISK	16.100" 103.39# SEAL-LOCK SF APRS DISK SUB, PIN X BOX
A	09247		02/17/16	RUPTURE DISK	16.150" 119.23# SEAL-LOCK SF APRS DISK SUB, PIN X BOX
A	06764	B	08/16/05	RUPTURE DISK	17 7/8" 105# HYDRIL 521 BURST DISK SUB
A	09301		11/07/16	RUPTURE DISK	17 15/16" HD-L (SPECIAL 54" SUB DESIGN) APRS DISK SUB, PIN X BOX
A	07365		08/17/09	RUPTURE DISK	17.959 x .650 WALL HYDRIL 521 PIN x BOX RUPTURE DISK SUB
A	08248	B	08/08/14	RUPTURE DISK	18" 94# HD-L PIN x BOX RUPTURE DISK SUB
A	06852	A	02/06/06	RUPTURE DISK	18" 94# HYDRIL 521 SUB
A	07901		12/06/11	RUPTURE DISK	18" 105# HYDRIL 511 PIN x BOX RUPTURE DISK SUB
A	06774	C	02/10/17	RUPTURE DISK	18" 117# HYDRIL 511 APRS DISK SUB, PIN X BOX
A	06881		05/03/06	RUPTURE DISK	18" 117# HYDRIL 511 BURST DISK SUB FROM PIPE
A	07281	A	10/15/09	RUPTURE DISK	18" 117# HYDRIL 521 ON 17.959" x .650" WALL PIPE RUPTURE DISK SUB
A	09077		02/03/17	RUPTURE DISK	18" 117# SEAL-LOCK FLUSH APRS DISK SUB, PIN X BOX
A	08255		03/26/14	RUPTURE DISK	18" 126# TENARIS HYDRIL 511 RUPTURE DISK SUB, PIN x BOX
M	06744		04/18/05	RUPTURE DISK	18 5/8" 87.50# BOSS COUPLING
A	07292		03/24/09	RUPTURE DISK	18 5/8" 87.50# BUTTRESS RUPTURE DISK SUB
A	07351	B	07/01/10	RUPTURE DISK	18.701" 97.28# HYDRIL 561 RUPTURE DISK SUB
A	07352		06/09/09	RUPTURE DISK	18.701" 97.28# HYDRIL 561 BOX x BOX RUPTURE DISK SUB
M	06442	A	12/15/03	RUPTURE DISK	20" 131# BOSS BURST DISK COUPLING
A	05914	B	07/31/03	RUPTURE DISK	20" 131# WELD ON BURST DISK SUB
M	05236	C	11/23/04	RUPTURE DISK	20" 133# K-55 BOSS BURST DISK COUPLING
A	05839	B	07/31/03	RUPTURE DISK	20" 133# WELD ON BURST DISK SUB
A	07254		11/12/08	RUPTURE DISK	20" 133# WELD ON, RL 4S RUPTURE DISK SUB
A	07258	A	08/09/12	RUPTURE DISK	20" 133# WELD ON, D.Q. E60MT & H-90 RUPTURE DISK SUB
A	07282		02/17/09	RUPTURE DISK	20" 133# TENARIS HYDRIL ER, BOX x BOX RUPTURE DISK SUB
A	07412		12/17/09	RUPTURE DISK	20" 133# SL BOSS BOX x BOX RUPTURE DISK SUB
A	08052		10/31/12	RUPTURE DISK	20" 154# WELD ON, RL-4S RUPTURE DISK SUB
A	07309		04/15/09	RUPTURE DISK	20" 166.56 WELD ON, LEOPARD RUTURE DISK SUB
M	06554	A	03/30/04	RUPTURE DISK	20" 169# BOSS BURST DISK COUPLING FOR 7/8" BURST DISK
M	05237	D	03/18/04	RUPTURE DISK	20" 169# N-80 BOSS BURST DISK COUPLING FOR 1 1/4" BURST DISK
A	05765	B	07/31/03	RUPTURE DISK	20" 169# X-56 WELD ON SUB
A	06763		07/05/05	RUPTURE DISK	20" 169# BLANK - SPECIAL I.D. PAD FOR INTERNAL BURST DISK PRESSURE TESTER
A	07817		07/18/11	RUPTURE DISK	20" 169# VAM BIG OMEGA IS RUPTURE DISK SUB
A	07948		03/15/12	RUPTURE DISK	20" 169# GB CDE 3P ON PIPE RUPTURE DISK BOX x PIN SUB
A	08032		09/26/12	RUPTURE DISK	20" 169# (.812" WALL) SL BOSS BOX x PIN RUPTURE DISK SUB
A	07130		01/29/08	RUPTURE DISK	20" X .625" WALL DRIL-QUIP S-60/MT
A	06843		11/29/05	RUPTURE DISK	20" X .750 WALL FOR WELD ON CONNECTOR BURST DISK SUB

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
A	06872		03/16/06	RUPTURE DISK	20" X .750" WALL XL SYSTEMS VIPER BOX x PIN SUB
A	07138	A	02/18/11	RUPTURE DISK	20" x .812" WALL DRIL-QUIP S-60/MT & E-60/MT RUPTURE DISK SUB
A	07583		12/07/10	RUPTURE DISK	20" x .812" WALL SL BOSS BOX x PIN RUPTURE DISK SUB (ON PIPE)
A	07818		07/27/11	RUPTURE DISK	20" x .812" WALL WAM BIG OMEGA IS COUPLING x PIN RUPTURE DISK SUB (ON PIPE)
A	07326		04/29/09	RUPTURE DISK	22" 224# RL4S, PETROBRAS RUPTURE DISK SUB
A	07327		04/29/09	RUPTURE DISK	22" 224# XLW, PETROBRAS RUPTURE DISK SUB
A	07820	A	08/17/11	RUPTURE DISK	22" 277# DRIL-QUIP H-90 RUPTURE DISK SUB
A	07171		03/14/08	RUPTURE DISK	22" x 1" WALL (224#) VETCO GRAY RL-4S RUPTURE DISK SUB
A	09171		09/02/15	RUPTURE DISK	CUSTOMER SPECIFIED ALL SIZES - .750" WALL OR GREATER APRS DISK SUB FOR WELD ON CONNECTORS, PIN X BOX
M	06692		01/04/05	RUPTURE DISK	ALTERNATE HOLDING BAR FOR EXTERNAL BURST DISK TESTER
M	06691		01/04/05	RUPTURE DISK	ALTERNATE O.D. PAD MOUNTING BAR FOR EXTERNAL BURST DISK TESTER
M	06296	A	06/11/03	RUPTURE DISK	Angle brace for pump stand for burst disk tester
M	06732		03/08/05	RUPTURE DISK	ATTENUATOR CAP INTERNAL BURST DISK TESTER
M	06733		03/08/05	RUPTURE DISK	ATTENUATOR CHAMBER INTERNAL BURST DISK TESTER
A	06378	A	03/10/05	RUPTURE DISK	BLANK I.D. PAD FOR INTERNAL BURST DISK PRESSURE TESTER
A	05354	A	06/09/03	RUPTURE DISK	BLANKED ASSEMBLY BOSS CASING FOR EXXON
A	05599	C	06/26/03	RUPTURE DISK	BURST DISK CAP
A	06386		10/02/03	RUPTURE DISK	BURST DISK CAP INSTALLATION TOOL
A	06183		11/20/02	RUPTURE DISK	FIKE BURST DISK RECEPTICLE PAD-A & PAD-I
A	06193	A	06/26/03	RUPTURE DISK	FIKE PAD BURST DISK CAP
G	06192		11/27/02	RUPTURE DISK	GO/NO GO GAGE FOR .439" HOLE FOR FIKE BURST DISK RECEPTACLE
M	06690		01/04/05	RUPTURE DISK	HINGLE BLOCK FOR EXTERNAL BURST DISK TESTER
M	06618		08/12/04	RUPTURE DISK	HOLDING BAR FOR EXTERNAL BURST DISK TESTER
A	06208		12/10/02	RUPTURE DISK	HOLDING NUT FOR INTERNAL BURST DISK PRESSURE TESTER
A	06204	F	06/15/12	RUPTURE DISK	I.D. PAD FOR INTERNAL BURST DISK PRESSURE TESTER
M	06294	A	06/11/03	RUPTURE DISK	Long base for pump stand for burst disk tester
A	05684		02/01/01	RUPTURE DISK	LOW PROFILE BURST DISK ASSEMBLY
M	06295	A	06/11/03	RUPTURE DISK	Mounting bar for pump stand for burst disk tester
A	06209		12/10/02	RUPTURE DISK	NUT HANDLE FOR INTERNAL BURST DISK PRESSURE TESTER
M	06616		08/11/04	RUPTURE DISK	O.D. PAD (BAR STYLE) FOR EXTERNAL BURST DISK TESTER
M	06617		08/12/04	RUPTURE DISK	O.D. PAD MOUNTING BAR FOR EXTERNAL BURST DISK TESTER
A	05632	A	06/09/03	RUPTURE DISK	O-RING BURST DISK TEST FIXTURE (CURRENTLY FOR BOSS)
A	06247	A	03/04/03	RUPTURE DISK	O-RING BURST DISK, A06239 & A06240 TEST FIXTURE
M	06613		07/26/04	RUPTURE DISK	O-RING I.D. GO / NO-GO GAGE
M	06612		07/26/04	RUPTURE DISK	O-RING THICKNESS GO / NO GO GAGE
A	06206	F	06/15/12	RUPTURE DISK	PISTON ROD FOR INTERNAL BURST DISK PRESSURE TESTER
M	06726		02/14/05	RUPTURE DISK	PRESSURE CHAMBER CAP (TYPE II) FOR BURST DISK CYLINDER
M	06718	A	02/14/05	RUPTURE DISK	PRESSURE CHAMBER CAP FOR BURST DISK CYLINDER

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	06717	A	02/14/05	RUPTURE DISK	PRESSURE CHAMBER FOR BURST DISK CYLINDER
A	06205	C	04/19/12	RUPTURE DISK	PRESSURE CYLINDER FOR INTERNAL BURST DISK PRESSURE TESTER
M	06571		04/15/04	RUPTURE DISK	PUMP BASE PLATE FOR EXTERNAL BURST DISK TESTER
M	06570		04/15/04	RUPTURE DISK	PUMP HANDLE FOR EXTERNAL BURST DISK TESTER
M	06569		04/15/04	RUPTURE DISK	PUMP RESERVOIR FOR EXTERNAL BURST DISK TESTER
M	06584		05/11/04	RUPTURE DISK	RUBBER RING FOR EXTERNAL BURST DISK TESTER (TYPE 2)
M	07143		02/01/08	RUPTURE DISK	RUPTURE DISK RECEPTACLE FOR FIKE A8219-X DISK ASSY
A	08033		09/27/12	RUPTURE DISK	Rupture disk sub for weld on connectors - on pipe all sizes - .750" wall or greater - box X pin
M	06293	A	06/11/03	RUPTURE DISK	Side base for pump stand for burst disk tester
A	06207	C	04/19/12	RUPTURE DISK	SPACER RING FOR INTERNAL BURST DISK PRESSURE TESTER
A	06747		04/20/05	RUPTURE DISK	SPECIAL I.D. PAD FOR INTERNAL BURST DISK PRESSURE TESTER, FOR BP TEST ONLY
A	06266		04/17/03	RUPTURE DISK	TEST FIXTURE - INTERNAL BURST DISK TEST TOOL
M	06313		06/12/03	RUPTURE DISK	Vertical brace for pump stand for burst disk tester
P	00454	D	11-3-89	SEAL RING	1/2" Seal-lock PC box, tabulated
P	02189	C	10/27/03	SEAL RING	1/2" Seal-lock PC casing box, tabulated
P	01625		8-23-89	SEAL RING	1/2" TC NU-lock PC box, tabulated
P	06702		01/24/05	SEAL RING	1.050" - 20" SEAL RING DIMS FOR API EUE NUE 8RD
M	06703		01/24/05	SEAL RING	1.050" - 20" SEAL RING GROOVE FOR API 5CT
P	04815	B	01/04/13	SEAL RING	2 1/16 - 4 1/2" FOR TSHP-SR
P	01707	D	10-31-90	SEAL RING	2 3/8" Installation tool, components & assembly for seal-lock PC
P	01420	A	8-16-90	SEAL RING	2 3/8 - 3 1/2" I-J NU-Lock PC tubing
P	01449	A	8-17-90	SEAL RING	2 3/8 - 3 1/2" Installation tool for I-J NU-lock PC
P	02141	A	11-7-90	SEAL RING	2 3/8 - 3 1/2" Installation tool for seal-lock FGL
P	00536	B	2-14-89	SEAL RING	2 3/8 - 3 1/2" Installation tool for seal-lock PC
P	00354	A	2-14-89	SEAL RING	2 3/8 - 3 1/2" Installation tool for TC NU-lock PC
P	01396		1-13-89	SEAL RING	2 3/8 - 3 1/2" TC NU-lock PC
P	01437	A	2-13-89	SEAL RING	2 3/8 - 4 1/2" HD Lock-it PR
P	04816	A	10-2-98	SEAL RING	2 3/8 - 4 1/2" FOR TSHD-SR
P	01607	A	10-25-89	SEAL RING	2 3/8", 2 7/8", & 3 1/2" Seal-lock PC
P	02087		5-24-90	SEAL RING	2 7/8" HD Lock-it PC
P	01645	E	10-29-90	SEAL RING	2 7/8" Installation tool, components & assembly for seal-lock PC
P	01708	D	10-31-90	SEAL RING	3 1/2" Installation tool, components & assembly for seal-lock PC
P	02353		8-2-91	SEAL RING	4 1/2" 16.60# Installation tool for seal-lock PC casing
P	02518	D	6-10-97	SEAL RING	4 1/2 - 7" Installation tool for seal-lock FGL casing
P	02201	A	1-7-91	SEAL RING	5 1/2" Installation tool, components & assembly for seal-lock PC
P	01410		1-24-89	SEAL RING	8" HW, 8 5/8", 10 3/4" Big "O" Seal-Lock
P	01612		8-11-89	SEAL RING	8 5/8" Installation tool for seal-lock PC casing
P	01605		8-1-89	SEAL RING	8 5/8" Seal-lock PC casing
P	02307		5-9-91	SEAL RING	13 3/8 - 20" Boss casing connection

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
P	07617	A	01/17/11	SEAL RING	FJ-150 LOW TORQUE PRESSURE TEST CAP & PLUG
P	02140	E	3-17-97	SEAL RING	Half-seal ring for TC NU-lock FGL & seal-lock FGL box, tabulated
P	00244	C	2-14-89	SEAL RING	Seal-lock and seal-lock HC couplings
P	02106	E	3-17-97	SEAL RING	Seal-lock FGL, TC NU-lock FGL, tabulated
P	02187	C	10/27/03	SEAL RING	Seal-lock PC casing
P	07655		02/01/11	SEAL RING	SL BOSS SEAL O-RING, LOW TORQUE PRESSURE TEST CAP & PLUG
G	01484	B	4-11-89	SETTING STANDARD BLOCKS	2 3/8 - 3 1/2" IJ NU-Lock & TC NU-Lock, 2 3/8- 3 1/2" SL, SLHC & SLPC Box diameter
G	01509		4-3-89	SETTING STANDARD BLOCKS	2 3/8 - 3 1/2" Lock-it box diameter
G	01508		4-3-89	SETTING STANDARD BLOCKS	2 3/8 - 3 1/2" Lock-it tubing pin diameter
G	01480	A	3-16-89	SETTING STANDARD BLOCKS	2 3/8 - 3 1/2" SL, TC NU-Lock & IJ NU-lock tubing pin diameter
G	01512		4-3-89	SETTING STANDARD BLOCKS	2 3/8 - 4 1/2" HD Lock-it box diameter
G	01511		4-5-89	SETTING STANDARD BLOCKS	2 3/8 - 4 1/2" HD Lock-it tubing pin diameter
G	01464	A	4-11-89	SETTING STANDARD BLOCKS	4 1/2 - 10 3/4" HWSL, 11 3/4- 13 5/8" SL & SLHC Box diameter
G	01463	B	1-8-96	SETTING STANDARD BLOCKS	4 1/2 - 10 3/4" SL & SLHC Box diameter set. Std. Blocks for use with Gagemaker mic-trac
G	01465	A	3-15-89	SETTING STANDARD BLOCKS	4 1/2 - 10 3/4" SL & SLHC Pin diameter
G	01538	A	4-29-91	SETTING STANDARD BLOCKS	4 1/2 - 13 3/8" HW SL casing box diameter
G	01466		4-3-89	SETTING STANDARD BLOCKS	4 1/2 - 11 3/4" HWSL , 11 3/4- 13 5/8" SL & SLHC Pin diameter
G	01545		5-3-89	SETTING STANDARD BLOCKS	Big "O" Seal-lock casing box diameter for gagemaker mic-trac
G	01543		5-2-89	SETTING STANDARD BLOCKS	Big "O" Seal-Lock casing pin diameter for gagemaker mic-trac
I	01796		11-9-89	SL	2 3/8" Pin gage offsets using a 2 3/8" HD lock-it pin setting standard
G	00839	B	11-22-89	SL	2 3/8" Pin setting standard for all grades
I	02074		5-2-90	SL	2 3/8" SL lift plug Pin gage offsets using a 2 3/8" SL pin setting standard
M	01066	A	9-25-89	SL	2 3/8 - 3 1/2" Coupling all weights, grade P-105 and below
M	01220		2-23-89	SL	2 3/8 - 3 1/2" Special clearance O.D. dimension cplgs.
M	00767	C	1-8-90	SL	2 3/8 - 3 1/2" tubing accessory box all weights, grade P-105 and below
G	00840	B	11-21-89	SL	2 7/8" Pin setting standard for all grades
I	02075		5-2-90	SL	2 7/8" SL lift plug Pin gage offsets using a 2 7/8" SL pin setting standard
G	00841	C	11-21-89	SL	3 1/2" Pin setting standard for all grades
I	02076		5-2-90	SL	3 1/2" SL lift plug Pin gage offsets using a 3 1/2" SL pin setting standard
I	03272		9-21-94	SL	3 1/2" SL Pin gage offsets using 3 1/2" HD lock-it pin standard
I	01559		5-12-89	SL	4 1/2" Pin gage offsets using a 4 1/2" Pin setting standard
M	01229	D	12/23/15	SL	4 1/2" - 10 3/4" CASING COUPLING ALL WEIGHTS, GRADE Q-125 & BELOW
M	01229M		01/13/16	SL	4 1/2" - 10 3/4" CASING COUPLING ALL WEIGHTS, GRADE Q-125 & BELOW (METRIC)
I	01450	A	11-13-89	SL	5" Coupling gage setting information, all weights
G	01804	A	07/03/00	SL	5" Coupling setting standard for all weights all grades
I	01451	B	11-13-89	SL	5" Pin gage setting information, all weights
I	01518		4-13-89	SL	5 1/2" Coupling gage setting information
G	00866	C	07/03/00	SL	5 1/2" Coupling setting standard for all grades
G	00867	C	07/03/00	SL	6 5/8" Coupling setting standard for all grades

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
G	00676	C	07/03/00	SL	7" Coupling setting standard for all grades
I	00776		1-15-88	SL	7" Pin MRP gage setting information
I	01906		1-19-90	SL	7 5/8" Box gage offsets using a 7 5/8" Box setting standard
G	00868	C	07/03/00	SL	7 5/8" Coupling setting standard for all grades
G	00869	B	07/03/00	SL	8 5/8" Coupling setting standard for all grades
A	01622		8-22-89	SL	8 5/8" Stabbing guide housing
A	01623		8-23-89	SL	8 5/8" Stabbing guide insert
M	00539	A	1-25-90	SL	9 5/8" Stabbing collar
M	02639		6-8-92	SL	9 5/8" 40# Pin x 8 5/8" 36# SM box crossover sub
P	00387	A	1-13-87	SL	9 5/8" 43.50# Plastic coating specification
M	01246	A	1-25-90	SL	9 5/8" Pin x 8 5/8" Buttress box crossover sub
M	01609	C	10-12-89	SL	9 5/8" Pin x 8 5/8" SM box crossover sub
M	01728		10-27-89	SL	9 5/8" Pin x 8 5/8" SM box crossover sub
M	01230	E	04/08/04	SL	11 3/4 - 13 5/8" Casing coupling all weights, grade Q-125 and below
I	00849		3-16-88	SL	13 3/8" Pin gage setting information
P	01592		6-30-89	SL	13 5/8" Pin & box accessory blanking dimension
I	00907		4-10-88	SL	13 5/8" Pin gage setting information
I	02532	B	1-8-96	SL	Casing box mic-trac block offsets for mic-trac taper block
M	02638	A	8-10-92	SL (SLIM)	11 7/8" 71.80# Casing coupling
M	02637	A	8-10-92	SL (SLIM)	11 7/8" 71.80# Casing pin connector
I	01506	A	1-8-96	SL, SLHC	4 1/2 - 10 3/4" Casing box mic-trac block offsets & riser block settings
I	01494		3-20-89	SL, SLHC	4 1/2 - 10 3/4" Casing pin mic-trac block offsets
I	01364	A	12/23/15	SL, SLHC	4 1/2" 11.60 - 17# Pin gage setting dimensions
I	01863		12-21-89	SL, SLHC	5 1/2" Pin gage setting dimensions
A	02743	A	10-29-92	SL, SLHC	5 1/2" Pressure test cap
A	02744	A	10-29-92	SL, SLHC	5 1/2" Pressure test plug
I	01564		5-18-89	SL, SLHC	7" Box gage offsets using a 7" box setting standard
I	02000		4-16-90	SL, SLHC	7" box setting standard (Box gage offsets per M01192)
A	02077	A	5-31-90	SL, SLHC	7" Pressure test cap
G	01550		5-5-89	SL, SLHC	7 5/8" Pin setting standard (cone method)
A	02175		10-18-90	SL, SLHC	7 5/8" Pressure test cap
A	02174		10-18-90	SL, SLHC	7 5/8" Pressure test plug
I	01615		8-15-89	SL, SLHC	8 5/8" Box gage offsets using a 8 5/8" box setting standard
I	01574		6-12-89	SL, SLHC	9 5/8" Box gage offsets using a 9 5/8" box setting standard
I	01709		10-24-89	SL, SLHC	9 5/8" Box setting standard (Box gage offsets no revision)
A	02177	A	4-27-92	SL, SLHC	9 5/8" Pressure test cap
A	02176	A	4-24-92	SL, SLHC	9 5/8" Pressure test plug
I	01616		8-16-89	SL, SLHC	10 3/4" Box gage offsets using a 10 3/4" box setting standard
A	04071		12-4-96	SL, SLHC	10 3/4" pressure test plug

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
I	01608		8-3-89	SL, SLHC	11 3/4" Box gage offsets using a 11 3/4" box setting standard
A	01930		2-9-90	SL, SLHC	11 3/4" Pressure test cap
A	01931		2-9-90	SL, SLHC	11 3/4" Pressure test plug
I	01640		9-1-89	SL, SLHC	11 3/4 - 13 5/8" Casing pin mic-trac block offsets
I	01621		8-21-89	SL, SLHC	13 3/8" Box gage offsets using a 13 3/8" box setting standard
A	01353	B	4-28-92	SL, SLHC	13 3/8" Pressure test cap
A	01352	A	4-27-92	SL, SLHC	13 3/8" Pressure test plug
A	01593	A	7-6-89	SL, SLHC	13 5/8" Pressure test plug
A	02078	B	12-8-93	SL, SLHC, SLFGL	7" Pressure test plug
G	00842	B	07/03/00	SL, SLHC, SLGS	4 1/2" Pin setting standard for all grades
M	01216	I	03/30/16	SL, SLHC, SLGS	4 1/2" - 7" CASING PIN CONNECTOR ALL WEIGHTS, GRADE Q-125 & BELOW
M	01216M	D	03/30/16	SL, SLHC, SLGS	4 1/2" - 7" CASING PIN CONNECTOR ALL WEIGHTS, GRADE Q-125 & BELOW (METRIC)
M	01228	C	01/12/17	SL, SLHC, SLGS	4 1/2" - 13 5/8" SPECIAL CLEARANCE COUPLING O.D. & BEVEL DIMENSIONS
M	01228M		01/13/16	SL, SLHC, SLGS	4 1/2" - 13 5/8" SPECIAL CLEARANCE COUPLING O.D. & BEVEL DIMENSIONS (METRIC)
G	01805	A	07/03/00	SL, SLHC, SLGS	5" Pin setting standard for all weights, all grades
G	00844	B	07/03/00	SL, SLHC, SLGS	5 1/2" Pin setting standard for all grades
G	00858	B	07/03/00	SL, SLHC, SLGS	6 5/8" Pin setting standard for all grades
G	00709	B	07/03/00	SL, SLHC, SLGS	7" Pin setting standard for all weights, all grades
M	02136		8-8-90	SL, SLHC, SLGS	7" 32# Casing pin connector w/ left-hand thread, grade Q-125 & below
I	01558		5-10-89	SL, SLHC, SLGS	7 5/8" Pin gage setting dimensions
G	00859	B	07/03/00	SL, SLHC, SLGS	7 5/8" Pin setting standard for all grades
M	01217	D	2-16-94	SL, SLHC, SLGS	7 5/8- 10 3/4" Casing pin connector grade Q-125 and below
M	01217M		07/17/00	SL, SLHC, SLGS	7 5/8 - 10 3/4" Casing pin connector grade Q-125 and below (metric)
I	01617		8-16-89	SL, SLHC, SLGS	8 5/8" Pin gage setting dimensions
G	00860	C	07/03/00	SL, SLHC, SLGS	8 5/8" Pin setting standard for all grades
I	01510		4-4-89	SL, SLHC, SLGS	9 5/8" Pin gage setting dimensions
G	01575	E	07/03/00	SL, SLHC, SLGS	9 5/8 - 13 5/8" Frame style box setting standard
G	01590	B	07/03/00	SL, SLHC, SLGS	9 5/8 - 13 5/8" Frame style pin setting standard
M	01218	G	01/12/17	SL, SLHC, SLGS	11 3/4 - 13 5/8" ALL WEIGHTS, CASING PIN CONNECTOR GRADE Q-125 & BELOW
M	00242	N	07-03-00	SL, SLHC, SLGS	Pin I.D chamfer for special drift
M	00242M		07/17/00	SL, SLHC, SLGS	Pin I.D chamfer for special drift (metric)
A	06997		03/05/07	SL, SLHC, SLGS, SLFGL	4 1/2" Pressure test plug
A	04296		6-24-97	SL, SLHC, SLGS, SLFGL	5" Pressure test plug
A	02349	B	11-10-93	SL, SLPC	2 3/8" Pressure test cap for tubing
A	02374	B	11-8-93	SL, SLPC	2 3/8" Pressure test plug for tubing
G	00861	C	11-21-89	SL, SLPC	2 3/8" Setting standard for couplings
A	01821	A	12-9-91	SL, SLPC	2 3/8 - 3 1/2" Box make-up positioner all weights, all grades
A	00770		4-25-90	SL, SLPC	2 3/8 - 3 1/2" lift plug
I	00771	B	1-10-89	SL, SLPC	2 3/8 - 3 1/2" MRP setting dimensions for couplings

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	01065	A	5-10-89	SL, SLPC	2 3/8 - 3 1/2" Pin connector grades P-105 and below
A	01822	A	12-9-91	SL, SLPC	2 3/8 - 3 1/2" Pin make-up positioner all weights, all grades
A	02354	B	11-10-93	SL, SLPC	2 7/8" Pressure test cap for tubing
A	02376	B	11-5-93	SL, SLPC	2 7/8" Pressure test plug for tubing
G	00862	C	11-21-89	SL, SLPC	2 7/8" Setting standard for couplings
A	02355	B	11-9-93	SL, SLPC	3 1/2" Pressure test cap for tubing
A	02377	B	11-5-93	SL, SLPC	3 1/2" Pressure test plug for tubing
G	00863	D	11-21-89	SL, SLPC	3 1/2" setting standard for couplings
A	00548	B	2-14-89	SL, SLPC	Make-up stencil for tubing
G	03968		8-19-96	SLAPEX	2 3/8" 4.60 - 6.20# Box setting standard for all grades
G	03967		8-19-96	SLAPEX	2 3/8" 4.60 - 6.20# Pin setting standard for all grades
P	03999	B	09/29/06	SLAPEX	2 3/8 - 3 1/2" Accessory blanking dimensions
M	03137	D	09/29/06	SLAPEX	2 3/8 - 3 1/2" Pin connector for all grades
M	04029	B	02/25/09	SLAPEX	2 3/8 - 3 1/2" Tubing coupling all weights, grades P-105 and below
M	07572		10/28/10	SLAPEX	2 7/8" SPECIAL CLEARANCE OD (3.250")
A	06256		02/19/03	SLAPEX	2 7/8" 6.40 - 8.60# LIFT PLUG
G	03970		8-19-96	SLAPEX	2 7/8" 6.40 - 8.60# Box setting standard for all grades
G	03969		8-19-96	SLAPEX	2 7/8" 6.40 - 8.60# Pin setting standard for all grades
A	06920		09/29/06	SLAPEX	2 7/8" 6.40# & 3 1/2" 9.20# PIN DAMAGE INSPECTION TOOL
M	07290	B	03/17/11	SLAPEX	3 1/2" SPECIAL CLEARANCE O.D.
M	06819		10/17/05	SLAPEX	3 1/2" 7.70# COUPLING
M	06818		10/17/05	SLAPEX	3 1/2" 7.70# PIN
M	06820		10/17/05	SLAPEX	3 1/2" 7.70# PIN SWAGING
M	07172		03/17/08	SLAPEX	3 1/2" 10.20# EUE 8 RD PIN x SL APEX PIN CROSSOVER SUB
M	07173		03/17/08	SLAPEX	3 1/2" 10.20# SL APEX BOX x 4 1/2" X .290 WALL SL APEX PIN CROSSOVER SUB
M	07174		03/17/08	SLAPEX	3 1/2" 10.20# EUE 8 RD PIN x 4 1/2" X .290 WALL SL APEX XP BOX CROSSOVER SUB
M	07937		02/24/12	SLAPEX	4" 10.70# PIN
M	07938		02/24/12	SLAPEX	4" 10.70# COUPLING
P	04559	A	02/24/12	SLAPEX	4" 10.70# - 22.50# Accessory blanking dimensions
M	04558		12-17-97	SLAPEX	4" 11.60# - 22.50# Tubing-Coupling
M	04557		12-17-97	SLAPEX	4" 11.60# thru 22.50# Tubing-Pin
A	08072		12/06/12	SLAPEX	4" 11.60# - 22.50# PRESSURE TEST CAP
A	08073		12/06/12	SLAPEX	4" 11.60# - 22.50# PRESSURE TEST PLUG
A	04449		10-1-97	SLAPEX	4 1/2" Pressure test cap
A	04450	A	02/12/07	SLAPEX	4 1/2" Pressure test plug
M	06725	A	08/27/08	SLAPEX	4 1/2" SPECIAL CLEARANCE O.D. AND SPECIAL BEVEL
P	06842		11/15/05	SLAPEX	4 1/2" .250 - .290 WALL TITANIUM ACCESSORY BLANK. DIM.
G	06805		09/20/05	SLAPEX	4 1/2" .250 - .290 WALL TITANIUM BOX SETTING STANDARD - EDM FRAME STYLE
M	06803	A	10/19/05	SLAPEX	4 1/2" .250 - .290 WALL TITANIUM COUPLING

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	06802	A	10/19/05	SLAPEX	4 1/2" .250 - .290 WALL TITANIUM PIN
G	06804		09/20/05	SLAPEX	4 1/2" .250 - .290 WALL TITANIUM PIN SETTING STANDARD - EDM FRAME STYLE
M	06696		01/25/05	SLAPEX	4 1/2" 11.60# COUPLING
M	06695		01/25/05	SLAPEX	4 1/2" 11.60# PIN
P	03854	D	11/24/09	SLAPEX	4 1/2" 11.60# - 21.40# Accessory blanking dimensions
G	03899	B	01/25/05	SLAPEX	4 1/2" 11.60# - 21.40# Box setting standard for all grades
G	03898	B	01/25/05	SLAPEX	4 1/2" 11.60# - 21.40# Pin setting standard for all grades
M	06704	A	11/15/06	SLAPEX	4 1/2" 11.60# - 21.40# PIN SWAGING DIMENSIONS
I	07530		08/17/10	SLAPEX	4 1/2" 11.60# - 21.40# PIN & BOX GAGE SET. DIMS FOR ROD STYLE STDS.
M	07096		11/08/07	SLAPEX	4 1/2" 12.60# PIN W/ SPECIAL PIN BORE
M	07097		11/08/07	SLAPEX	4 1/2" 12.60# COUPLING W/ SPECIAL I.D. BORE
M	07098		11/08/07	SLAPEX	4 1/2" 12.60# PIN SWAGING W/ SPECIAL PIN BORE
P	07099		11/08/07	SLAPEX	4 1/2" 12.60# ACCESSORY BLANKING DIMS. W/ SPECIAL BORE
M	05845		11/08/01	SLAPEX	4 1/2" 12.60# SPECIAL CLEARANCE O.D. AND SPECIAL BEVEL (TOTAL ORDER)
M	07355		07/10/09	SLAPEX	4 1/2" 12.60# SPECIAL CLEARANCE O.D. AND SPECIAL BEVEL
M	02969	C	11/24/09	SLAPEX	4 1/2" 12.60 - 21.40# Coupling
M	02968	D	11/24/09	SLAPEX	4 1/2" 12.60 - 21.40# Pin
M	07830		08/17/11	SLAPEX	4 1/2" 12.60# SPECIAL CLEARANCE O.D. AND SPECIAL BEVEL (4.878")
M	06665		11/0/304	SLAPEX	4 1/2" 13.50# COUPLING SPECIAL CLEARANCE FOR TOTAL
M	06664		11/03/04	SLAPEX	4 1/2" 13.50# PIN W/ SPECIAL PIN BORE
M	06013		06/17/02	SLAPEX	4 1/2" 13.50# SPEC. CLEAR. O.D. & SPECIAL BEVEL
M	08060		11/12/12	SLAPEX	4 1/2" 15.10# spec. clearance O.D. and special bevel
G	04789	B	02/24/12	SLAPEX	4" - 7 5/8" Box setting standard-EDM frame style
G	04788	B	02/24/12	SLAPEX	4" - 7 5/8" Pin setting standard - EDM frame style
G	03049	C	01/25/05	SLAPEX	4 1/2" - 9 5/8" 5 Pitch External taper blocks for Gagemaker setbar standard
G	03050	D	01/25/05	SLAPEX	4 1/2" - 9 5/8" 5 Pitch Internal taper blocks for Gagmaker setbar standard
A	07042		07/12/07	SLAPEX	5" PRESSURE TEST CAP
A	07043		07/12/07	SLAPEX	5" PRESSURE TEST PLUG
M	02858	B	1-26-96	SLAPEX	5 " 15 - 24.10# Coupling
M	02857	A	1-26-96	SLAPEX	5 " 15 - 24.10# Pin
P	02883	B	3-18-97	SLAPEX	5" 15 - 24.10# Accessory blanking dimensions
G	02861	A	6-25-96	SLAPEX	5" 15 - 24.10# Pin setting standard for all grades
G	02862	A	6-25-96	SLAPEX	5" 15 - 24.10# Box setting standard for all grades
M	07425	A	12/07/11	SLAPEX	5.260" WALL PIN
M	07426	A	12/07/11	SLAPEX	5.260" WALL COUPLING
G	07427	A	12/07/11	SLAPEX	5.260" WALL PIN SET. STD. - EDM FRAME STYLE
G	07428	A	12/07/11	SLAPEX	5.260" WALL BOX SET. STD. - EDM FRAME STYLE
P	07429	B	03/14/13	SLAPEX	5.260" WALL ACC. BLANK. DIMS.
I	07571	A	12/07/11	SLAPEX	5.260" WALL PIN & BOX GAGE SETTING DIMS FOR ROD STYLE STDS

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
PDO	07974		05/11/12	SLAPEX	5.26" 23# PIN SPECIAL BORE
M	02767	G	2-25-97	SLAPEX	5 1/2" 15.50 - 20.# Pin
M	02768	E	03/01/04	SLAPEX	5 1/2" 15.50 - 20# Coupling
P	03985	A	10/15/07	SLAPEX	5 1/2" 15.50 - 20# Accessory blanking dimensions
G	02794	B	10/15/07	SLAPEX	5 1/2" 15.50 - 20# Pin setting standard for all grades
M	07475		06/02/10	SLAPEX	5 1/2" 23# 6.050" SPECIAL CLEARANCE O.D. & SPECIAL BEVEL
P	03986		9-3-96	SLAPEX	5 1/2" 23 - 29.70# Accessory blanking dimensions
G	03901		6-25-96	SLAPEX	5 1/2" 23 - 29.70# Box setting standard for all grades
M	02971	A	1-26-96	SLAPEX	5 1/2" 23 - 29.70# Coupling
M	02970	A	1-26-96	SLAPEX	5 1/2" 23 - 29.70# Pin
G	03900		6-25-96	SLAPEX	5 1/2" 23 - 29.70# Pin setting standard for all grades
A	06586		06/07/04	SLAPEX	5 1/2" 23 - 29.70# PRESSURE TEST CAP
A	06585		06/07/04	SLAPEX	5 1/2" 23 - 29.70# PRESSURE TEST PLUG
P	03987		9-3-96	SLAPEX	6 5/8" 28 - 47.10# Accessory blanking dimensions
M	02975	A	2-6-96	SLAPEX	6 5/8" 28 - 47.10# Coupling
M	02974	A	2-2-96	SLAPEX	6 5/8" 28 - 47.10# Pin
M	07424		02/11/10	SLAPEX	6 5/8" 32# SPECIAL CLEARANCE O.D. (7.402") AND SPECIAL BEVEL
M	07473		05/25/10	SLAPEX	6 5/8" 32# SPECIAL CLEARANCE O.D. (7.340") AND SPECIAL BEVEL
I	03312		1-12-95	SLAPEX	6 5/8" 47.06# Gage setting offsets
G	03051	A	4-2-96	SLAPEX	6 5/8 - 13 5/8" 4 Pitch external taper blocks (M02698 Threadform)
G	03052	B	4-2-96	SLAPEX	6 5/8 - 13 5/8" 4 Pitch internal taper blocks (M02699 Threadform)
G	02706	D	8-20-96	SLAPEX	6 5/8 - 13 5/8" Frame style box setting standard w/ threadform M02699
G	02705	D	8-20-96	SLAPEX	6 5/8 - 13 5/8" Frame style pin setting standard w/ threadform M02698
M	07497		07/14/10	SLAPEX	7" 29# SPECIAL CLEARANCE O.D. & BEVEL (7.547")
A	07454		03/24/10	SLAPEX	7" 32 - 50.10# PRESSURE TEST CAP
M	07264		12/17/08	SLAPEX	7" SPECIAL CLEARANCE O.D. AND SPECIAL BEVEL
M	05110		06/24/99	SLAPEX	7" 35# SPECIAL CLEAR. OD & BEVEL (M.O.I. ORDER)
M	07183		04/08/08	SLAPEX	7" 35# SPECIAL CLEAR. OD & BEVEL (7.656 S.C. OD)
M	07539		09/01/10	SLAPEX	7" 35# SPECIAL BORE FOR PIN
M	07540		09/01/10	SLAPEX	7" 35# SPECIAL BORE FOR COUPLING
M	06241		01/21/03	SLAPEX	7" 38# CONNECTORS ON 7 1/4" 45# PIPE - PULLOUT DETAIL FOR THREADING
M	06242		01/21/03	SLAPEX	7" 38# SPECIAL CLEAR. OD & SPECIAL BEVEL
M	02985		8-17-93	SLAPEX	7 5/8" Pin x 8-round box safety sub
P	03998		9-3-96	SLAPEX	7 5/8" 26.40 - 33.70# Accessory blanking dimensions
M	03790		4-22-96	SLAPEX	7 5/8" 26.40 - 33.70# Coupling
M	03789		4-22-96	SLAPEX	7 5/8" 26.40 - 33.70# Pin
M	07557		09/27/10	SLAPEX	7 5/8" 39# (8.239" Special Clearance OD and Special Bevel)
P	02930		5-27-93	SLAPEX	7 5/8" 39 - 59.10# Accessory blanking dimensions
M	02725	C	2-2-96	SLAPEX	7 5/8" 39 - 59.10# Pin

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	02726	B	2-6-96	SLAPEX	7 5/8" 39 - 59.10# Coupling
P	06887		05/10/06	SLAPEX	7 5/8" x .375" TITANIUM ACC. BLANKING DIM.
G	06885		05/10/06	SLAPEX	7 5/8" x .375" TITANIUM BOX SETTING STANDARD - EDM FRAME STYLE
M	06883		05/10/06	SLAPEX	7 5/8" x .375" TITANIUM COUPLING
M	06882		05/10/06	SLAPEX	7 5/8" x .375" TITANIUM PIN
G	06884		05/10/6	SLAPEX	7 5/8" x .375" TITANIUM PIN SETTING STANDARD - EDM FRAME STYLE
M	06886		05/10/06	SLAPEX	7 5/8" x .375" TITANIUM PIN SWAGING DIMENSIONS
P	03988		9-3-96	SLAPEX	7 3/4" 46.10# Accessory blanking dimensions
M	02978	A	2-6-96	SLAPEX	7 3/4" 46.10# Coupling
M	02977	A	2-2-96	SLAPEX	7 3/4" 46.10# Pin
G	04682	E	09/04/13	SLAPEX	7 3/4" - 13 5/8" Box setting standard - EDM frame style
G	04681	E	09/04/13	SLAPEX	7 3/4" - 13 5/8" Pin setting standard - EDM frame style
P	03989		9-3-96	SLAPEX	7 7/8" x .875" Accessory blanking dimensions Wall
M	03671		1-31-96	SLAPEX	7 7/8" x .875" Coupling wall
M	03670		2-2-96	SLAPEX	7 7/8" x .875" Pin wall
M	03035	B	03/10/05	SLAPEX	8" 71 - 84# Coupling
M	03034	B	03/10/05	SLAPEX	8" 71 - 84# Pin
G	03045		1-11-94	SLAPEX	8" 71.80# Box soft setting standard
G	03044		1-11-94	SLAPEX	8" 71.80# Pin soft setting standard
P	03990		9-3-96	SLAPEX	8 5/8" 40 - 63.50# Accessory blanking dimensions
M	02981	A	2-6-96	SLAPEX	8 5/8" 40 - 63.50# Coupling
M	02980	A	2-2-96	SLAPEX	8 5/8" 40 - 63.50# Pin
G	04164		2-21-97	SLAPEX	9 5/8" Box frame style setting standard w/ threadform M02766
G	04163		2-21-97	SLAPEX	9 5/8" Pin frame style setting standard w/ threadform M02765
M	03414	A	1-26-96	SLAPEX	9 5/8" 36# Pin
P	03991		9-3-96	SLAPEX	9 5/8" 36 - 43.50# Accessory blanking dimensions
G	03418	B	2-25-97	SLAPEX	9 5/8" 36 - 43.50# Box setting standard
M	03415	A	1-26-96	SLAPEX	9 5/8" 36 - 43.50# Coupling
G	03417	B	6-18-97	SLAPEX	9 5/8" 36 - 43.50# Pin setting standard for all grades
M	04157		2-18-97	SLAPEX	9 5/8" 43.50# Special O.D. bevel (Total Order)
M	04165		2-21-97	SLAPEX	9 5/8" 43.50# x 10 3/4" 55.50# Crossover sub: pin x pin
M	07543		09/01/10	SLAPEX	9 5/8" 47# SPECIAL BORE FOR COUPLING
M	07542		09/01/10	SLAPEX	9 5/8" 47# SPECIAL BORE FOR PIN
P	02935	C	09/01/10	SLAPEX	9 5/8" 47 - 71.60# Accessory blanking dimensions
M	02703	D	2-6-96	SLAPEX	9 5/8" 47 - 71.60# Coupling
M	02703M	A	09/08/10	SLAPEX	9 5/8" 47 - 71.60# Coupling (metric)
M	06942		11/14/06	SLAPEX	9 5/8" 47 - 71.60# PIN SWAGING DIMENSIONS
M	02702	F	11/15/06	SLAPEX	9 5/8" 47 - 71.60# Pin
A	07181		04/04/08	SLAPEX	9 5/8" 47 - 71.60# PRESSURE TEST CAP

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
A	07182		04/04/08	SLAPEX	9 5/8" 47 - 71.60# PRESSURE TEST PLUG
M	05979		05/03/02	SLAPEX	9 5/8" 53.50# APEX PIN X 7" 32# APEX PIN CROSSOVER SUB
P	03992		9-3-96	SLAPEX	9 3/4" 59.20# Accessory blanking dimensions
M	03673		11-20-95	SLAPEX	9 3/4" 59.20# Coupling
M	03672		11-20-95	SLAPEX	9 3/4" 59.20# Pin
M	06175	A	02/18/03	SLAPEX	9 7/8" PIN CONNECTORS ON 10 1/8" PIPE - PULLOUT DETAIL FOR THREADING
P	06259		03/20/03	SLAPEX	9 7/8" 62.80# PIN ON 10 1/8" PIPE ACC. BLANK. DIM.
P	03993	A	09/04/13	SLAPEX	9 7/8" 62.80# - 66.90# Accessory blanking dimensions
M	03723	A	09/04/13	SLAPEX	9 7/8" 62.80# - 66.90# Coupling
M	03722	C	02/03/15	SLAPEX	9 7/8" 62.80# - 66.90# Pin
A	08244		01/20/14	SLAPEX	9 7/8" 66.90# HANDLING PLUG
M	07397		10/26/09	SLAPEX	10 3/4" 45.50# PIN
M	07398		10/26/09	SLAPEX	10 3/4" 45.50# COUPLING
M	07399		10/26/09	SLAPEX	10 3/4" 45.50# ACC. BLANKING DIMS.
A	07465		04/21/10	SLAPEX	10 3/4" 45.50# PRESSURE TEST PLUG
A	07464		04/21/10	SLAPEX	10 3/4" 45.50# PRESSURE TEST CAP
P	03145	A	1/09/03	SLAPEX	10 3/4" 51 - 80.80# Accessory blanking dimensions
G	03047		1-12-94	SLAPEX	10 3/4" 51 - 80.80# Box soft setting standard
G	03046		1-12-94	SLAPEX	10 3/4" 51 - 80.80# Pin soft setting standard
M	03043	B	1/09/02	SLAPEX	10 3/4" 51- 80.80# Coupling
M	03042	B	1/09/02	SLAPEX	10 3/4" 51- 80.80# Pin
A	08151		05/06/13	SLAPEX	10 3/4" 51- 80.80# PRESSURE TEST PLUG
A	08152		05/06/13	SLAPEX	10 3/4" 51- 80.80# PRESSURE TEST CAP
M	04158		2-18-97	SLAPEX	10 3/4" 55.50# Special clearance O.D. (Total Order)
M	06388		10/13/03	SLAPEX	10 3/4" 84.20# BOX X 9 7/8" PIN ON 10 1/8" PIPE
P	02923	D	10/13/03	SLAPEX	10 3/4" 84.30 - 119# Accessory blanking dimensions
M	02742	G	10/13/03	SLAPEX	10 3/4" 84.30 - 119# Coupling
G	02828	C	10/13/03	SLAPEX	10 3/4" 84.30 - 119# Frame style box setting standard
G	02827	C	10/13/03	SLAPEX	10 3/4" 84.30 - 119# Frame style pin setting standard
M	02741	E	10/13/03	SLAPEX	10 3/4" 84.30 - 119# Pin
G	04166	A	3-10-97	SLAPEX	10 3/4" 91.20 - 109# Box soft setting standard
G	04176		3-3-97	SLAPEX	10 3/4" 91.20 - 109# Pin soft setting standard
M	04159		2-19-97	SLAPEX	10 3/4" 97.10# Special clearance O.D. (Total Order)
M	07946		03/08/12	SLAPEX	10 3/4" 97.10# MATCHED STRENGTH O.D.
P	03994		9-3-96	SLAPEX	11 3/4" 60 - 87.20# Accessory blanking dimensions
M	03677		11-20-95	SLAPEX	11 3/4" 60 - 87.20# Coupling
M	03676		2-2-96	SLAPEX	11 3/4" 60 - 87.20# Pin
P	03995		9-3-96	SLAPEX	11 7/8" 71.80# Accessory blanking dimensions
M	03679		11-20-95	SLAPEX	11 7/8" 71.80# Coupling

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	03678		11-20-95	SLAPEX	11 7/8" 71.80# Pin
P	03996		9-3-96	SLAPEX	13 3/8" 68 - 92.50# Accessory blanking dimensions
M	03681		11 -20-95	SLAPEX	13 3/8" 68 - 92.50# Coupling
M	03680		11-20-95	SLAPEX	13 3/8" 68 - 92.50# Pin
A	09079		04/14/15	SLAPEX	13 3/8" 68 - 92.50# PRESSURE TEST PLUG
A	09080	A	06/04/15	SLAPEX	13 3/8" 68 - 92.50# PRESSURE TEST CAP
M	05529		08/04/00	SLAPEX	13 5/8" 72# SPECIAL OD BEVEL (CHEVRON ORDER)
P	03997		9-3-96	SLAPEX	13 5/8" 88.20# Accessory blanking dimensions
M	03683		11-20-95	SLAPEX	13 5/8" 88.20# Coupling
M	03682		11-20-95	SLAPEX	13 5/8" 88.20# Pin
I	03778		4-12-96	SLAPEX	Box gage setting offsets using mic-trac tig blocks
I	03777		4-12-96	SLAPEX	Pin gage setting offsets using mic-trac tig blocks
M	03357	A	01/22/07	SLAPEX	Pin I.D. transition for special drift
P	07400		10/26/09	SLAPEX	Plastic coating specification
A	09251	A	05/27/16	SLAPEX	DUOLINE / MAXTUBE FIBERGLASS LINER COUPLING
A	09261	A	06/28/16	SLAPEX	DUOLINE TRANSITION PIECE (DTP) DL - RING SYSTEM
P	09262	A	08/01/16	SLAPEX	DUOLINE TRANSITION PIECE (DTP) DL - RING SYSTEM BLANKING DIMENSIONS
A	09274		08/01/16	SLAPEX	DUOLINE TRANSITION PIECE (DTP) FL - RING SYSTEM
P	09277		08/09/16	SLAPEX	DUOLINE TRANSITION PIECE (DTP) FL - RING SYSTEM BLANKING DIMENSIONS
G	03767	A	10/19/10	SLAPEX-4P	7" Pin setting standard for all grades 4 PITCH
G	03768	A	10/19/10	SLAPEX-4P	7" Coupling setting standard for all grades 4 PITCH
I	03352	A	10/19/10	SLAPEX-4P	7" 23 - 29# Pin & box gage setting offsets for rod style standards 4 PITCH
P	03856	B	10/19/10	SLAPEX-4P	7" 32 - 50.10# Accessory blanking dimensions 4 PITCH
M	02848	D	10/19/10	SLAPEX-4P	7" 32 - 50.10# Coupling 4 PITCH
M	02847	D	10/19/10	SLAPEX-4P	7" 32 - 50.10# Pin 4 PITCH
A	07454		03/24/10	SLAPEX-4P	7" 32 - 50.10# PRESSURE TEST CAP 4 PITCH
A	07455	A	03/24/10	SLAPEX-4P	7" 32 - 50.10# PRESSURE TEST PLUG 4 PITCH
M	07541	A	09/01/10	SLAPEX-4P & 5P	7" 32# 5 PITCH & 7" 32 - 50.10# 4 PITCH PIN SWAGING DIMENSIONS
M	07100	B	10/19/10	SLAPEX-5P	7" 23 - 26# PIN W/ SPECIAL PIN BORE 5 PITCH
M	07101	B	10/19/10	SLAPEX-5P	7" 23 - 26# COUPLING W/ SPECIAL I.D. BORE 5 PITCH
P	07102	B	10/19/10	SLAPEX-5P	7" 23 - 26# ACCESSORY BLANKING DIMENSIONS W/ SPECIAL BORE 5 PITCH
G	03903	A	10/19/00	SLAPEX-5P	7" 23 - 29# Box setting standard for all grades 5 PITCH
G	03073	A	10/19/10	SLAPEX-5P	7" 23 - 29# Box soft setting standard 5 PITCH
M	03064	E	10/19/10	SLAPEX-5P	7" 23 - 29# Coupling 5 PITCH
M	03063	J	10/19/10	SLAPEX-5P	7" 23 - 29# Pin 5 PITCH
G	03902	A	10/19/10	SLAPEX-5P	7" 23 - 29# Pin setting standard for all grades 5 PITCH
G	03072	A	10/19/10	SLAPEX-5P	7" 23 - 29# Pin soft setting standard 5 PITCH
M	06941	A	10/19/10	SLAPEX-5P	7" 23 - 29# PIN SWAGING DIMENSIONS 5 PITCH
A	07051	A	10/19/10	SLAPEX-5P	7" 23 - 29# PRESSURE TEST CAP 5 PITCH

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
A	07052	A	10/19/10	SLAPEX-5P	7" 23 - 29# PRESSURE TEST PLUG 5 PITCH
P	03855	C	10/19/10	SLAPEX-5P	7" 23 - 32# Accessory blanking dimensions 5 PITCH
M	03793	A	10/19/10	SLAPEX-5P	7" 32# Coupling 5 pitch thread
M	03792	A	10/19/10	SLAPEX-5P	7" 32# Pin 5 pitch thread
M	06765		07/05/05	SLAPEX / SLAPEX HW	10 3/4" 79.20# SL APEX HW BOX X 9 7/8" SL APEX PIN ON 10 1/8" PIPE - CROSSOVER SUB
M	05977		04/29/02	SLAPEX / SLSF	9 7/8" 62.80# APEX PIN X 10 1/8" 79.22# SL SF BOX - CROSSOVER SUB
M	05978	A	03/20/03	SLAPEX / SLSF	9 7/8" 62.80# APEX X 10 1/8" 79.22# SL SF CROSSOVER SUB PIN X PIN
M	06312		06/11/03	SLAPEX / SLSF	10 1/8" 79.22# SL SF PIN X 10 3/4" 85.30# SL APEX BOX CROSSOVER SUB
M	06306		06/10/03	SLAPEX / SLSF	10 3/4" 85.30# APEX X 10 1/8" 79.22# CROSSOVER SUB PIN X PIN
A	06845	A	05/05/06	SLAPEX, SLAPEX-E	2 3/8" TUBING PRESSURE TEST CAP
A	06844		12/01/05	SLAPEX, SLAPEX-E	2 3/8" TUBING PRESSURE TEST PLUG
M	03741	A	02/25/09	SLAPEX, SLAPEX-E	2 3/8" - 3 1/2" Dual Clearance O.D. bevels for sl apex & apex E couplings
M	06921		10/02/06	SLAPEX, SLAPEX-E	2 3/8" - 3 1/2" PIN SWAGING
A	06553	A	05/05/06	SLAPEX, SLAPEX-E	2 7/8" TUBING PRESSURE TEST CAP
A	06552		03/16/04	SLAPEX, SLAPEX-E	2 7/8" TUBING PRESSURE TEST PLUG
A	04089	A	05/05/06	SLAPEX, SLAPEX-E	3 1/2" PRESSURE TEST CAP
A	04090		01/06/97	SLAPEX, SLAPEX-E	3 1/2" PRESSURE TEST PLUG
G	03972	A	07/02/08	SLAPEX, SLAPEX-E	3 1/2" 7.70 - 12.70# Box setting standard for all grades
G	03971	A	07/02/08	SLAPEX, SLAPEX-E	3 1/2" 7.70 - 12.70# Pin setting standard for all grades
A	05682	C	05/21/04	SLAPEX, SLAPEX-E	5 1/2" 15.50 - 20# LOW TORQUE PRESSURE TEST CAP
A	04091	B	05/21/04	SLAPEX, SLAPEX-E	5 1/2" 15.50 - 20# PRESSURE TEST CAP
A	04092	A	05/21/04	SLAPEX, SLAPEX-E	5 1/2" 15.50 - 20# PRESSURE TEST PLUG
P	04043	A	09/29/06	SLAPEX-E	2 3/8" - 3 1/2" ACCESSORY BLANKING DIMENSIONS
M	03138	I	02/25/09	SLAPEX-E	2 3/8" - 3 1/2" COUPLING, ALL WEIGHTS, P-105 AND BELOW
M	03137E	F	09/29/06	SLAPEX-E	2 3/8" - 3 1/2" PIN, ALL GRADES
A	04128		01/31/97	SLAPEX-E	3 1/2" - 9 5/8" STABBING GUIDE HOUSING
A	04127		01/31/97	SLAPEX-E	3 1/2" - 9 5/8" STABBING GUIDE INSERT
P	04044		10/28/96	SLAPEX-E	5 1/2" 15.50 - 20# ACCESSORY BLANKING DIMENSIONS
G	04035		09/17/96	SLAPEX-E	5 1/2" 15.50 - 20# BOX SETTING STANDARD
M	03910	D	02/20/97	SLAPEX-E	5 1/2" 15.50 - 20# COUPLING
M	02767E	G	02-20-97	SLAPEX-E	5 1/2" 15.50 - 20# PIN
G	04012		09/17/96	SLAPEX-E	7" 23 - 29# BOX SETTING STANDARD
M	03911	B	02/03/97	SLAPEX-E	7" 23 - 29# COUPLING
M	04141		02/03/97	SLAPEX-E	7" 23 - 29# PIN
P	04045		10/28/96	SLAPEX-E	7" 23 -29# ACC. BLANKING DIMENSIONS
P	04046		10/28/96	SLAPEX-E	9 5/8" 43.50 - 71.60# ACCESSORY BLANK DIM.
M	03912	D	01/30/97	SLAPEX-E	9 5/8" 47 - 71.60# COUPLING
G	04034		10/21/96	SLAPEX-E	9 5/8" 47 - 71.60# COUPLING SETTING STANDARD
G	04040		10/24/96	SLAPEX-E	9 5/8" 47 - 71.60# FRAME STYLE BOX SETTING STANDARD

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	04074	B	01/30/97	SLAPEX-E	9 5/8" 47 - 71.60# PIN
M	04033		10/21/96	SLAPEX-E	SPECIAL O.D. BEVEL FOR COUPLING
M	07644	B	10/13/11	SLAPEX-HW	3 1/2" 14.30# PIN
M	07645	B	10/13/11	SLAPEX-HW	3 1/2" 14.30# COUPLING
G	07723	A	05/18/11	SLAPEX-HW	3 1/2" 14.30# SOFT SETTING STANDARD - PIN
G	07724	A	05/18/11	SLAPEX-HW	3 1/2" 14.30# SOFT SETTING STANDARD - BOX
G	07794		06/24/11	SLAPEX-HW	3 1/2" - 9" PIN SETTING STANDARD - EDM FRAME STYLE
G	07795		06/24/11	SLAPEX-HW	3 1/2" - 9" BOX SETTING STANDARD - EDM FRAME STYLE
M	07646		01/25/11	SLAPEX-HW	7" 74.50# PIN
M	07647		01/25/11	SLAPEX-HW	7" 74.50# COUPLING
G	07711		03/29/11	SLAPEX-HW	7" 74.50# SOFT SETTING STANDARD - PIN
G	07712		03/29/11	SLAPEX-HW	7" 74.50# SOFT SETTING STANDARD - BOX
M	07648		01/25/11	SLAPEX-HW	9" 110.50# PIN
M	07649		01/25/11	SLAPEX-HW	9" 110.50# COUPLING
G	07725		03/29/11	SLAPEX-HW	9" 110.50# SOFT SETTING STANDARD - PIN
G	07726		03/29/11	SLAPEX-HW	9" 110.50# SOFT SETTING STANDARD - BOX
P	06128		09/23/02	SLAPEX-HW	10 3/4" ACC. BLANK. DIM.
M	06145		10/15/02	SLAPEX-HW	10 3/4 79.20# APEX-HW PIN X 10 1/8" 79.22# SL SF PIN CROSSOVER SUB
M	06470		01/02/04	SLAPEX-HW	10 3/4" 79.20# APEX-HW PIN X 11 7/8" 71.80# HYDRIL 511 BOX CROSSOVER SUB
M	06127		09/23/02	SLAPEX-HW	10 3/4" 79.20# COUPLING
M	06126		09/23/02	SLAPEX-HW	10 3/4" 79.20# PIN
M	06471		01/03/04	SLAPEX-HW	10 3/4" 79.20# SPECIAL O.D. BEVEL
P	06900		06/22/06	SLAPEX-XP	4 1/2" .250 - .290 WALL TITANIUM ACCESSORY BLANK. DIM.
G	06899		06/22/06	SLAPEX-XP	4 1/2" .250 - .290 WALL TITANIUM BOX SETTING STANDARD - EDM FRAME STYLE
M	06897	C	07/15/08	SLAPEX-XP	4 1/2" .250 - .290 WALL TITANIUM COUPLING
M	06896	C	07/15/08	SLAPEX-XP	4 1/2" .250 - .290 WALL TITANIUM PIN
G	06898		06/22/06	SLAPEX-XP	4 1/2" .250 - .290 WALL TITANIUM PIN SETTING STANDARD - EDM FRAME STYLE
M	06924		10/09/06	SLAPEX-XP	4 1/2" .250 - .290 WALL TITANIUM PIN SWAGING DIMENSIONS
M	07188		04/23/08	SLAPEX-XP	4 1/2" x .290 WALL SL APEX XP PIN x 3 1/2" 10.20# VAMP TOP BOX CROSSOVER SUB
M	07189		04/23/08	SLAPEX-XP	4 1/2" x .290 WALL SL APEX XP PIN x 3 1/2" 10.20# EUE 8 ROUND PIN CROSSOVER SUB
P	06954	A	02/26/08	SLAPEX-XP	7 5/8" x .375" - .430" WALL TITANIUM ACCESSORY BLANKING DIMENSIONS
G	06953	A	02/26/08	SLAPEX-XP	7 5/8" x .375" - .430" WALL TITANIUM BOX SETTING STANDARD - EDM FRAME STYLE
M	06951	C	07/15/08	SLAPEX-XP	7 5/8" x .375" - .430" WALL TITANIUM COUPLING
M	06950	B	07/15/08	SLAPEX-XP	7 5/8" x .375" - .430" WALL TITANIUM PIN
G	06952	A	02/26/08	SLAPEX-XP	7 5/8" x .375" - .430" WALL TITANIUM PIN SETTING STANDARD - EDM FRAME STYLE
M	06955		01/04/07	SLAPEX-XP	7 5/8" x .375" WALL TITANIUM PIN SWAGING DIMENSIONS
M	06967	B	07/15/08	SLAPEX-XP	9 5/8" x .395 - .435 WALL TITANIUM COUPLING
P	06970	A	12/19/07	SLAPEX-XP	9 5/8" x .395 - .435 WALL TITANIUM ACCESSORY BLANKING DIMENSIONS
G	06969	A	12/19/07	SLAPEX-XP	9 5/8" x .395 - .435 WALL TITANIUM BOX SETTING STANDARD - EDM FRAME STYLE

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	06966	B	11/06/09	SLAPEX-XP	9 5/8" x .395 - .435 WALL TITANIUM PIN
G	06968	A	12/19/07	SLAPEX-XP	9 5/8" x .395 - .435 WALL TITANIUM PIN SETTING STANDARD - EDM FRAME STYLE
M	06971		01/31/07	SLAPEX-XP	9 5/8" x .395 WALL TITANIUM PIN SWAGING DIMENSIONS
M	07289	A	04/07/09	SLAPEX-XP SR	7 5/8" x .375" - .430" WALL TITANIUM COUPLING
M	07363	B	11/24/09	SLAPEX-XP SR	9 5/8" x .395 - .435 WALL TITANIUM COUPLING
M	05760		05/18/01	SLBIGBORE	16" 97# PIN SWAGING
M	05767		05/22/01	SLBIGBORE	17.959# 118.50# BOX
G	05769		05/23/01	SLBIGBORE	17.959# 118.50# EDM FRAME STYLE BOX SETTING STANDARD
G	05768		05/23/01	SLBIGBORE	17.959# 118.50# EDM FRAME STYLE PIN SETTING STANDARD
M	05766		05/22/01	SLBIGBORE	17.959# 118.50# PIN
M	02089	A	8-22-90	SLBIGO	7 5/8" 60# Casing pin connector
M	02090	A	8-22-90	SLBIGO	7 5/8" 60# Coupling
P	01418	A	2-8-89	SLBIGO	8 5/8" x 10 3/4" Blanking dimensions
I	01362	A	1-5-89	SLBIGO	8" HW SL, 8 5/8" & 10 3/4" Gage setting dimensions test sample couplings
P	01419	A	2-8-89	SLBIGO	8" HW x 8 5/8" Blanking dimensions
M	01412		1-24-89	SLBIGO	8" HW, 8 5/8", 10 3/4" Coupling PR ring groove detail
A	01374	A	1-21-89	SLBIGO	8 5/8" Pressure test cap
A	01373		1-10-89	SLBIGO	8 5/8" Pressure test plug
M	01269	C	3-16-89	SLBIGO	8 5/8" 77.87# Casing pin connector
M	01270	B	2-17-89	SLBIGO	8 5/8" 77.87# Coupling
A	01376		1-10-89	SLBIGO	10 3/4" Pressure test cap
A	01375		1-10-89	SLBIGO	10 3/4" Pressure test plug
M	01267	A	3-16-89	SLBIGO	10 3/4" 116.32# Pin connector for all grades
M	01268	A	2-17-89	SLBIGO	10 3/4" 166.32# Coupling
M	01923	A	2-9-90	SLBIGO	13 5/8" Coupling special O.D. bevel
M	01097	C	12-14-95	SLBIGO	13 5/8" 88.20- 104.50# Coupling w/ special seal tolerances
M	01096	D	12-13-95	SLBIGO	13 5/8" 88.20- 104.50# Pin connector w/ special seal tolerance
P	02534		1-15-92	SLBIGO	13 5/8" 88.20# Pin & box accessory blanking dimensions
M	01368	C	1-19-90	SLBIGO	13 5/8" - 18 5/8" Pin connector all weights grades Q-125 and below
G	01576	A	11-16-89	SLBIGO	13 5/8" - 24 1/2" Box frame style setting standard
I	01556		8-4-89	SLBIGO	13 5/8" - 24 1/2" Casing box mic-trac block offsets and riser block settings
I	01632		9-11-89	SLBIGO	13 5/8" - 24 1/2" Casing pin mic-trac taper block offsets
M	01370	A	7-13-89	SLBIGO	13 5/8" - 24 1/2" Coupling specified grades
I	00761	D	01-19-90	SLBIGO	13 5/8", 14", 16", 18 5/8", 20" Coupling gage setting information
I	00759	E	1-19-90	SLBIGO	13 5/8", 14", 16", 18 5/8", 20" Pin gage setting information
A	01258	A	2-8-90	SLBIGO	14" Casing test plug
A	01346		12-15-88	SLBIGO	14" Stabbing guide housing
A	01345		12-15-88	SLBIGO	14" Stabbing guide insert
A	01263	A	2-8-90	SLBIGO	14" Test cap

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
I	01815		11-15-89	SLBIGO	16" Coupling gage setting information
I	01814		11-15-89	SLBIGO	16" Pin gage setting dimensions
P	02408	A	2-4-92	SLBIGO	16" 72.80 - 92.66# Box thread protector modified for cement lined applications
I	01677		10-3-89	SLBIGO	16" 72.80 - 92.66# Casing pin mic-trac taper block offsets
P	02409	A	2-4-92	SLBIGO	16" 72.80 - 92.66# Pin thread protector modified for cement lined applications
A	01649		9-13-89	SLBIGO	16" 72.80 - 92.66# Pressure test cap
A	01648		9-13-89	SLBIGO	16" 72.80 - 92.66# Pressure test plug
M	02547		2-5-92	SLBIGO	16" 84# Accessory box: Titanium Beta C Alloy
A	02580		3-19-92	SLBIGO	16" 84# Box landing connection geothermal application
M	02407		9-9-91	SLBIGO	16" 84# Coupling modified for unocal geothermal service
M	06037		07/12/02	SLBIGO	16" 84# GRADES 95-125 KSI COUPLING
M	02406		9-9-91	SLBIGO	16" 84# Pin connector modified for unocal geothermal service
A	02579		3-19-92	SLBIGO	16" 84# Pin landing connection geothermal application
A	02496	A	1-23-92	SLBIGO	16" 84# Pressure test/ handling plug modified for geothermal service
A	02559		2-12-92	SLBIGO	16" 84# Safety plug modified for geothermal service
M	01487		3-14-89	SLBIGO	16" - 20" Coupling turned forging blank
M	01903		1-17-90	SLBIGO	20" Coupling special O.D. bevel
A	02096		6-1-90	SLBIGO	20" 94 - 118# Pressure test cap
A	02095		6-1-90	SLBIGO	20" 94 - 118# Pressure test plug
A	01264	A	1-24-90	SLBIGO	20" 131.33 - 166.40# Pressure test cap
A	01250	B	1-24-90	SLBIGO	20" 131.33 - 166.40# Pressure test plug
I	01820		11-20-89	SLBIGO	20" 131.33 - 166-40# Casing pin mic-trac taper block offsets
M	01369	C	1-19-90	SLBIGO	20" - 24 1/2" Pin connector all weights grades Q-125 and below
M	01479		3-7-89	SLBIGO	24" Coupling turned forging blank
M	01462	A	3-7-89	SLBIGO	24 1/2" Coupling turned forging blank
A	01081	A	8-22-88	SLBIGO	Make-up stencil
G	01646	A	11-16-89	SLBIGO	Pin frame style setting standard
A	03016		11-2-93	SLBOSS	4 1/2" Coupling sales sample / API buttress
M	06746		0405/05	SLBOSS	7 5/8" PIN ON 7 3/4" PIPE - PULLOUT DETAIL FOR THREADING
A	07392		10/09/09	SLBOSS	7 5/8" Pressure test plug
A	04285	A	9-12-97	SLBOSS	7 5/8" 26.40 - 45.30# Accessory box machining detail
A	04285M		07/18/00	SLBOSS	7 5/8" 26.40 - 45.30# Accessory box machining detail (metric)
A	04288		6-17-97	SLBOSS	7 5/8" 26.40 - 45.30# Box make-up positioner
M	04284		6-17-97	SLBOSS	7 5/8" 26.40 - 45.30# Coupling connector
M	04284M		07/18/00	SLBOSS	7 5/8" 26.40 - 45.30# Coupling connector (metric)
P	04286	C	04/12/16	SLBOSS	7 5/8" - 7 3/4" ACCESSORY BLANKING DIMENSIONS
P	04286M	B	04/12/16	SLBOSS	7 5/8" - 7 3/4" ACCESSORY BLANKING DIMENSIONS (METRIC)
M	04283		6-17-97	SLBOSS	7 5/8" 26.40 - 45.30# Pin connector
M	04283M		07/18/00	SLBOSS	7 5/8" 26.40 - 45.30# Pin connector (metric)

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
A	04287		6-17-97	SLBOSS	7 5/8" 26.40 - 45.30# Pin make-up positioner
A	05513		07/17/00	SLBOSS	7 5/8" 26.40 - 43.30# PRESSURE TEST CAP
M	05010		02/22/99	SLBOSS	7 5/8" 33.70# SPEC. CLEAR. (8.028" CPLG OD)& O.D. BEVEL (CHEVRON U.K.)
M	04995		01/27/99	SLBOSS	7 5/8" 33.70# SPEC. CLEAR. (8.200" CPLG OD)& O.D. BEVEL (CHEVRON U.K.)
A	07653		02/01/11	SLBOSS	7 5/8" 33.70# - 45.30# LOW TORQUE PRESSURE TEST CAP
A	07654		02/01/11	SLBOSS	7 5/8" 33.70# - 45.30# LOW TORQUE PRESSURE TEST PLUG
M	04342	B	04/12/16	SLBOSS	7 5/8" - 10 3/4" SPECIAL CLEARANCE & O.D. BEVEL
G	02875	E	6/29/00	SLBOSS	7 5/8" - 11 7/8 External taper blocks for gagemaker setbar setting standard
G	02472	C	6/29/00	SLBOSS	7 5/8" - 11 7/8" Frame style pin setting standard
G	02876	E	06/29/00	SLBOSS	7 5/8" - 11 7/8" Internal taper blocks for gagemaker setbar setting standard
G	04531	A	12/23/02	SLBOSS	7 5/8" - 24 1/2" Box setting standard- EDM frame style
G	04530	A	12/23/02	SLBOSS	7 5/8" - 24 1/2" Pin setting standard- EDM frame style
A	03370		3-15-95	SLBOSS	8 5/8" Mill make-up plug
A	04965		12/30/98	SLBOSS	8 5/8" 28 - 49# LIFT PLUG
P	03367	A	7-21-97	SLBOSS	8 5/8" 28 - 49# Accessory blanking dimensions
A	03366	A	9-12-97	SLBOSS	8 5/8" 28 - 49# Accessory box machining detail
A	03369		3-15-95	SLBOSS	8 5/8" 28 - 49# Box make-up positioner
M	03365		3-15-95	SLBOSS	8 5/8" 28 - 49# Coupling connector
M	03364		3-15-95	SLBOSS	8 5/8" 28 - 49# Pin connector
A	03368		3-15-95	SLBOSS	8 5/8" 28 - 49# Pin make-up positioner
A	06751		05/18/05	SLBOSS	8 5/8" 36# BOSS PIN X 4 1/2" IF BOX SAVER SUB
A	03375		3-29-95	SLBOSS	9 3/4" 59.20# Accessory box machining detail
A	04546		12-12-97	SLBOSS	9 3/4" 59.20# Box make-up positioner
M	02797	B	3-20-95	SLBOSS	9 3/4" 59.20# Casing coupling connector
M	02796	C	2-24-95	SLBOSS	9 3/4" 59.20# Casing pin connector
P	03381	A	7-21-97	SLBOSS	9 3/4" 59.20# Pin & box accessory blanking dimensions
A	04545		12-12-97	SLBOSS	9 3/4" 59.20# Pin make-up positioner
A	06995		03/01/07	SLBOSS	9 5/8" BOX THREAD PROTECTOR SLEEVE
A	02882		3-19-93	SLBOSS	9 5/8" Mill make-up plug
A	02882M		08/09/00	SLBOSS	9 5/8" Mill make-up plug (metric)
P	02881	C	4-14-98	SLBOSS	9 5/8" Pin & box accessory blanking dimensions
P	02881M		7/18/00	SLBOSS	9 5/8" Pin & box accessory blanking dimensions (metric)
A	05728		04/09/01	SLBOSS	9 5/8" PRESSURE TEST CAP
A	05727		04/09/01	SLBOSS	9 5/8" PRESSURE TEST PLUG
M	07366		08/20/09	SLBOSS	9 5/8" (10.250 OD) SPECIAL CLEARANCE & OD BEVEL
A	02885	A	1-5-98	SLBOSS	9 5/8" 36 - 70.30# Box make-up positioner
M	02748	D	4-12-96	SLBOSS	9 5/8" 36 - 70.30# Coupling connector
M	02748M		07/18/00	SLBOSS	9 5/8" 36 - 70.30# Coupling connector (metric)
A	02884	A	1-5-98	SLBOSS	9 5/8" 36 - 70.30# Pin make-up positioner

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
A	07386		10/05/09	SLBOSS	9 5/8" 47# LOW TORQUE PRESSURE TEST PLUG CONNECTION DETAIL
P	07390		10/07/09	SLBOSS	9 5/8" 47# LOW TORQUE PRESSURE TEST PLUG SEAL O-RING
P	07391		10/07/09	SLBOSS	9 5/8" 47# LOW TORQUE PRESSURE TEST PLUG CONNECTION PIN ASSEMBLY
M	06581		05/03/04	SLBOSS	9 5/8" 53.50# SPECIAL O.D. BEVEL
A	06947		12/6/06	SLBOSS	9 5/8" 70.30# SL BOSS PIN x 4 1/2" IF BOX SAVER SUB
A	02886	D	06/22/07	SLBOSS	9 5/8" on 9 5/8" 36 - 70.3#, 9 3/4" 59.2# & 9 7/8" 62.8 pipe Acc. Box mach detail
A	02886M	A	06/22/07	SLBOSS	9 5/8" on 9 5/8" 36 - 70.3#, 9 3/4" 59.2# & 9 7/8" 62.8 pipe Acc. Box mach detail (metric)
M	03123	B	3-28-95	SLBOSS	9 5/8" pin connector on 9 3/4" & 9 7/8" pipe pullout detail
M	03123M		08/08/00	SLBOSS	9 5/8" pin connector on 9 3/4" & 9 7/8" pipe pullout detail (metric)
M	02747	F	4-12-96	SLBOSS	9 5/8" Pin connector on 9 5/8" 36- 70.3#, 9 3/4" 59.2# & 9 7/8" 62.8# pipe
M	02747M		7/18/00	SLBOSS	9 5/8" Pin connector on 9 5/8" 36- 70.3#, 9 3/4" 59.2# & 9 7/8" 62.8# pipe (Metric)
P	04538		12-3-97	SLBOSS	9 7/8" Pin & box accessory blanking dimensions
A	04542		12-3-97	SLBOSS	9 7/8" 62.80# Accessory box machining detail
A	04544		12-12-97	SLBOSS	9 7/8" 62.80# Box make-up positioner
M	04441	A	2-2-98	SLBOSS	9 7/8" 62.80# Coupling connector
M	04440	A	12-30-97	SLBOSS	9 7/8" 62.80# Pin connector
A	04543		12-2-97	SLBOSS	9 7/8" 62.80# Pin make-up positioner
M	03442		8-17-95	SLBOSS	10.750" casing Special clearance O.D. (11.250")
A	03286		10-11-94	SLBOSS	10 3/4" Mill make-up plug
A	03287	B	9-16-98	SLBOSS	10 3/4" 40.50 - 80.80# Accessory box machining detail
M	02755	E	9-16-98	SLBOSS	10 3/4" 40.50 - 80.80# Casing pin connector
P	03288	C	9-16-98	SLBOSS	10 3/4" 40.50 - 80.80# Pin & box accessory blanking dimensions
M	02756	C	9-16-98	SLBOSS	10 3/4" 40.50 - 80.80# Casing coupling connector
A	03285		10-11-94	SLBOSS	10 3/4" 45.50 - 79.20# Box make-up positioner
A	03284		10-10-94	SLBOSS	10 3/4" 45.50 - 79.20# Pin make-up positioner
M	05628		11/21/00	SLBOSS	10 3/4" 65.70# PIN ON 10 3/4" 85.30# PIPE
A	03360		3-8-95	SLBOSS	10 3/4" 91.20# x 9 5/8" 53.50# Crossover coupling
G	07214		07/28/08	SLBOSS	11.315" PIN SET. STD. - EDM FRAME STYLE
G	07215		07/28/08	SLBOSS	11.315" BOX SET. STD. - EDM FRAME STYLE
A	07341		05/28/09	SLBOSS	11.315" PRESSURE TEST PLUG
A	07342		05/28/09	SLBOSS	11.315" PRESSURE TEST CAP
M	07212		03/01/16	SLBOSS	11.315" x .308" WALL PIN
A	07213		03/01/16	SLBOSS	11.315" x .308" WALL ACCESSORY BOX
P	07216		03/01/16	SLBOSS	11.315" x .308" WALL, ACCESSORY BLANKING DIMENSIONS
A	02808		2-5-93	SLBOSS	11 3/4" Mill make-up plug
P	03380	A	7-21-97	SLBOSS	11 3/4" Pin & box accessory blanking dimensions
I	02809	A	3-12-93	SLBOSS	11 3/4" Pin mic-trac block offsets using HW SL blocks
M	02440	C	3-20-95	SLBOSS	11 3/4" 47 - 71# Coupling connector
A	02457		10-8-91	SLBOSS	11 3/4" 65.# Box make-up positioner

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
A	02456		10-8-91	SLBOSS	11 3/4" 65.# Pin make-up positioner
A	06752		05/18/05	SLBOSS	11 3/4" 71# BOSS PIN X 4 1/2" IF BOX SAVER SUB
A	03204	A	3-20-95	SLBOSS	11 3/4" Accessory box machining detail on 11 3/4" 47- 71# & 11 7/8" 71.80# pipe
I	02810		1-9-93	SLBOSS	11 3/4" Box mic-trac block offsets using HW SL blocks
M	02439	F	2-24-95	SLBOSS	11 3/4" Pin connector on 11 3/4" 47-71# & 11 7/8" 71.80# pipe
M	02820	A	2-24-95	SLBOSS	11 3/4" pin connector on 11 7/8" pipe Pullout detail
A	03200	A	3-20-95	SLBOSS	11 7/8" 71.80# Accessory box machining detail
A	02459		10-8-91	SLBOSS	11 7/8" 71.80# Box make-up positioner
M	02442	C	3-20-95	SLBOSS	11 7/8" 71.80# Coupling connector
P	03199	B	7-21-97	SLBOSS	11 7/8" 71.80# Pin & box accessory blanking dimensions
M	02441	D	2-24-95	SLBOSS	11 7/8" 71.80# Pin connector
A	02458		10-8-91	SLBOSS	11 7/8" 71.80# Pin make-up positioner
A	02582		3-19-92	SLBOSS	13 3/8" Mill make-up plug
M	04579		1-8-98	SLBOSS	13 3/8" Special O.D. bevel
M	04243		5-8-97	SLBOSS	13 3/8" Special O.D. bevel for coupling (Chevron)
M	07157		02/29/08	SLBOSS	13 3/8" Special O. D. bevel for 14.138" Sp. Cl. O.D. coupling
P	02632	E	7-21-97	SLBOSS	13 3/8" Pin & box accessory blanking dimensions
I	02652		7-22-92	SLBOSS	13 3/8" Box mic-trac block offsets using 4 1/2- 13 5/8" SL blocks (Gulf Engr.)
I	02616	A	7-29-92	SLBOSS	13 3/8" Pin mic-trac block offsets using 4 1/2- 13 3/8" SL blocks (Trinidad)
A	02521	D	10/05/01	SLBOSS	13 3/8" Accessory box machining detail on 13 3/8" 54.50 - 86# & 13 5/8" 88.20# pipe
A	02950	A	10/05/01	SLBOSS	13 3/8" High pressure test cap for 13 3/8 54.50 - 86# & 13 5/8" 88.20# pipe
A	02951	A	10/05/01	SLBOSS	13 3/8" High pressure test plug for 13 3/8" 54.50 - 86# & 13 5/8" 88.20# pipe
M	02275	H	10/05/01	SLBOSS	13 3/8" Pin connector on 13 3/8" 54.50# - 86# & 13 5/8" 88.20# pipe
M	02522	C	3-28-95	SLBOSS	13 3/8" pin connector on 13 5/8" pipe Pullout detail
I	02482		10-24-91	SLBOSS	13 3/8" - 20" Casing pin mic-trac block offsets
G	02584	D	06/29/00	SLBOSS	13 3/8" - 20" External taper blocks for gagemaker setbar setting standard
G	02413	A	06/29/00	SLBOSS	13 3/8" - 20" Frame style pin setting standard
G	02585	C	06/29/00	SLBOSS	13 3/8" - 20" Internal taper blocks for gagemaker setbar setting standard
A	02746	A	10/05/01	SLBOSS	13 3/8" 54.50 - 72# Casing Pressure test cap
A	02745	A	10/05/01	SLBOSS	13 3/8" 54.50 - 72# Casing pressure test plug
M	02301	A	10/05/01	SLBOSS	13 3/8" 54.50 - 86# Casing box make-up positioner
M	02276	F	10/05/01	SLBOSS	13 3/8" 54.50 - 86# Casing coupling connector
M	02302	A	10/05/01	SLBOSS	13 3/8" 54.50 - 86# Casing pin make-up positioner
A	08978		08/12/14	SLBOSS	13 3/8" 68# INTERNAL TOOL GUIDE
M	04250		5-17-97	SLBOSS	13 3/8" 72.# Special clearance/ special bevel coupling (Chevron Green Canyon)
P	02956	B	7-21-97	SLBOSS	13 5/8" Pin & box accessory blanking dimensions
M	04792	A	3-26-99	SLBOSS	13 5/8 88.20# 110 KSI & ABOVE (CONOCO ORDER) SP. CL & O.D. BEVEL
M	03973		8-20-96	SLBOSS	13 5/8" 88.20 Special O.D. bevel (Conoco)
A	03317	A	3-20-95	SLBOSS	13 5/8" 88.20# Accessory box machining detail for grades 110 KSI & above

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
A	02955	B	3-20-95	SLBOSS	13 5/8" 88.20# Accessory box machining detail grade 95 KSI & below
A	02455		10-8-91	SLBOSS	13 5/8" 88.20# Box make-up positioner
M	03310	A	3-20-95	SLBOSS	13 5/8" 88.20# Coupling connector for grades 110 KSI & above
M	02392	D	3-20-95	SLBOSS	13 5/8" 88.20# Coupling connector for grades 95 KSI & below
M	03309	A	2-24-95	SLBOSS	13 5/8" 88.20# Pin connector for grades 110 KSI & above
M	02393	D	2-24-95	SLBOSS	13 5/8" 88.20# Pin connector for grades 95 KSI & below
A	02454		10-8-91	SLBOSS	13 5/8" 88.20# Pin make-up positioner
M	04737		6-1-98	SLBOSS	13.985" SP. CL. O.D. FOR 13 3/8" CPLG. (CHEVRON GREEN CANYON)
A	03443		8-21-95	SLBOSS	14" Mill make-up plug
P	03379	C	04/13/05	SLBOSS	14" Pin & box accessory blanking dimensions
A	02453		10-8-91	SLBOSS	14" 82.50 - 123# Box make-up positioner
M	02366	E	01/21/99	SLBOSS	14" 82.50 - 123# Casing coupling connector
M	02365	F	04/13/05	SLBOSS	14" 82.50 - 123# Casing pin connector
A	02452		10-8-91	SLBOSS	14" 82.50 - 123.# Pin make-up positioner
A	03383	C	04/13/05	SLBOSS	14" 82.50 - 123# Accessory box machining detail
P	06218		12/23/02	SLBOSS	15" 77.50# ACC. BLANKING DIMENSIONS
A	06217		12/23/02	SLBOSS	15" 77.50# ACC. BOX DETAIL
M	06216		12/23/02	SLBOSS	15" 77.50# COUPLING
M	06215		12/23/02	SLBOSS	15" 77.50# PIN
M	04604	A	7-9-98	SLBOSS	16" BOSS W/ 16.750 CPLG O.D. SP. CL & O.D. BEVEL
M	05779		05/29/01	SLBOSS	16" BOSS WITH 16.600 CPLG. O.D. - SPECIAL CLEARANCE AND O.D. BEVEL
A	02851		3-9-93	SLBOSS	16" Mill make-up plug
P	03181	D	04/19/11	SLBOSS	16" Pin & box accessory blanking dimensions
M	05111		06/24/99	SLBOSS	16" SPEC. CLEAR O.D. & 20° BEVEL WITH 16.500" CPLG. O.D.
A	03178	C	04/19/11	SLBOSS	16" 65 - 118# Accessory box machining detail
A	02386		8-27-91	SLBOSS	16" 65 - 118# Pin make-up positioner
A	02385		8-27-91	SLBOSS	16" 65 - 118# Box make-up positioner
M	02348	E	3-20-95	SLBOSS	16" 65 - 118# Casing coupling connector
M	02347	F	04/19/11	SLBOSS	16" 65 - 118# Casing pin connector
A	02830		2-24-93	SLBOSS	16" 65 - 118# Casing pressure test cap
A	02829		2-24-93	SLBOSS	16" 65 - 118# Casing pressure test plug
M	04708	A	5-29-98	SLBOSS	16" 84# - 97# SPECIAL CLEARANCE AND O.D.BEVEL 20° W/ 16.500" CPLG. O.D
A	06092		07/29/02	SLBOSS	16" 84# SPECIAL CLEARANCE O.D. FOR FMC HANGERS ONLY
M	04242		5-8-97	SLBOSS	16" 84# Special clearance and O.D. bevel (Chevron)
M	02839		03/03/93	SLBOSS	16" 84# SPECIAL O.D. BEVEL (B.P. ORDER)
A	07371		09/10/09	SLBOSS	16" 84# (W/ 16.5" S.C. CPLG.) LIFT PLUG
M	05113		06/28/99	SLBOSS	16" 94.50# EXTENDED LENGTH COUPLING
M	04843		8-17-95	SLBOSS	18 5/8" casing Special clearance O.D.
A	03358		3-7-95	SLBOSS	18 5/8" Mill make-up plug

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
P	03378	E	07/26/11	SLBOSS	18 5/8" Pin & box accessory blanking dimensions
A	07285		02/19/09	SLBOSS	18 5/8" 87.50# PRESSURE TEST PLUG
A	07284		02/19/09	SLBOSS	18 5/8" 87.50# PRESSURE TEST CAP
M	07024		05/15/07	SLBOSS	18 5/8" 87.50# SPECIAL O.D. BEVEL
A	02451		10-8-91	SLBOSS	18 5/8" 87.50 - 136# Box make-up positioner
A	02450		10-8-91	SLBOSS	18 5/8" 87.50 - 136# Pin make-up positioner
A	03384	D	07/26/11	SLBOSS	18 5/8" 87.50 - 139# Accessory box machining detail
M	02364	E	5-28-98	SLBOSS	18 5/8" 87.50 - 139# Casing coupling connector
M	02363	G	07/26/11	SLBOSS	18 5/8" 87.50 - 139# Casing pin connector
A	06169		11/06/02	SLBOSS	18 5/8" 87.50 - 139# PRESSURE TEST CAP
M	09091		04/16/15	SLBOSS	18 5/8" MATCHED STRENGTH O.D. (19.750")
A	02581		3-19-92	SLBOSS	20" Mill make-up plug
P	03377	C	02/14/06	SLBOSS	20" Pin & box accessory blanking dimensions
A	07287		02/19/09	SLBOSS	20" 94 - 133# PRESSURE TEST PLUG
A	07286		02/19/09	SLBOSS	20" 94 - 133# PRESSURE TEST CAP
A	02520	D	02/17/06	SLBOSS	20" 94 - 203# Accessory box machining detail
A	02387	A	02/14/06	SLBOSS	20" 94 - 203# Box make-up positioner
M	02342	E	02/14/06	SLBOSS	20" 94 - 203# Casing coupling connector
M	02341	E	02/14/06	SLBOSS	20" 94 - 203# Casing pin connector
A	02388	A	02/14/06	SLBOSS	20" 94 - 203# Pin make-up positioner
A	05432		04/26/00	SLBOSS	20" 131# EXXON CONTROLLED PRESSURE RELIEF JOINT
M	06927		10/13/06	SLBOSS	20" 133# SL BOSS BOX x 18 5/8" 101# BUTTRESS PIN CROSSOVER SUB
M	06928		10/13/06	SLBOSS	20" 133# SL BOSS PIN x 18 5/8" 101# BUTTRESS BOX CROSSOVER SUB
M	04730		11-07-95	SLBOSS	20" 133# X-80 BOSS SPECIAL O.D. BEVEL (PHILLIPS)
A	09310		11/22/16	SLBOSS	20" 133# HANDLING PLUG
M	06255		02/14/03	SLBOSS	20" 169# K-55 SPECIAL BEVEL FOR BHP
M	05965		04/10/02	SLBOSS	20" 169# SPECIAL O.D. BEVEL (EXXON ORDER)
M	05902		02/05/92	SLBOSS	20" 169# SPECIAL PIN I.D. BEVEL FOR USE WITH 133# BURST DISK COUPLING
P	04532		12-2-97	SLBOSS	24" Pin & box accessory blanking dimensions
A	04533		12-2-97	SLBOSS	24" 130 - 203# Accessory box machining detail
A	04535		12-2-97	SLBOSS	24" 130 - 203# Box make-up positioner
M	04456	A	12-12-97	SLBOSS	24" 130 - 203# Coupling connector
M	04455	A	12-12-97	SLBOSS	24" 130 - 203# Pin connector
A	04534		12-2-97	SLBOSS	24" 130 - 203# Pin make-up positioner
P	04516		11-20-97	SLBOSS	24 1/2" Pin & box accessory blanking dimensions
A	04517	A	1-15-98	SLBOSS	24 1/2" 140# Accessory box machining detail
A	04522	A	1-15-98	SLBOSS	24 1/2" 140# Box make-up positioner
M	04460	A	12-8-97	SLBOSS	24 1/2" 140# Coupling connector
M	04459		10-3-97	SLBOSS	24 1/2" 140# Pin connector

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
A	04521	A	1-15-98	SLBOSS	24 1/2" 140# Pin make-up positioner
G	02473	A	12-9-93	SLBOSS	External taper blocks for gagemaker mic-trac boss connection- 1.250 in/ft taper
A	02305	G	12-8-97	SLBOSS	Make-up positioner assembly & scribe line location
I	06753	B	03/02/07	SLBOSS	PIN GAGE SET. DIMS. FOR ROD STYLE STANDARDS FOR SL BOSS SAVER SUB & THREAD PROTECTOR SLEEVE
M	03182	E	03/03/00	SLBOSS	Pin I.D. chamfer for special drift casing
M	03182M		07/18/00	SLBOSS	Pin I.D. chamfer for special drift casing (metric)
G	05763	A	06/18/01	SLBOSS, SLHC, SLSF	MAKE UP LOSS MEASURING PIECE
A	05782		05/31/01	SLBOSS, SLSF	13 5/8" 88.20# BOSS BOX X 13 5/8" 88.20# SEAL-LOCK SF PIN CROSSOVER
M	05790		07/09/01	SLBOSS, SLSF	13 5/8" 88.20# BOSS PIN X 13 5/8" 88.20# SEAL-LOCK SF PIN CROSSOVER
A	05223	C	02/14/02	SLBOSS-S (TIMED)	(7 5/8" - 13 3/8") WORKING MAKE-UP POSITIONER ASSEMBLY & SCRIBE LINE LOCATION
A	05222	D	11/05/02	SLBOSS-S (TIMED)	9 5/8" BOX MASTER MAKE-UP POSITIONER
A	05221	D	11/05/02	SLBOSS-S (TIMED)	9 5/8" PIN MASTER MAKE-UP POSITIONER
A	05925	B	07/25/02	SLBOSS-S (TIMED)	9 5/8" WORKING MAKE-UP POSITIONER - BOX
A	05924	B	07/25/02	SLBOSS-S (TIMED)	9 5/8" WORKING MAKE-UP POSITIONER - PIN
A	05548	D	11/05/02	SLBOSS-S (TIMED)	13 3/8" BOX MASTER MAKE-UP POSITIONER
A	05549	D	11/05/02	SLBOSS-S (TIMED)	13 3/8" PIN MASTER MAKE-UP POSITIONER
A	05923	B	07/25/02	SLBOSS-S (TIMED)	13 3/8" WORKING MAKE-UP POSITIONER - BOX
A	05922	B	07/25/02	SLBOSS-S (TIMED)	13 3/8" WORKING MAKE-UP POSITIONER - PIN
A	05917		02/14/02	SLBOSS-S (TIMED)	MASTER MAKE-UP POSITIONER ASSEMBLY & SCRIBE LINE LOCATION
A	05646		12/27/00	SLBOSS-S (TIMED)	Turning fixture for Schlumberger
M	06150	B	04/08/03	SLDC	20" X 5/8" WALL BOX
G	06233	A	02/04/03	SLDC	20" X 5/8" WALL BOX SET. STD. - EDM FRAME STYLE
M	06151	B	04/08/03	SLDC	20" X 5/8" WALL PIN
I	06152	A	02/04/03	SLDC	20" X 5/8" WALL PIN & BOX GAGE SETTING DIM. FOR ROD STYLE STANDARDS
G	06232	A	02/04/03	SLDC	20" X 5/8" WALL PIN SET. STD. - EDM FRAME STYLE
A	07311		04/17/09	SLDC	20" X 5/8" WALL HANDLING PLUG
M	06223	A	04/08/03	SLDC	24" X 3/4" WALL BOX
M	06222	A	04/08/03	SLDC	24" X 3/4" WALL PIN
I	06224		12/27/02	SLDC	24" X 3/4" WALL PIN & BOX GAGE SETTING DIMENSIONS FOR ROD STYLE STANDARDS
M	06220	A	04/08/03	SLDC	24" X 1" WALL BOX
M	06219	A	04/08/03	SLDC	24" X 1" WALL PIN
I	06221		12/26/02	SLDC	24" X 1" WALL PIN & BOX GAGE SETTING DIMENSIONS FOR ROD STYLE STANDARDS
M	06112	A	04/08/03	SLDC	30" X 1" WALL BOX
M	06113	A	04/08/03	SLDC	30" X 1" WALL PIN
M	06121		09/17/02	SLDC	30" x 1" WALL PIN & BOX GAGE SETTING DIMENSIONS FOR ROD STYLE STANDARDS
M	07578		11/10/10	SLDC	36" X 1" WALL PIN
M	07579		11/10/10	SLDC	36" X 1" WALL BOX
G	04443		9-29-97	SLF	2 7/8" 6.40# Box setting standard
A	03230	D	02/18/13	SLF	2 7/8" 6.40# HANDLING plug

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
I	03214	A	07/19/07	SLF	2 7/8" 6.40# Pin & box gage setting dimensions for rod style standards
G	04442		9-29-97	SLF	2 7/8" 6.40# Pin setting standard
M	03210	D	10/21/15	SLF	2 7/8" 6.40# BOX
M	03209	B	03/23/15	SLF	2 7/8" 6.40# CASING PIN CONNECTOR
M	07044	A	01/22/15	SLF	2 7/8" 7.80# PIN
M	07045	B	10/20/15	SLF	2 7/8" 7.80# BOX
A	07046	A	02/18/13	SLF	2 7/8" 7.80# HANDLING PLUG
G	07047		07/16/07	SLF	2 7/8" 7.80# PIN SETTING STANDARD
G	07048		07/16/07	SLF	2 7/8" 7.80# BOX SETTING STANDARD
P	03245	D	05/04/11	SLF	2 7/8" - 4" Accessory blanking dimensions
I	03229	J	05/04/11	SLF	2 7/8" - 4 1/2" Pin & box shoulder depth & pin relief taper diameter measurement
I	01500	C	07/06/10	SLF	3 1/2" Pin & box gage setting dimensions for rod style standards
A	06157		11/01/02	SLF	3 1/2" 9.20# PRESSURE TEST CAP
A	06158		11/01/02	SLF	3 1/2" 9.20# PRESSURE TEST PLUG
A	07674	A	02/23/11	SLF	3 1/2" 9.20# LIFT CAP
M	01482	E	10/22/15	SLF	3 1/2" 9.20# - 10.20# BOX
M	01481	D	03/30/15	SLF	3 1/2" 9.20# PIN ON 9.20 - 10.20# Tubing
G	04124	A	02/05/09	SLF	3 1/2" 9.20# - 10.20# Box setting standard
A	03144	E	02/18/13	SLF	3 1/2" 9.20# - 10.20# HANDLING plug
G	04123	A	02/05/09	SLF	3 1/2" 9.20# - 10.20# Pin setting standard
M	07487	A	03/23/15	SLF	3 1/2" 12.70# PIN
M	07488	B	10/20/15	SLF	3 1/2" 12.70# BOX
A	07489	A	02/18/13	SLF	3 1/2" 12.70# HANDLING PLUG
G	07490		07/06/10	SLF	3 1/2" 12.70# PIN SETTING STD.
G	07491		07/06/10	SLF	3 1/2" 12.70# BOX SETTING STD.
M	07821		08/11/11	SLF	3.669" 13.79# PIN
M	07822	A	10/26/15	SLF	3.669" 13.79# BOX
M	07823		08/11/11	SLF	3.669" 13.79# PIN SWAGING
A	07824		08/11/11	SLF	3.669" 13.79# LIFT PLUG
G	07825		08/11/11	SLF	3.669" 13.79# PIN FLAT SETTING STANDARD
G	07826		08/11/11	SLF	3.669" 13.79# BOX FLAT SETTING STANDARD
G	00981		5-26-88	SLF	4" 9.50# Box setting standard for J, L & N grades
A	04330	C	02/18/13	SLF	4" 9.50# HANDLING plug
G	00969	B	06/15/12	SLF	4" 9.50# Pin setting standard for all grades
M	00785	C	10/20/15	SLF	4" 9.50# BOX
M	00784	B	04/20/15	SLF	4" 9.50# PIN
A	08004		07/26/12	SLF	4" 9.50# PRESSURE TEST CAP
A	08004		07/26/12	SLF	4" 9.50# PRESSURE TEST PLUG
I	00956	B	05/04/11	SLF	4" 9.50 - 13.20# Pin & box gage setting dimensions for rod style standards

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
A	06587	A	07/26/12	SLF	4" 11# PRESSURE TEST CAP
A	06588		06/08/04	SLF	4" 11# PRESSURE TEST PLUG
G	01144		8-19-88	SLF	4" 11.# Box setting standard for J, L & N grades
A	04331	C	02/18/13	SLF	4" 11.# HANDLING plug
G	01143		8-19-88	SLF	4" 11.# Pin setting standard for all grades
M	01061	C	10/20/15	SLF	4" 11.00# BOX
M	01060	B	04/20/15	SLF	4" 11.# PIN
A	04333	D	02/18/13	SLF	4" 11.60# - 13.20# HANDLING plug
M	01054	D	10/22/15	SLF	4" 11.60# - 13.20# BOX
M	01053	D	03/30/15	SLF	4" 11.60# - 13.20# Casing pin connector
G	07220	A	05/04/11	SLF	4" 11.60# - 13.20# PIN FLAT SETTING STANDARD
G	07221	A	05/04/11	SLF	4" 11.60# - 13.20# BOX FLAT SETTING STANDARD
I	00959	C	8-12-97	SLF	4 1/2" Pin & box gage setting dimensions for rod style standards
M	01077	D	10/22/15	SLF	4 1/2" 10.50# BOX
M	01076	C	04/20/15	SLF	4 1/2" 10.50# PIN
A	04332	C	02/18/13	SLF	4 1/2" 10.50# HANDLING plug
M	07064	A	04/20/15	SLF	4 1/4" 11# PIN
M	07065	B	10/22/15	SLF	4 1/4" 11# BOX
M	07066		08/10/07	SLF	4 1/4" 11# PIN SWAGING
P	07067		08/10/07	SLF	4 1/4" 11# ACC. BLANK. DIM.
G	07068		08/10/07	SLF	4 1/4" 11# PIN SET. STD. ALL GRADES
G	07069		08/10/07	SLF	4 1/4" 11# BOX SET. STD. FOR J, L & N GRADES
A	07070	A	02/18/13	SLF	4 1/4" 11# HANDLING PLUG
I	07071		08/10/07	SLF	4 1/4" 11# PIN & BOX GAGE SET. DIM. FOR ROD STYLE STDS.
I	07072		08/10/07	SLF	4 1/4" 11# PIN & BOX SHOULDER DEPTH, PIN RELIEF TAPER DIA., GROOVE DEPTH MEA.
A	01872	D	02/18/13	SLF	4 1/2"- 11.6# HANDLING plug
G	01017	A	12-20-89	SLF	4 1/2" 11.60# Box setting standard for J, L & N grades
P	01870		1-2-90	SLF	4 1/2" 11.60# Box steel thread protector
M	00941	D	10/22/15	SLF	4 1/2" 11.60# BOX
M	00940	C	04/20/15	SLF	4 1/2" 11.60# Casing pin connector
G	01020	A	12-19-89	SLF	4 1/2" 11.60# Pin setting standard for all grades
P	01871		1-2-90	SLF	4 1/2" 11.60# Pin steel thread protector
M	04130	C	10/22/15	SLF	4 1/2" 12.60# BOX
G	04133		2-3-97	SLF	4 1/2" 12.60# Box setting standard
A	04131	D	02/18/13	SLF	4 1/2" 12.60# HANDLING plug
M	04129	B	04/20/15	SLF	4 1/2" 12.60# PIN
G	04132	A	04/10/06	SLF	4 1/2" 12.60# Pin setting standard
A	07121		01/18/08	SLF	4 1/2" 12.60# PRESSURE TEST CAP
A	07120		01/18/08	SLF	4 1/2" 12.60# PRESSURE TEST PLUG

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
A	08190		09/05/13	SLF	4 1/2" 12.60# SPECIAL HANDLING PLUG FOR BP
G	04350		8-12-97	SLF	4 1/2" 13.50# Box setting standard
M	04348	B	10/22/15	SLF	4 1/2" 13.50# BOX
M	04347	A	04/20/15	SLF	4 1/2" 13.50# PIN
A	04351	C	02/18/13	SLF	4 1/2" 13.50# HANDLING plug
G	04349		8-12-97	SLF	4 1/2" 13.50# Pin setting standard for all grades
A	07677		03/02/11	SLF	4 1/2" 13.50# PRESSURE TEST PLUG
A	07678		03/02/11	SLF	4 1/2" 13.50# PRESSURE TEST CAP
M	05651	C	10/21/15	SLF	4 1/2" 15.10# BOX
A	05654	C	02/18/13	SLF	4 1/2" 15.10# HANDLING PLUG
M	05650	B	03/23/15	SLF	4 1/2" 15.10# PIN
P	07996		06/13/12	SLF	4 1/2" 15.10# W/SPECIAL BORE ACC. BLANK. DIMS
A	09136		05/28/15	SLF	4 1/2" 15.10# PRESSURE TEST PLUG
A	09139		05/28/15	SLF	4 1/2" 15.10# PRESSURE TEST CAP
G	04355		8-12-97	SLF	4 1/2" 24.60# Box setting standard
M	04353	B	10/21/15	SLF	4 1/2" 24.60# BOX
M	04352	B	03/23/15	SLF	4 1/2" 24.60# Casing pin connector
A	04356	C	02/18/13	SLF	4 1/2" 24.60# HANDLING plug
G	04354		8-12-97	SLF	4 1/2" 24.60# Pin setting standard for all grades
P	03246	E	10/06/09	SLF	4 1/2" - 6 5/8" Accessory blanking dimensions
I	00960	C	10/06/09	SLF	5" Pin & box gage setting dimensions for rod style standards
G	04358		8-12-97	SLF	5" 15.# Box setting standard
M	01058	B	10/26/15	SLF	5" 15# BOX
M	01057	A	04/20/15	SLF	5" 15.00# PIN
A	04359	C	02/18/13	SLF	5" 15.# HANDLING plug
G	04357		8-12-97	SLF	5" 15.# Pin setting standard for all grades
G	00958	A	5-9-97	SLF	5" 18.# Box setting standard
M	00695	H	10/22/15	SLF	5" 18# BOX
M	00694	G	03/23/15	SLF	5" 18.# Casing pin connector
I	02764		12-9-92	SLF	5" 18.# Casing pin mic-trac block offsets
A	01044	D	02/18/13	SLF	5" 18.# HANDLING plug
G	00957	A	5-9-97	SLF	5" 18.# Pin setting standard for all grades
I	02550		2-6-92	SLF	5" 18.00# Casing box mic-trac block offsets and riser block settings
I	02763	A	1-14-93	SLF	5" 18.00# Casing box mic-trac block offsets and riser block settings
I	02549		2-6-92	SLF	5" 18.00# Casing pin mic-trac block offsets
A	08228		11/12/13	SLF	5" 18# TEST PLUG
M	07387	A	03/24/15	SLF	5" 21.40# Casing pin connector
M	07388	B	10/22/15	SLF	5" 21.40# BOX
A	07389	A	02/18/13	SLF	5" 21.40# HANDLING plug

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	04361	D	10/21/15	SLF	5" 23.20# BOX
G	04363		8-12-97	SLF	5" 23.20# Box setting standard
A	04364	C	02/18/13	SLF	5" 23.20# HANDLING plug
M	04360	B	03/24/15	SLF	5" 23.20# Pin connector
G	04362		8-12-97	SLF	5" 23.20# Pin setting standard for all grades
I	03193	E	10/06/09	SLF	5" - 5 1/2" Pin & box shoulder depth & pin relief taper diameter measurement
I	03195	B	8-12-97	SLF	5 1/2" Pin & box gage setting dimensions for rod style standards
G	04368		8-12-97	SLF	5 1/2" 15.50# Box setting standard
M	04366	C	10/21/15	SLF	5 1/2" 15.50# BOX
M	04365	B	04/20/15	SLF	5 1/2" 15.50# PN
A	04369	C	02/18/13	SLF	5 1/2" 15.50# HANDLING plug
G	04367		8-12-97	SLF	5 1/2" 15.50# Pin setting standard for all grades
G	02958	A	8-3-98	SLF	5 1/2" 17.# Box setting standard for J, L & N grades
M	02594	F	10/21/15	SLF	5 1/2" 17# BOX
M	02593	E	02/02/15	SLF	5 1/2" 17.# Casing pin connector
A	02600	D	02/18/13	SLF	5 1/2" 17.# HANDLING plug
G	02957		7-23-93	SLF	5 1/2" 17.# Pin setting standard for all grades
I	02596		4-3-92	SLF	5 1/2" 17# Box mic-trac block offsets and riser block settings
I	02595		4-3-92	SLF	5 1/2" 17# Pin mic-trac taper block offsets
A	07414		12/29/09	SLF	5 1/2" 17# PRESSURE TEST CAP
A	07415		12/29/09	SLF	5 1/2" 17# PRESSURE TEST PLUG
G	01016	A	8-3-98	SLF	5 1/2" 20# Box setting standard for J, L & N grades
M	00810	G	10/21/15	SLF	5 1/2" 20# BOX
M	00809	G	03/20/15	SLF	5 1/2" 20# Casing pin connector
A	01363	D	02/18/13	SLF	5 1/2" 20# HANDLING plug
G	01021		6-13-88	SLF	5 1/2" 20# Pin setting standard for all grades
I	02553		2-6-92	SLF	5 1/2" 20# Casing box mic-trac block offsets and riser block settings
I	02759		12-2-92	SLF	5 1/2" 20# Casing box mic-trac block offsets and riser block settings
I	02552		2-6-92	SLF	5 1/2" 20# Casing pin mic-trac block offsets
I	02760		12-2-92	SLF	5 1/2" 20# Casing pin mic-trac block offsets
A	07549		09/10/10	SLF	5 1/2" 20# PRESSURE TEST PLUG
A	07548		09/10/10	SLF	5 1/2" 20# PRESSURE TEST CAP
M	00855	E	10/21/15	SLF	5 1/2" 23# BOX
I	02787		1-17-93	SLF	5 1/2" 23# Casing box mic-trac block offsets
M	00854	E	03/24/15	SLF	5 1/2" 23# Casing pin connector
I	02786		1-17-93	SLF	5 1/2" 23# Casing pin mic-trac block offsets
A	02789	D	02/18/13	SLF	5 1/2" 23# HANDLING plug
M	03187	E	11/16/15	SLF	5 1/2" 26.00# BOX
M	03186	D	04/20/15	SLF	5 1/2" 26.00# PIN

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
A	03207	E	02/18/13	SLF	5 1/2" 26.00# HANDLING plug
I	03254	B	04/04/07	SLF	6 5/8" Pin & box gage setting dimensions for rod style standards
G	04373		8-12-97	SLF	6 5/8" 28.00# Box setting standard
M	04371	D	11/16/15	SLF	6 5/8" 28.00# BOX
M	04370	C	04/20/15	SLF	6 5/8" 28.00# PIN
A	04374	C	02/18/13	SLF	6 5/8" 28.00# HANDLING plug
G	04372		8-12-97	SLF	6 5/8" 28.00# Pin setting standard for all grades
M	07011	B	11/16/15	SLF	6 5/8" 32.00# BOX
A	07012	A	02/18/13	SLF	6 5/8" 32.00# HANDLING PLUG
M	07010	A	03/24/15	SLF	6 5/8" 32.00# PIN
A	07026		05/17/07	SLF	6 5/8" 32.00# PRESSURE TEST CAP
A	07027		05/17/07	SLF	6 5/8" 32.00# PRESSURE TEST PLUG
M	03251	C	12/01/15	SLF	6 5/8" 36.70# BOX
M	03250	B	03/24/15	SLF	6 5/8" 36.70# Casing pin connector
A	04337	C	02/18/13	SLF	6 5/8" 36.70# HANDLING plug
I	03253	F	04/07/07	SLF	6 5/8" - 7" Pin & box shoulder depth, pin relief taper dia., groove depth mea.
I	03430	B	10-1-97	SLF	7" Pin & box gage setting dimensions for rod style standards
M	01834	E	11/16/15	SLF	7" 23.00# BOX
A	04334	C	02/18/13	SLF	7" 23.00# HANDLING plug
M	01833	E	03/24/15	SLF	7" 23.00# PIN
M	05975	B	11/16/15	SLF	7" 26.00# BOX
A	05976	A	02/18/13	SLF	7" 26.00# HANDLING PLUG
M	05974	A	04/20/15	SLF	7" 26.00# PIN
M	01779	E	11/16/15	SLF	7" 29.00# BOX
M	01778	D	04/20/15	SLF	7" 29.00# PIN
A	04335	C	02/18/13	SLF	7" 29.00# HANDLING plug
M	02384	E	11/16/15	SLF	7" 32.00# BOX
M	02383	F	04/20/15	SLF	7" 32.00# PIN
A	04336	E	02/18/13	SLF	7" 32.00# HANDLING plug
G	04378		8-12-97	SLF	7" 35.00# Box setting standard
M	04376	D	11/16/15	SLF	7" 35.00# BOX
M	04375	C	03/24/15	SLF	7" 35.00# CASING PIN CONNECTOR
A	04379	D	02/18/13	SLF	7" 35.00# Handling plug
G	04377		8-12-97	SLF	7" 35.00# Pin setting standard for all grades
G	04458		10-3-97	SLF	7" 38.# Box setting standard
M	04453	A	12/01/15	SLF	7" 38# BOX
M	04452	A	03/24/15	SLF	7" 38.# Casing pin connector
A	04454	D	02/18/13	SLF	7" 38.# HANDLING plug
G	04471	A	01/09/01	SLF	7" 38.# Pin setting standard- EDM frame style

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
G	04457		10-3-97	SLF	7" 38.# Pin setting standard for all grades
G	04383		8-12-97	SLF	7" 49.50# Box setting standard
M	04381	B	11/16/15	SLF	7" 49.50# BOX
M	04380	A	03/24/15	SLF	7" 49.50# CASING PIN CONNECTOR
A	04384	C	02/18/13	SLF	7" 49.50# HANDLING plug
G	04382		8-12-97	SLF	7" 49.50# Pin setting standard for all grades
P	03247	I	05/09/16	SLF	7" - 8 5/8" Accessory blanking dimensions
I	03300	D	09/29/05	SLF	7 5/8" Pin & box gage setting dimensions for rod style standards
I	02462		10-14-91	SLF	7 5/8 39.00# Casing box mic-trac block offsets and riser block settings
M	06813	B	10/22/15	SLF	7 5/8" 26.40# BOX
A	06814	A	02/18/13	SLF	7 5/8" 26.40# HANDLING PLUG
M	06812	A	05/06/15	SLF	7 5/8" 26.40# PIN
G	04174		3-3-97	SLF	7 5/8" 29.70# Box setting standard
M	03185	E	10/26/15	SLF	7 5/8" 29.70# BOX
M	03184	E	04/20/15	SLF	7 5/8" 29.70# PIN
A	03208	D	02/18/13	SLF	7 5/8" 29.70# HANDLING plug
I	03194		6-23-94	SLF	7 5/8" 29.70# Pin & box gage setting dimension for rod style standards
G	04173		3-3-97	SLF	7 5/8" 29.70# Pin setting standard
M	07430		03/09/10	SLF	7 5/8" 29.70# INCONEL 625-825 PIN
M	07431	A	08/24/15	SLF	7 5/8" 29.70# INCONEL 625-825 BOX
M	02379	E	10/22/15	SLF	7 5/8" 33.70# BOX
M	02378	F	01/16/15	SLF	7 5/8" 33.70# Casing pin connector
A	04275	E	02/18/13	SLF	7 5/8" 33.70# HANDLING plug
A	07843		09/29/11	SLF	7 5/8" 33.70# PRESSURE TEST PLUG
A	07844		09/29/11	SLF	7 5/8" 33.70# PRESSURE TEST CAP
P	05508		07/12/00	SLF	7 5/8" 39# ON 7 5/8" 47.10# PIPE - ACCESSORY BLANKING DIMS.
A	06510		02/10/01	SLF	7 5/8" 39# PRESSURE TEST CAP
A	06509		02/10/01	SLF	7 5/8" 39# PRESSURE TEST PLUG
M	00997	F	10/22/15	SLF	7 5/8" 39# BOX
M	00996	F	04/20/15	SLF	7 5/8" 39# PIN
A	02460	D	02/18/13	SLF	7 5/8" 39.# HANDLING plug
I	02463		10-14-91	SLF	7 5/8" 39.00# Casing pin mic-trac block offsets
M	03759	C	10/22/15	SLF	7 5/8" 42.80# BOX
M	03758	D	01/27/15	SLF	7 5/8" 42.80# Casing pin connector
A	03760	E	02/18/13	SLF	7 5/8" 42.80# HANDLING plug
G	06661		10/26/04	SLF	7 5/8" 42.80# PIN SET. STD. - EDM FRAME STYLE
A	06689		01/04/05	SLF	7 5/8" 42.80# PRESSURE TEST CAP
A	06688		01/04/05	SLF	7 5/8" 42.80# PRESSURE TEST PLUG
G	04388		8-12-97	SLF	7 5/8" 45.30# Box setting standard

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	04386	C	10/22/15	SLF	7 5/8" 45.30# BOX
M	04385	B	04/20/15	SLF	7 5/8" 45.30# PIN
A	04389	C	02/18/13	SLF	7 5/8" 45.30# HANDLING plug
G	04387		8-12-97	SLF	7 5/8" 45.30# Pin setting standard for all grades
I	03192	G	05/09/16	SLF	7 5/8" - 8 5/8" PIN & BOX SHOULDER DEPTH, PIN RELIEF TAPER DIAMETER, GROOVE DEPTH MEASUREMENT
G	05108		06/22/99	SLF	7 3/4" 46.10# PIN SETTING STD - EDM FRAME STYLE
M	02538	D	11/17/15	SLF	7 3/4" 46.10# BOX
M	02537	C	04/20/15	SLF	7 3/4" 46.10# PIN
A	04338	C	02/18/13	SLF	7 3/4" 46.10# HANDLING plug
I	03431		7-21-95	SLF	7 3/4" 46.10# Pin & box gage setting dimensions for rod style standards
M	02114	E	05/05/16	SLF	8 1/8" (.438" WALL) 35.99# BOX
M	02113	D	05/05/16	SLF	8 1/8" (.438" WALL) 35.99# PIN
I	02119	A	05/05/16	SLF	8 1/8" (.438 WALL) 35.99# PIN & BOX SHOULDER DEPTH & RELIEF TAPER DIA. MEASUREMENT
I	02118	A	05/05/16	SLF	8 1/8" (.438 WALL) 35.99# BOX MIC-TRACK BLOCK OFFSET & RISER BLOCK SETTINGS
I	02117	A	05/05/16	SLF	8 1/8" (.438 WALL) 35.99# PIN MIC-TRACK BLOCK OFFSET
M	09040		05/13/16	SLF	8 5/8" 36# PIN
M	09041		05/13/16	SLF	8 5/8" 36# BOX
G	09042		05/13/16	SLF	8 5/8" 36# PIN SETTING STANDARD - EDM FRAME STYLE
G	09043		05/13/16	SLF	8 5/8" 36# BOX SETTING STANDARD - EDM FRAME STYLE
A	09044		05/13/16	SLF	8 5/8" 36# HANDLING PLUG
I	04396	B	05/09/16	SLF	8 5/8" PIN & BOX GAGE SETTING DIMENSIONS FOR ROD STYLE STANDARDS
G	04393		8-12-97	SLF	8 5/8" 40.00# Box setting standard
M	04391	D	11/16/15	SLF	8 5/8" 40.00# BOX
M	04390	C	04/20/15	SLF	8 5/8" 40.00# PIN
A	04394	D	02/18/13	SLF	8 5/8" 40.00# HANDLING PLUG
G	04392		8-12-97	SLF	8 5/8" 40.00# Pin setting standard for all grades
M	07093	A	04/20/15	SLF	8 5/8" 44# PIN
M	07094	B	10/20/15	SLF	8 5/8" 44# BOX
A	07095	A	02/18/13	SLF	8 5/8" 44# HANDLING PLUG
M	05796	A	07/23/02	SLF	9 3/8" PIN SWAGING ALL APPLICABLE WEIGHTS
M	05798	C	10/20/15	SLF	9 3/8" 39# BOX
A	05799	C	02/18/13	SLF	9 3/8" 39# HANDLING PLUG
M	05797	C	01/27/15	SLF	9 3/8" 39# PIN
I	06278		05/08/03	SLF	9 3/8" 39# PIN AND BOX GAGE SET. DIM. FOR ROD STYLE STANDARDS
M	06153		10/22/02	SLF	9 3/8" 39# PIN ON 9 5/8" 53.50# PIPE
I	02895	S	09/11/12	SLF	9 3/8" - 11 7/8" Pin & box shoulder depth, pin relief taper diameter, groove depth mea.
P	03248	V	06/08/15	SLF	9 3/8" - 13 5/8" Accessory blanking dimensions
I	03432	D	09/11/12	SLF	9 5/8" Pin & box gage setting dimensions for rod style standards (Tabulated)

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	06959	B	10/20/15	SLF	9 5/8" 36# BOX
M	06958	A	03/24/15	SLF	9 5/8" 36# PIN
A	06960	A	02/18/13	SLF	9 5/8" 36# HANDLING PLUG
M	04405	D	11/16/15	SLF	9 5/8" 40.00# BOX
M	04404	C	03/24/15	SLF	9 5/8" 40.00# PIN
A	04406	C	02/18/13	SLF	9 5/8" 40.00# HANDLING plug
M	04408	C	11/16/15	SLF	9 5/8" 43.50# BOX
M	04407	A	03/24/15	SLF	9 5/8" 43.50# PIN
A	04409	C	02/18/13	SLF	9 5/8" 43.50# HANDLING plug
G	08156		06/03/13	SLF	9 5/8" 43.50# PIN SETTING STD. - EDM FRAME STYLE
M	09120		04/27/15	SLF - PPC	9 5/8" 43.50# on 47# PIN
M	09121		04/27/15	SLF - PPC	9 5/8" 43.50# on 47# BOX
M	04186	D	11/16/15	SLF	9 5/8" 47.00# BOX
M	04185	B	03/24/15	SLF	9 5/8" 47.00# PIN
A	04187	F	10/28/16	SLF	9 5/8" 47# HANDLING PLUG
G	08155		06/03/13	SLF	9 5/8" 47.00# PIN SETTING STD. - EDM FRAME STYLE
M	02381	D	10/20/15	SLF	9 5/8" 53.50# BOX
I	02896		4-6-93	SLF	9 5/8" 53.50# Casing box mic-trac block offsets and riser block settings
M	02380	D	09/19/14	SLF	9 5/8" 53.50# Casing pin connector
I	02897		4-6-93	SLF	9 5/8" 53.50# Casing pin mic-trac block offsets
A	02898	D	02/18/13	SLF	9 5/8" 53.50# HANDLING PLUG
G	08157		06/03/13	SLF	9 5/8" 53.50# PIN SETTING STD. - EDM FRAME STYLE
M	08015		09/12/12	SLF	9 5/8" 58.40# PIN
M	08016	B	10/20/15	SLF	9 5/8" 58.40# BOX
A	08017	B	02/18/13	SLF	9 5/8" 58.40# HANDLING PLUG
G	08018		09/12/12	SLF	9 5/8" 58.40# PIN SETTING STD. - EDM FRAME STYLE
M	04992	B	10/20/15	SLF	9 5/8" 70.30# BOX
A	04993	C	02/18/13	SLF	9 5/8" 70.30# HANDLING PLUG
M	04991	A	03/24/15	SLF	9 5/8" 70.30# PIN
G	04994		01/26/99	SLF	9 5/8" 70.30# PIN SET. STD. - EDM FRAME STYLE
G	01876	D	12-1-98	SLF	9 5/8" - 13 5/8" Box setting standard
M	05043		04/09/99	SLF	9 7/8" PIN SWAGING
M	05045	B	10/21/15	SLF	9 7/8" 62.80# BOX
A	05046	C	02/18/13	SLF	9 7/8" 62.80# HANDLING PLUG
M	05044	A	01/27/15	SLF	9 7/8" 62.80# PIN
G	05042		04/08/99	SLF	9 7/8" 62.80# PIN SETTING STD. - EDM FRAME STYLE
P	03981		8-27-96	SLF	10 3/4" x .430 Accessory blanking dimensions
M	03944	B	11/24/15	SLF	10 3/4" x .430 Box connector wall titanium
G	04006		9-10-96	SLF	10 3/4" x .430 Box soft setting standard wall titanium

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	03943	A	6-26-98	SLF	10 3/4" x .430 Casing pin connector wall titanium
I	03979		8-27-96	SLF	10 3/4" x .430 Pin & box gage setting dimensions for rod style standards
I	03980		8-27-96	SLF	10 3/4" x .430 Pin shoulder depth & relief taper diameter measurement
G	04005		9-10-96	SLF	10 3/4" x .430 Pin soft setting standard wall titanium
P	04480	A	12/20/99	SLF	10 3/4" x .450 - .455 Accessory blanking dimensions
I	04479	B	12/20/99	SLF	10 3/4" x .450 - .455 Pin shoulder depth & relief taper diameter measurement
M	04478	C	11/24/15	SLF	10 3/4" x .450 - .455 wall box connector titanium
M	04477	B	12/20/99	SLF	10 3/4" x .450 - .455 wall casing pin connector titanium
A	04694	D	02/18/13	SLF	10 3/4" X .450 - .455 Wall HANDLING plug titanium
G	04462	A	12/06/01	SLF	10 3/4" .450 - .455 wall titanium Box setting standard- EDM frame style
G	04461	A	12/06/01	SLF	10 3/4" .450 - .455 wall titanium Pin setting standard- EDM frame style
M	07217	B	05/06/15	SLF	10 3/4" 45.50# PIN
M	07218	C	10/22/15	SLF	10 3/4" 45.50# BOX
A	07219	B	02/18/13	SLF	10 3/4" 45.50# HANDLING PLUG
M	07158	A	03/31/15	SLF	10 3/4" 55.50# PIN
M	07159	B	10/21/15	SLF	10 3/4" 55.50# BOX
G	07160		03/04/08	SLF	10 3/4" 55.50# PIN SETTING STANDARD - EDM FRAME STYLE
A	07161	A	02/18/13	SLF	10 3/4" 55.50# HANDLING PLUG
M	05081	B	10/21/15	SLF	10 3/4" 60.70# BOX
A	05082	C	02/18/13	SLF	10 3/4" 60.70# HANDLING PLUG
M	05080	A	03/31/15	SLF	10 3/4" 60.70# PIN
M	00980	D	10/21/15	SLF	10 3/4" 65.70# BOX
M	00979	C	03/31/15	SLF	10 3/4" 65.70# Casing pin connector
A	04339	C	02/18/13	SLF	10 3/4" 65.70# HANDLING plug
G	07116		12/21/07	SLF	10 3/4" 65.70# PIN SETTING STD. - EDM FRAME STYLE
I	03433	D	05/25/10	SLF	11 3/4" Pin & box gage setting dimensions for rod style standards
M	06965		01/24/07	SLF	11 3/4" 47# PIN - SPECIAL DRIFT
M	04525	C	10/21/15	SLF	11 3/4" 47# BOX
M	04524	B	03/31/15	SLF	11 3/4" 47# Casing pin connector
A	04528	C	02/18/13	SLF	11 3/4" 47.# HANDLING plug
G	04526	A	01/09/01	SLF	11 3/4" 47.# Pin setting standard- EDM frame style
M	06992	B	10/21/15	SLF	11 3/4" 54# BOX
A	06993	A	02/18/13	SLF	11 3/4" 54# HANDLING PLUG
M	06991	A	03/31/15	SLF	11 3/4" 54# PIN
G	06994		02/28/07	SLF	11 3/4" 54# PIN SETTING STANDARD - EDM FRAME STYLE
M	04411	C	10/21/15	SLF	11 3/4" 60# BOX
M	04410	B	03/31/15	SLF	11 3/4" 60# CASING PIN CONNECTOR
A	04412	D	02/18/13	SLF	11 3/4" 60.# Handling plug
G	04469	A	01/09/01	SLF	11 3/4" 60.# Pin setting standard- EDM style

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	01830	D	10/21/15	SLF	11 3/4" 65# BOX
M	01829	C	03/31/15	SLF	11 3/4" 65.# Casing pin connector
A	04219	D	02/18/13	SLF	11 3/4" 65.# HANDLING plug
G	07797		07/06/11	SLF	11 3/4" 65.# PIN SETTING STANDARD - EDM FRAME STYLE
A	07870		10/10/11	SLF	11 3/4" 65.# PRESSURE TEST PLUG
A	07871		10/10/11	SLF	11 3/4" 65.# PRESSURE TEST CAP
M	07379	A	03/31/15	SLF	11 3/4" 71# PIN
M	07380	B	10/23/15	SLF	11 3/4" 71# BOX
A	07381	A	02/18/13	SLF	11 3/4" 71# HANDLING PLUG
G	07382		09/29/09	SLF	11 3/4" 71# PIN SETTING STANDARD - EDM FRAME STYLE
M	06835	B	11/16/15	SLF	11 7/8" 58.80 - 58.82# BOX
A	06836	B	06/08/15	SLF	11 7/8" 58.80 - 58.82# HANDLING PLUG
M	06834	A	06/08/15	SLF	11 7/8" 58.80 - 58.82# PIN
G	06837	A	06/08/15	SLF	11 7/8" 58.80 & 58.82# PIN SETTING STANDARD - EDM FRAME STYLE
M	04464	C	10/23/15	SLF	11 7/8" 71.80# BOX
M	04463	D	01/22/15	SLF	11 7/8" 71.80# Casing pin connector
A	04466	C	02/18/13	SLF	11 7/8" 71.80# HANDLING plug
G	04467	A	01/09/01	SLF	11 7/8" 71.80# Pin setting standard- EDM frame style
I	03243	D	04/08/15	SLF	13 3/8" Pin & box shoulder depth & pin relief taper diameter measurement
M	03662	D	11/24/15	SLF	13 3/8" .514 - .580 WALL TITANIUM BOX CONNECTOR
M	03661	D	05/19/15	SLF	13 3/8" .514 - .580 WALL TITANIUM PIN CONNECTOR
G	04976	B	08/12/13	SLF	13 3/8" .514 WALL titanium Box setting standard - EDM frame style
G	04975	B	08/12/13	SLF	13 3/8" .514 WALL titanium Pin setting standard - EDM frame style
M	07420	A	03/05/15	SLF	13 3/8" 54.50# - 61# PIN
M	07421	C	10/23/15	SLF	13 3/8" 54.50# - 61# BOX
G	07423	A	03/05/15	SLF	13 3/8" 54.50# & 61# PIN SET. STD. - EDM FRAME STYLE
A	07422	B	04/07/15	SLF	13 3/8" 54.50# - 61# HANDLING PLUG
I	06555	A	02/08/10	SLF	13 3/8" 54.50 - 68# GAGE SETTING DIM. FOR ROD STYLE STANDARDS PIN & BOX
M	05000	A	10/27/15	SLF	13 3/8" 68# BOX
A	05001	D	02/18/13	SLF	13 3/8" 68# HANDLING PLUG
M	04999	A	03/31/15	SLF	13 3/8" 68# PIN
G	05002		02/01/99	SLF	13 3/8" 68# Pin setting std -EDM frame style
M	07432	C	05/19/15	SLF	13 3/8" 68# INCONEL 625-825 PIN
M	07433	D	11/24/15	SLF	13 3/8" 68# INCONEL 625-825 BOX
I	07538		08/31/10	SLF	13 3/8" 68# Inconel 625-825 Pin &Box Shldr Depth, Pin Relief Taper Dia, Groove Depth Mea.
G	07535	A	10/06/10	SLF	13 3/8" 68# Inconel 625-825 BOX SET. STD. - EDM FRAME STYLE
G	07536	A	10/06/10	SLF	13 3/8" 68# Inconel 625-825 PIN SET. STD. - EDM FRAME STYLE
I	07537	A	10/06/10	SLF	13 3/8" 68# Inconel 625-825 GAGE SET. DIMS FOR ROD STYLE STDS
M	03241	D	10/23/15	SLF	13 3/8" 72# BOX

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	03240	C	03/31/15	SLF	13 3/8" 72.# Casing pin connector
A	04340	C	02/18/13	SLF	13 3/8" 72.# HANDLING plug
I	03244	A	12/1/98	SLF	13 3/8" 72.# Pin & box gage setting dimensions for rod style standards
G	04548	A	12-15-97	SLF	13 3/8" 72.# Pin setting standard- EDM frame style
A	09290		08/31/16	SLF	13 3/8" 72# PRESSURE TEST CAP
A	04986	D	08/12/13	SLF	13 3/8" X .514 - .580 WALL HANDLING PLUG (TITANIUM)
P	03665	B	10/30/08	SLF	13 3/8" - 13 5/8" titanium accessory blank dim.
I	03663	A	11/17/95	SLF	13 3/8" - 13 5/8" titanium pin & box gage set. dims. for rod style std.
I	03664	B	11/17/95	SLF	13 3/8" - 13 5/8" titanium pin & box shlder/pin groove depth measurement
M	07242	A	05/20/15	SLF	13 5/8" 45.60# TITANIUM PIN
M	07243	B	11/24/15	SLF	13 5/8" 45.60# TITANIUM BOX
G	07244		10/30/08	SLF	13 5/8" 45.60# (.580W) TITANIUM PIN SETTING STANDARD - EDM FRAME STYLE
G	07245		10/30/08	SLF	13 5/8" 45.60# (.580W) TITANIUM BOX SETTING STANDARD - EDM FRAME STYLE
A	07246	A	01/18/13	SLF	13 5/8" 45.60# TITANIUM HANDLING PLUG
M	07249		11/03/08	SLF	13 5/8" 45.60# TITANIUM PIN x 16" 53.60# TITANIUM BOX
M	04414	C	10/23/15	SLF	13 5/8" 88.20# BOX
M	04413	B	03/31/15	SLF	13 5/8" 88.20# CASING PIN CONNECTOR
A	04416	D	02/18/13	SLF	13 5/8" 88.20# HANDLING plug
I	04418	A	12/1/98	SLF	13 5/8" 88.20# Pin & box gage setting dimensions for rod style standards
I	04417	A	3-25-99	SLF	13 5/8" 88.20# Pin & box shoulder depth & pin relief taper diameter measurement
G	08158		06/03/13	SLF	13 5/8" 88.20# Pin SETTING STD. - EDM FRAME STYLE
M	07247	A	05/06/15	SLF	16" 53.60# TITANIUM PIN
M	07248	A	10/27/15	SLF	16" 53.60# TITANIUM BOX
A	05861	G	11/17/16	SLF	16" 53.60# (Ti) & 97# HANDLING PLUG
M	06290	B	10/23/15	SLF	16" 84# BOX
A	06292	B	02/18/13	SLF	16" 84# HANDLING PLUG
M	06289	A	04/14/15	SLF	16" 84# PIN
G	06291		05/20/03	SLF	16" 84# PIN SET. STD. - EDM FRAME STYLE
M	07434	A	12/09/10	SLF	16" 84# INCONEL 625-825 PIN
M	07435	B	08/24/15	SLF	16" 84# INCONEL 625-825 BOX
M	05859	F	10/27/15	SLF	16" 97# BOX
M	05858	F	03/27/15	SLF	16" 97# PIN
I	06271		04/29/03	SLF	16" 97# PIN & BOX GAGE SET. DIM. FOR ROD STYLE STANDARDS
G	05863	C	10/30/08	SLF	16" 97# & 53.30 (Ti) # PIN SET. STD. - EDM FRAME STYLE
M	06282	C	12/01/15	SLF	16" 109# - 112.62# BOX
A	06288	D	02/18/13	SLF	16" 109# - 112.62# HANDLING PLUG
M	06281	C	01/16/15	SLF	16" 109# - 112.62# PIN
G	06287	B	03/29/11	SLF	16" 109# - 112.62# PIN SET. STD. - EDM FRAME STYLE
M	07701	A	04/27/15	SLF	16" 118# PIN

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	07702	B	10/23/15	SLF	16" 118# BOX
A	07703	B	02/18/13	SLF	16" 118# HANDLING PLUG
G	07704		03/18/11	SLF	16" 118# PIN SET. STD. - EDM FRAME STYLE
I	06272	L	07/28/15	SLF	16" - 20" PIN SHOULDER & GROOVE DEPTH MEA.
P	05950	N	07/28/15	SLF	16" - 20" ACCESSORY BLANKING DIMENSIONS
M	05860	L	07/28/15	SLF	16" - 20" PIN SWAGING, ALL APPLICABLE WEIGHTS
G	05949	O	07/28/15	SLF	16" - 20" BOX SET. STD. - EDM FRAME STYLE
M	07335	A	05/06/15	SLF	17" 79# PIN
M	07336	A	10/27/15	SLF	17" 79# BOX
G	07337		05/20/09	SLF	17" 79# PIN SETTING STD. - EDM FRAME STYLE
A	07338	A	02/18/13	SLF	17" 79# HANDLING PLUG
M	05866	D	10/23/15	SLF	17 7/8" 92.78# BOX
A	05954	D	02/18/13	SLF	17 7/8" 92.78# HANDLING PLUG
M	05865	C	04/27/15	SLF	17 7/8" 92.78# PIN
G	05867	B	02/05/04	SLF	17 7/8" 92.78# PIN SET. STD. - EDM FRAME STYLE
M	06284	C	10/27/15	SLF	17 7/8" 121#, 17.959" 120.16#, 18" 128# BOX
A	06285	C	02/18/13	SLF	17 7/8" 121#, 17.959" 120.16#, 18" 128# LIFT PLUG
M	06283	C	05/06/15	SLF	17 7/8" 121#, 17.959" 120.16#, 18" 128# PIN
G	06286	A	08/14/13	SLF	17 7/8" 121#, 17.959" 120.16#, 18" 128# PIN SETTING STANDARD
P	07241		10/24/08	SLF	18" BOX CALIBRATION DIE
M	07233	B	07/28/15	SLF	18" 93.45 - 105.00# PIN
M	07233M	B	07/28/15	SLF	18" 93.45 - 105.00# PIN (Metric)
M	07234	B	10/26/15	SLF	18" 93.45 - 105.00# BOX
M	07234M	B	10/26/15	SLF	18" 93.45 - 105.00# BOX (Metric)
G	07235	A	07/28/15	SLF	18" 93.45 - 105.00# PIN SETTING STD. - EDM FRAME STYLE
A	07364	C	07/28/15	SLF	18" 93.45 - 105.00# HANDLING PLUG
A	07364M	C	07/28/15	SLF	18" 93.45 - 105.00# HANDLING PLUG (METRIC)
M	08186	B	01/16/15	SLF	18" 117# PIN
M	08187	D	10/10/16	SLF	18" 117# BOX
A	08188	A	11/17/16	SLF	18" 117# HANDLING PLUG
G	08189		09/04/13	SLF	18" 117# PIN SETTING STD. - EDM FRAME STYLE
M	08245	A	04/27/15	SLF	18 5/8" 96.50# PIN
M	08246	B	10/23/15	SLF	18 5/8" 96.50# BOX
A	08247		01/22/14	SLF	18 5/8" 96.50# HANDLING PLUG
G	08249		01/22/14	SLF	18 5/8" 96.50# PIN SETTING STD. - EDM FRAME STYLE
M	08252	A	04/27/15	SLF	18 5/8" 114# PIN
M	08253	B	10/23/15	SLF	18 5/8" 114# BOX
A	08254		01/22/14	SLF	18 5/8" 114# HANDLING PLUG
G	08256		01/22/14	SLF	18 5/8" 114# PIN SETTING STD. - EDM FRAME STYLE

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	06631	A	05/06/15	SLF	20" 94# PIN
M	06632	B	10/27/15	SLF	20" 94# BOX
A	06634	C	02/18/13	SLF	20" 94# HANDLING PLUG
G	06633		09/09/04	SLF	20" 94# PIN SET. STD. - EDM FRAME STYLE
M	06629	A	10/27/15	SLF	20" 133# BOX
A	06635	C	02/18/13	SLF	20" 133# HANDLING PLUG
M	06628	A	04/27/15	SLF	20" 133# PIN
G	06630		09/09/04	SLF	20" 133# PIN SET. STD. - EDM FRAME STYLE
G	04761	B	01/05/01	SLF	Box set. Std. - EDM frame style for threadform M02548
G	04468	O	06/08/15	SLF	Box setting standard - EDM frame style for threadform M00930
G	04663	K	10/06/09	SLF	Box setting standard- EDM frame style for threadform M00838
G	04656	B	04/21/06	SLF	Box setting standard- EDM frame style For threadform M00970
G	04655	B	04/21/06	SLF	Pin setting standard- EDM frame style for thread form M00971
G	04760	B	01/05/01	SLF	Pin setting standard- EDM frame style threadform M00052
G	04662	K	10/06/09	SLF	Pin setting standard- EDM frame style threadform M00837
M	06791		08/04/05	SLF / SLSF	9 7/8" 62.80# SL FLUSH PIN X 9 5/8" 53.50# SL SF BOX CROSSOVER SUB
M	06248		01/31/03	SLF / SLSF	11 7/8" 71.80# SL FLUSH PIN X 13 5/8" 88.20# SL SF BOX CROSSOVER SUB
M	08061		11/13/12	SLF SR	2 7/8" 6.40# PIN
M	08062	A	10/28/15	SLF SR	2 7/8" 6.40# BOX
M	08063		11/12/13	SLF SR	2 7/8" 6.40# BOX SIZING
P	08064		11/12/12	SLF SR	2 7/8" 6.40# PRESSURE SEAL RING
A	08065		11/14/12	SLF SR	2 7/8" 6.40# PIN COATING/BLASING MASK
A	08066		11/13/12	SLF SR	2 7/8" 6.40# BOX COATING/BLASING MASK
P	07323	B	11/15/12	SLF SR	2 7/8" 6.40# - 4 1/2" 12.60# BOX SIZING DIE
P	07476		06/04/10	SLF SR	3 1/2" 9.20# PRESSURE SEAL RING
M	07482		06/21/10	SLF SR	3 1/2" 9.20# BOX SIZING
M	07478		06/21/10	SLF SR	3 1/2" 9.20# PIN
M	07479	A	08/24/15	SLF SR	3 1/2" 9.20# BOX
A	07480		06/21/10	SLF SR	3 1/2" 9.20# PIN COATING/BLASTING MASK
A	07481		06/21/10	SLF SR	3 1/2" 9.20# BOX COATING/BLASTING MASK
P	07322		04/21/09	SLF SR	4 1/2 12.60# PRESSURE SEAL RING
M	07324		04/21/09	SLF SR	4 1/2" 12.60# BOX SIZING
M	07318		04/21/09	SLF SR	4 1/2" 12.60# PIN
M	07319	A	08/24/15	SLF SR	4 1/2" 12.60# BOX
A	07320		04/21/09	SLF SR	4 1/2" 12.60# PIN COATING/BLASING MASK
A	07321		04/21/09	SLF SR	4 1/2" 12.60# BOX COATING/BLASING MASK
M	05614	A	08/24/15	SLF SR	8 5/8" 40# BOX
A	05617		11/07/00	SLF SR	8 5/8" 40# BOX COATING/BLASING MASK
M	05620		10/09/00	SLF SR	8 5/8" 40# BOX SIZING

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
P	05619		11/07/00	SLF SR	8 5/8" 40# BOX SIZING DIE
M	05613		11/07/00	SLF SR	8 5/8" 40# PIN
A	05616		11/07/00	SLF SR	8 5/8" 40# PIN COATING/BLASING MASK
P	05615		11/07/00	SLF SR	8 5/8" 40# PRESSURE SEAL RING
A	05681		01/24/01	SLF SR	8 5/8" 40# PRESSURE TEST CAP
A	05680		01/24/01	SLF SR	8 5/8" 40# PRESSURE TEST PLUG
P	05618	C	11/16/12	SLF SR	PLASTIC COATING SPECIFICATION
A	07163		03/10/08	SLF TIMED	10 3/4" 55.50# PIN MAKE-UP POSITIONER
A	07164		03/10/08	SLF TIMED	10 3/4" 55.50# BOX MAKE-UP POSITIONER
I	07165		03/10/08	SLF TIMED	10 3/4" 55.50# GAGE SET. DIMS. FOR MRP GAGES MAKE UP POSITIONERS
A	07169		03/10/08	SLF TIMED	10 3/4" & 13 3/8" SCRIBE LINE LOCATION FOR PIN MAKE UP POSITIONER
A	07170		03/10/08	SLF TIMED	10 3/4" & 13 3/8" SCRIBE LINE LOCATION FOR BOX MAKE UP POSITIONER
A	07166		03/10/08	SLF TIMED	13 3/8" 72# PIN MAKE-UP POSITIONER
A	07167		03/07/08	SLF TIMED	13 3/8" 72# BOX MAKE-UP POSITIONER
I	07168		03/10/08	SLF TIMED	13 3/8" 72# GAGE SET. DIMS. FOR MRP GAGES MAKE UP POSITIONERS
P	02328		6-24-91	SLFGL	2 3/8" Pin by 2 3/8" eue 8-rnd box Xover blank dimensions
M	04844		08-12-98	SLFGL	2 3/8" 4.60# SPECIAL CLEARANCE O.D. (2.655")
M	02139	A	9-20-90	SLFGL	2 3/8" - 3 1/2" Pin grades P-105 and below
A	02153	A	7-14-92	SLFGL	2 3/8" - 3 1/2" Accessory box
A	02152		9-18-90	SLFGL	2 3/8" - 3 1/2" Accessory pin cross-over
A	02525		12-6-91	SLFGL	2 3/8" - 3 1/2" Box make-up positioner all grades, all weights
M	02154		9-20-90	SLFGL	2 3/8" - 3 1/2" Coupling grades P-105 and below
P	02329	A	7-14-92	SLFGL	2 3/8" - 3 1/2" Pin & Box accessory blanking dimensions
A	02524		12-6-91	SLFGL	2 3/8" - 3 1/2" Pin make-up positioner all grades, all weights
P	05109		06/23/99	SLFGL	2 7/8" 6.50# SEAL RING
A	02517	H	04/06/01	SLFGL	4 1/2" - 7" Accessory box stainless alloy
A	02516	D	3-17-97	SLFGL	4 1/2" - 7" Accessory pin stainless alloy cross-over
A	02527	D	11-10-98	SLFGL	4 1/2" - 7" Box make-up positioner all weights, all grades
M	02528	D	11/10/98	SLFGL	4 1/2" - 7" Coupling all weights, all grades
M	02515	C	3-17-97	SLFGL	4 1/2" - 7" Pin connector
A	02526	B	3-17-97	SLFGL	4 1/2" - 7" Pin make-up positioner all weights, all grades
A	04297	B	06/29/99	SLFGL	5" Pressure test cap
P	04248		5-13-97	SLFGL	5" 18.00# Accessory blanking dimension
A	05114		06/28/99	SLFGL	5 1/2" PRESSURE TEST CAP
A	05019		03/22/99	SLFGL	5 1/2" 17# CROSSOVER CPLG. TO CONVERTIBLE LTC
I	04428		9-11-97	SLFGL	7" Box gage setting offsets
A	03037	B	11-10-98	SLFGL	7" Pressure test cap
P	04220	A	10/22/07	SLFGL	7" 23.00 & 29.00# Accessory blanking dimensions
I	04858		09/02/98	SLFGL	7" 29# drift mandrel

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
A	02523	B	3-17-97	SLFGL	Make-up positioner assembly & scribe line location
P	03337	A	12/23/15	SLGS	4 1/2" 11.60 - 17# ACCESSORY BLANKING DIMENSIONS
M	01223	F	12/23/15	SLGS	4 1/2" - 7" CASING COUPLING ALL WEIGHTS, GRADE Q-125 & BELOW
M	01223M		01/13/16	SLGS	4 1/2" - 7" CASING COUPLING ALL WEIGHTS, GRADE Q-125 & BELOW (METRIC)
P	03340	A	7-10-96	SLGS	5" 13 - 23.20# Accessory blanking dimensions
P	03283	A	2-8-95	SLGS	5 1/2" 15.50 - 23# Accessory blanking dimensions
P	03281	A	2-8-95	SLGS	6 5/8" 20 - 32# Accessory blanking dimensions
P	03326		1-31-95	SLGS	7" 23 - 38# Accessory blanking dimensions
P	03327	B	06/23/11	SLGS	7 5/8" 26.40 - 59.20# Accessory blanking dimensions
M	01224	E	06/23/11	SLGS	7 5/8" - 10 3/4" Casing coupling all weights, grade Q-125 and below
I	01071	A	1-22-90	SLGS	8 5/8" Coupling gage setting information for all weights and grades
P	03342		2-3-95	SLGS	8 5/8" 32 - 49# Accessory blanking dimensions
P	03324		1-31-95	SLGS	9 5/8" Accessory blanking dimensions connection profile
M	09291		09/06/16	SLGS	9 7/8" 44# PIN, GRADE Q-125 & BELOW
M	09292		09/06/16	SLGS	9 7/8" 44# COUPLING, GRADE Q-125 & BELOW
G	09293		09/06/16	SLGS	9 7/8" 44# PIN SETTING STANDARD - EDM FRAME STYLE
G	09294	A	09/16/16	SLGS	9 7/8" 44# BOX SETTING STANDARD - EDM FRAME STYLE
P	09295		09/06/16	SLGS	9 7/8" 44# ACCESSORY BLANKING DIMENSIONS
P	03325	A	2-8-95	SLGS	10 3/4" Accessory blanking dimensions connection profile
M	04032		10-18-96	SLGS	10 3/4" 79.20# Coupling connector
M	04015		9-24-96	SLGS	10 3/4" 79.20# Pin and coupling bore detail
M	04031		10-18-96	SLGS	10 3/4" 79.20# Pin connector
P	03332	A	11-5-98	SLGS	11 3/4" Accessory blanking dimensions connection profile
M	01225	F	04/21/16	SLGS	11 3/4" - 13 5/8" ALL WEIGHT, CASING COUPLING GRADE Q-125 & BELOW
P	03334	B	04/21/16	SLGS	13 3/8" ACCESSORY BLANKING DIMENSIONS CONNECTION PROFILE
P	08000		07/12/12	SLGS	13 5/8" ACCESSORY BLANKING DIMENSIONS
G	01831	A	07/03/00	SLHC	4 1/2" Coupling setting standard for all grades
P	03338	A	12/23/15	SLHC	4 1/2" 11.60 - 17# ACCESSORY BLANKING DIMENSIONS
M	01221	H	12/23/15	SLHC	4 1/2" - 10 3/4" CASING COUPLING ALL WEIGHTS, GRADE Q-125 & BELOW
M	01221M	C	12/23/15	SLHC	4 1/2" - 10 3/4" CASING COUPLING ALL WEIGHTS, GRADE Q-125 & BELOW (METRIC)
G	02587		3-30-92	SLHC	4 1/2" - 10 3/4" External taper blocks for Gagemaker setbar setting
G	02588	D	07/03/00	SLHC	4 1/2" - 10 3/4" Internal taper blocks for Gagemaker setbar setting
G	00865	C	07/03/00	SLHC	5" Coupling setting standard for all grades, all weights
P	03339		2-3-95	SLHC	5" 13 - 18# Accessory blanking dimensions
I	01029		6-16-88	SLHC	5" 13 - 18# Pin gage setting dimensions
P	02511		11-18-91	SLHC	5 1/2" Box Blanking dimensions after weld build-up, CTC valve collar
G	01079	B	07/03/00	SLHC	5 1/2" Coupling setting standard for all grades
A	07314		04/17/09	SLHC	5 1/2" SL HC DRIVE SUB PIN
A	07313		04/17/09	SLHC	5 1/2" SL HC PIN, MODIFIED x 4 1/2" IF (NC 50) BOX DRIVE SUB PIN

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
I	07315		04/17/09	SLHC	5 1/2" SL HC PIN, MODIFIED GAGE SET. DIMS FOR ROD STYLE STDS.
P	03282	C	02/28/12	SLHC	5 1/2" 15.50 - 26# Accessory blanking dimensions
M	07519		08/09/10	SLHC	5 1/2" 20# PIN CONNECTOR SP. BORE DETAIL
A	08243		01/20/14	SLHC	5 1/2" 20# HANDLING PLUG
G	01832	B	07/03/00	SLHC	6 5/8" Coupling setting standard for all grades
I	02928		5-14-93	SLHC	6 5/8" Pin gage setting offsets using mic-trac tig blocks
P	02905	B	2-8-95	SLHC	6 5/8" 20 - 32# Accessory blanking dimensions
M	02137		8-8-90	SLHC	7" Casing coupling w/ left-hand thread, all weights, grade Q-125 & below
G	01836	A	07/03/00	SLHC	7" Coupling setting standard for all grades
M	03220		7-27-94	SLHC	7" 23# Special O.D. & special O.D. bevel
P	02491	D	02/23/05	SLHC	7" 23 - 41# Accessory blanking dimensions
P	02491M	A	02/23/05	SLHC	7" 23 - 41# Accessory blanking dimensions (metric)
M	07360		07/20/09	SLHC	7" 26# SPECIAL CLEARANCE O.D. & SPECIAL OD BEVEL
M	04236		5-2-97	SLHC	7" 29# Coupling special O.D. bevel
M	01971	B	06/02/06	SLHC	7" 29 - 41# Special clearance O.D. & special O.D. bevel
M	02330	C	7-3-97	SLHC	7 5/8" connectors on 7 3/4" pipe Pullout & bore detail
I	01114	A	1-22-90	SLHC	7 5/8" Coupling gage setting information all weights and grades
G	01838	B	07/03/00	SLHC	7 5/8" Coupling setting standard for all grades
G	01565		5-23-89	SLHC	7 5/8" Box setting standard (cone method)
P	03014	A	3-19-97	SLHC	7 5/8" 26.40 - 39# Accessory blanking dimensions
M	03945		7-18-96	SLHC	7 5/8" 39# Optional pin I.D. chamfer
P	03756	A	05/23/06	SLHC	7 5/8" 42.80 - 59.20# Accessory blanking dimensions
M	02126		7-13-90	SLHC	7 5/8" 45.30# Special clearance O.D. & special O.D. bevel
P	09249		03/08/16	SLHC	7 3/4" 46.10# ACCESSORY BLANKING DIMENSIONS
P	03341		2-3-95	SLHC	8 5/8" 32 - 49# Accessory blanking dimensions
P	02492	E	3-19-97	SLHC	9 5/8" Accessory blanking dimensions connection profile
P	02492M		8/10/00	SLHC	9 5/8" Accessory blanking dimensions connection profile (metric)
M	02782		1-12-93	SLHC	9 5/8" 40# Box for cement lined applications
P	01667	B	12-8-92	SLHC	9 5/8" Box thread protector modified for cement lined casing application
M	03726	A	10-26-96	SLHC	9 5/8" connectors on 9 7/8" pipe Pullout detail
I	01130	A	1-22-90	SLHC	9 5/8" Coupling gage setting information all weights and grades
P	01673	B	12-8-92	SLHC	9 5/8" Pin thread protector modified for cement lined casing application
M	05041		04/07/99	SLHC	9 5/8" Q-125 & above coupling (for 9 7/8" pipe)
A	08034		09/28/12	SLHC	9 5/8" INTERNAL TOOL GUIDE
M	02762	A	1-13-93	SLHC	9 5/8" 40# Pin cement lined applications- field end
M	02783		1-13-93	SLHC	9 5/8" 40# Pin cement lined applications- mill end
M	04802		7-10-98	SLHC	9 5/8" 53.50 coupling Special O.D Bevel
M	04291		06/23/97	SLHC	9 5/8" 53.50# (w/10.125" OD) (Chevron PNG) Spec. clear. Cplg.
M	04057	A	6-9-98	SLHC	9 5/8" 53.50# Coupling for 140 KSI grade material

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	05112		6/24/99	SLHC	9 5/8" 53.50# SPEC. CLEAR. CPLG W/ 10.405" OD
M	05250		10/7/99	SLHC	9 5/8" 53.50# SPEC. O.D. BEVEL CPLG. (CHEVRON USA G.O.M)
M	02519		12-3-91	SLHC	9 5/8" 53.50# Special O.D. bevel (Hunt Order)
A	04870	A	10/14/98	SLHC	9 5/8" 53.50# X 10 3/4" 65.70# PIN X PIN (Conoco) Crossover
M	02083	A	5-15-90	SLHC	9 5/8" 71.60# Pin bore detail
M	03295	A	10-26-96	SLHC	9 3/4" connectors on 9 7/8" pipe Pullout detail
M	05070		04/30/99	SLHC	9 7/8" 62.80# SPECIAL OD BEVEL FOR COUPLING
P	03298	A	2-8-95	SLHC	10 3/4" Accessory blanking dimensions connection profile
P	01743		10-31-89	SLHC	10 3/4" Box thread protector modified for cement lined casing application
P	01744		10-31-89	SLHC	10 3/4" Pin thread protector modified for cement lined casing application
M	01094	A	1-25-90	SLHC	10 3/4" Pin x 9 5/8" sumitomo box crossover sub
M	04181		3-6-97	SLHC	10 3/4" 65.70# Special clearance O.D. & special O.D. bevel
M	04126		1-31-97	SLHC	10 3/4" 71.10# Pin bore detail
P	03336	B	11-5-98	SLHC	11 3/4" Accessory blanking dimensions connection profile
M	01413	D	10-26-96	SLHC	11 3/4" connector on 11 7/8" pipe Pullout detail
M	04709		4-14-98	SLHC	11 3/4" 79.00# Pin I.D. chamfer
M	04710		4-14-98	SLHC	11 3/4" 83.00# Pin I.D. chamfer
I	01960		3-27-90	SLHC	11 3/4" - 13 5/8" Casing box mic-trac block offsets & riser block settings
M	01222	E	11-5-98	SLHC	11 3/4" - 13 5/8" Casing coupling all weights, grade Q-125 and below
G	02590		3-30-92	SLHC	11 3/4" - 13 5/8" External taper blocks for Gagemaker setbar setting
G	02591		3-30-92	SLHC	11 3/4" - 13 5/8" Internal taper blocks for Gagemaker setbar setting
P	03335	C	01/12/17	SLHC	13 3/8" ACCESSORY BLANKING DIMENSIONS CONNECTION PROFILE
P	01818	A	2-16-95	SLHC	13 3/8" Box thread protector modified for cement lined casing application
M	02340	B	10-26-96	SLHC	13 3/8" connector on 13 5/8" pipe Pullout detail
P	01819	A	2-16-95	SLHC	13 3/8" Pin spin cap modified for cement lined casing application
A	09092		11/25/14	SLHC	13 3/8" INTERNAL TOOL GUIDE
A	07186		04/23/08	SLHC	13 3/8" 68# Pin x NC50 (4 1/2" IF) Box Circulating Swedge
P	07999		07/12/12	SLHC	13 5/8" ACCESSORY BLANKING DIMENSIONS
P	02228	A	10-3-94	SLHC	Plastic coating specification
A	01957		3-22-90	SLHC	Stabbing guide insert
A	06998		03/05/07	SLHC, SLGS	4 1/2" Pressure test cap
G	06879		04/24/06	SLHC, SLGS	4 1/2" 11.60 - 15.10# BOX SETTING STANDARD - EDM FRAME STYLE
G	06878		04/24/06	SLHC, SLGS	4 1/2" 11.60 - 15.10# PIN SETTING STANDARD - EDM FRAME STYLE
A	06854		02/10/06	SLHC, SLGS	5" Pressure test cap
G	05475		01/16/00	SLHC, SLGS	5 1/2" 15.50 - 23# BOX SETTING STANDARD - EDM FRAME STYLE
G	05474		01/16/00	SLHC, SLGS	5 1/2" 15.50 - 23# PIN SETTING STANDARD - EDM FRAME STYLE
A	02943	A	3-27-97	SLHC, SLGS	6 5/8" - 9 5/8" Lift plug
A	02943M		08/10/00	SLHC, SLGS	6 5/8" - 9 5/8" Lift plug (metric)
I	07556		09/20/10	SLHC, SLGS	7" Pin & box gage setting dimensions for rod style standards

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
G	05477		01/16/00	SLHC, SLGS	7" 23 - 38# BOX SETTING STANDARD - EDM FRAME STYLE
G	05476		06/16/00	SLHC, SLGS	7" 23 - 38# PIN SETTING STANDARD - EDM FRAME STYLE
M	03395		4-19-95	SLHC, SLGS	7 5/8" Special clearance O.D. & special O.D. bevel
M	02092	D	06/23/11	SLHC, SLGS	7 5/8" 42.80 - 59.20# Casing pin connector grade Q-125 and below
I	07406		11/06/09	SLHC, SLGS	7 3/4" PIN & BOX GAGE SET. DIMS. FOR ROD STYLE STDS.
G	07407		11/06/09	SLHC, SLGS	7 3/4" 46.10# PIN SETTING STANDARD - EDM FRAME STYLE
G	07408		11/06/09	SLHC, SLGS	7 3/4" 46.10# BOX SETTING STANDARD - EDM FRAME STYLE
G	01080	C	07/03/00	SLHC, SLGS	8 5/8" Coupling setting standard for all grades
G	05479		06/19/00	SLHC, SLGS	9 5/8" 36 - 53.50# BOX SETTING STANDARD - EDM FRAME STYLE
G	05478		06/19/00	SLHC, SLGS	9 5/8" 36 - 53.50# PIN SETTING STANDARD - EDM FRAME STYLE
I	07211		07/09/08	SLHC, SLGS	13 3/8" pin & box setting dimensions for rod style standards
G	07494		07/07/10	SLHC, SLGS	13 3/8" ALL WEIGHTS BOX SETTING STD. - EDM FRAME STYLE
G	07493		07/07/10	SLHC, SLGS	13 3/8" ALL WEIGHTS PIN SETTING STD. - EDM FRAME STYLE
M	06346		08/12/03	SLHC, SLSF	7 5/8" SL-HC PIN (ON 7 3/4" 46.10# TUBE) X 10 1/8" 79.22# SLSF BOX CROSSOVER SUB
G	00110	C	11-13-89	SLHDLI	2 3/8" Coupling setting standard for all grades
G	00109	B	11-9-89	SLHDLI	2 3/8" Pin setting standard for all grades
M	01340	D	02/20/03	SLHDLI	2 3/8" - 4 1/2" Accessory box all weights, grades P-105 and below
M	01002	D	02/20/03	SLHDLI	2 3/8" - 4 1/2" Coupling all weights, grades P-105 and below
A	00833	A	2-2-90	SLHDLI	2 3/8" - 4 1/2" Coupling coating mask
P	00757	B	02/20/03	SLHDLI	2 3/8" - 4 1/2" Pin and Box accessory blanking dimensions
A	00688	B	1-30-90	SLHDLI	2 3/8" - 4 1/2" Pin coating mask
M	01001	C	9-30-94	SLHDLI	2 3/8" - 4 1/2" Pin connector, all grades
I	01000	B	1-31-90	SLHDLI	2 3/8" - 4 1/2" Pin gage setting dimensions
I	01647		9-11-89	SLHDLI	2 3/8" - 4 1/2" Pin mic-trac taper block offsets
M	00766	C	10-28-91	SLHDLI	2 3/8" - 4 1/2" Special O.D. bevels for dual clearance couplings
I	01569		8-10-89	SLHDLI	2 3/8" - 4 1/2" Tubing box mic-trac block offsets & riser block settings
I	01597		7-6-89	SLHDLI	2 7/8" Box depth setting dimensions
I	01596		7-6-89	SLHDLI	2 7/8" Box gage offsets
M	02088	A	10-25-91	SLHDLI	2 7/8" Coupling all weights, grades P-105 and below
G	00064	C	11-13-89	SLHDLI	2 7/8" Coupling setting standard for all grades
G	00063	E	11-14-89	SLHDLI	2 7/8" Pin setting standard for all grades
M	06731		03/08/05	SLHDLI	2 7/8" 6.40# SPECIAL GROOVED COUPLING
A	01589	C	11-16-93	SLHDLI	2 7/8" 6.40 - 8.60# Pressure test cap
A	01588	C	11-15-93	SLHDLI	2 7/8" 6.40 - 8.60# Pressure test plug
G	00160	C	11-9-89	SLHDLI	3 1/2" Coupling setting standard for all grades
G	00159	B	11-9-89	SLHDLI	3 1/2" Pin setting standard for all grades
A	01524	C	11-15-93	SLHDLI	3 1/2" Pressure test plug
A	01525	C	11-16-93	SLHDLI	3 1/2" 9.20 - 12.70# Pressure test cap
I	00630	A	2-1-90	SLHDLI	4 1/2" Coupling gage setting dimensions

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
G	00659	C	11-13-89	SLHDLI	4 1/2" Coupling setting standard for all grades
G	00658	B	12-20-89	SLHDLI	4 1/2" Pin setting standard for all grades
A	01514	D	11-11-93	SLHDLI	4 1/2" Pressure test plug
A	01513	D	11-11-93	SLHDLI	4 1/2" 11.00 - 15.10# Pressure test cap
G	01113		7-24-88	SLHDLI	4 1/2" 24.60# Coupling setting standard for J, L & N grades
G	01112		7-24-88	SLHDLI	4 1/2" 24.60# Pin setting standard for all grades
I	02609	A	1-12-93	SLHDLI	7" - 9 5/8" Box mic-trac block offsets & riser block settings
M	02606	B	10-6-94	SLHDLI	7" - 9 5/8" Casing coupling
M	02605	A	9-30-94	SLHDLI	7" - 9 5/8" Casing pin connector
I	02608		4-8-92	SLHDLI	7" - 9 5/8" Pin mic-trac taper block offsets
I	02793		1-21-93	SLHDLI	8 5/8" Box mic-trac offsets using SL tubing riser blocks
A	00580	B	8-22-88	SLHDLI	Make-up stencil for HD Lock-It
P	00654	B	4-25-88	SLHDLI	Plastic coating specification connection
A	05463		05/30/00	SLHT	2" BAKER BOX END SHROUD DETAIL
A	05462		05/30/00	SLHT	2" BAKER PIN END SHROUD DETAIL
G	05423	A	6/26/00	SLHT	2.000" BOX SETTING STANDARDS ALL GRADES
A	05422		04/24/00	SLHT	2.000" O.D. ACCESSORY BOX
M	05421		04/24/00	SLHT	2.000" O.D. PIN
G	05424	A	6/26/00	SLHT	2.000" PIN SETTING STANDARDS ALL GRADES
I	03826	B	05/12/09	SLHT	2" - 7" Pin & box gage setting dimensions for rod style standards
A	05302	A	03/13/01	SLHT	2 1/16" ACC. BOX (REF SCHLUMBERGER DRAWING NO. 39029-006)
G	03809	B	6/26/00	SLHT	2 1/16" Coupling setting standard for all grades
M	05301	B	03/30/05	SLHT	2 1/16" PIN (REF SCHLUMBERGER DRAWING NO. 39029-B03)
G	03808	B	6/26/00	SLHT	2 1/16" Pin setting standard for all grades
A	03754	L	12/05/07	SLHT	2 1/16" - 4 1/2" Accessory box
A	03754M	B	12/06/07	SLHT	2 1/16" - 4 1/2" Accessory box (metric)
P	03822	J	12/05/07	SLHT	2 1/16" - 4 1/2" Pin and Box accessory blanking dimensions
P	03822M	B	12/06/07	SLHT	2 1/16" - 4 1/2" Pin and Box accessory blanking dimensions (metric)
M	03450	E	10-1-96	SLHT	2 1/16" - 4 1/2" Tubing coupling all weights
M	03450M		7/20/00	SLHT	2 1/16" - 4 1/2" Tubing coupling all weights (metric)
M	03449	J	12/05/07	SLHT	2 1/16" - 4 1/2" Tubing pin connector
M	03449M	B	12/06/07	SLHT	2 1/16" - 4 1/2" Tubing pin connector (metric)
A	03511	A	7-9-96	SLHT	2 1/16" - 4 1/2" Box make-up positioner
A	03510	A	7-9-96	SLHT	2 1/16" - 4 1/2" Pin make-up positioner
A	05748	A	08/09/02	SLHT	2.305" ACC. BOX SCHLUMBERGER SUB WITH SETBACK
G	05502		07/07/00	SLHT	2.305" ACC. BOX SETTING STANDARD ALL GRADES
A	05500	C	08/09/02	SLHT	2.305" O.D. ACC. BOX SUB (not in manual)
M	05499	C	08/26/14	SLHT	2.305" O.D. PIN CONNECTOR SUB (not in manual)
G	05501		07/07/00	SLHT	2.305" PIN SETTING STANDARD ALL GRADES

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
G	03797	B	6/26/00	SLHT	2 3/8" Coupling setting standard for all grades
G	03796	B	6/26/00	SLHT	2 3/8" Pin setting standard for all grades
A	07122		01/22/08	SLHT	2 3/8" 4.60# SPECIAL LIFT PLUG F/SCHLUMBERGER SCREENS
A	05049		04/13/99	SLHT	2 3/8" 4.70 - 5.95# PRESSURE TEST CAP
A	05050		04/13/99	SLHT	2 3/8" 4.70 - 5.95# PRESSURE TEST PLUG
G	03799	B	6/26/00	SLHT	2 7/8" Coupling setting standard for all grades
G	03798	B	6/26/00	SLHT	2 7/8" Pin setting standard for all grades
M	05401		04/04/00	SLHT	2 7/8" SPECIAL CLEARANCE DIAMETER FOR COUPLING (MOBIL)
A	07123		01/22/08	SLHT	2 7/8" 6.40# SPECIAL LIFT PLUG F/SCHLUMBERGER SCREENS
A	05292	D	08/26/14	SLHT	2.688" ACC. BOX SUB
A	05459	C	08/09/02	SLHT	2.688" ACC. BOX SCHLUMBERGER SUB WITH SETBACK
G	05294	A	6/26/00	SLHT	2.688" ACC. BOX SETTING STANDARD (Not in Manual)
M	05291	D	08/26/14	SLHT	2.688" PIN SUB (Not in Manual)
G	05293	A	6/26/00	SLHT	2.688" PIN SETTING STANDARD
A	05736	A	08/09/02	SLHT	2.872" ACC. BOX SCHLUMBERGER SUB WITH SETBACK
A	05493	C	08/26/14	SLHT	2.872" OD ACC. BOX SUB (Not in Manual)
M	05492	B	08/26/14	SLHT	2.872" OD PIN CONNECTOR SUB (Not in Manual)
A	07256		11/19/08	SLHT	2.872" OD ACC. BOX SCHLUMBERGER SUB W SPECIAL OD MODIFICATION
A	06299		05/28/03	SLHT	3 1/4" X .250" WALL ACCESSORY BOX
A	06304		05/28/03	SLHT	3 1/4" X .250" WALL BOX MAKE-UP POSITIONER
M	06298		05/28/03	SLHT	3 1/4" X .250" WALL COUPLING
G	06302		05/28/03	SLHT	3 1/4" X .250" WALL COUPLING SET. STD. FOR ALL GRADES
M	06297	A	10/13/10	SLHT	3 1/4" X .250" WALL PIN
P	06300		05/28/03	SLHT	3 1/4" X .250" WALL PIN AND BOX ACCESSORY BLANK. DIM.
A	06303		05/25/03	SLHT	3 1/4" X .250" WALL PIN MAKE-UP POSITIONER
G	06301		05/28/03	SLHT	3 1/4" X .250" WALL PIN SET. STD. FOR ALL GRADES
I	07463		04/16/10	SLHT	3 1/4" BOX GAGE SET. DIMS FOR ROD STYLE STDS.
G	03801	B	6/26/00	SLHT	3 1/2" Coupling setting standard for all grades
M	05494		06/30/00	SLHT	3 1/2" COUPLING SPECIAL OD BEVEL (SHELL)
M	04935	A	08/30/99	SLHT	3 1/2" CPLG. (BAKER) SPECIAL CLEARANCE DIAMETER
G	03800	A	6/26/00	SLHT	3 1/2" Pin setting standard for all grades
M	05437		04/27/00	SLHT	3 1/2" SPECIAL CLEARANCE DIAMETER FOR COUPLING (JOHNSON SCREEN)
A	07124		01/22/08	SLHT	3 1/2" 9.20# SPECIAL LIFT PLUG F/SCHLUMBERGER SCREENS
A	07006		03/20/07	SLHT	3 1/2" 9.20 - 12.70# LOW TORQUE PRESSURE TEST CAP
A	07007		03/20/07	SLHT	3 1/2" 9.20 - 12.70# LOW TORQUE PRESSURE TEST PLUG
A	05629		11/29/00	SLHT	3 1/2" 9.20 - 12.70# LIFT PLUG
A	06551		09/09/04	SLHT	3 1/2" 9.20 - 12.70# PRESSURE TEST CAP
A	07276	A	02/25/09	SLHT	3 1/2" 12.70# SL HT PIN x 4 1/2" EXTRA HOLE (NC46) BOX DRIVE SUB
A	05296	F	03/11/16	SLHT	3.625" ACC. BOX SUB (Not in Manual)

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
G	05298	A	6/26/00	SLHT	3.625" ACC. BOX SETTING STANDARD
A	05460	C	05/21/08	SLHT	3.625" O.D. ACC. BOX - SCHLUMBERGER SUB WITH SETBACK
M	05295	G	03/11/16	SLHT	3.625" PIN SUB (Not in Manual)
G	05297	A	6/26/00	SLHT	3.625" PIN SETTING STANDARD
A	05840	B	02/20/14	SLHT	3 5/8" 10.62# LOW TORQUE PRESSURE TEST CAP
A	05836		10/05/01	SLHT	3 5/8" 10.62# PRESSURE TEST CAP
A	08579		04/10/14	SLHT	3 5/8" 10.62# LOW TORQUE PRESSURE TEST PLUG
A	06565	A	08/26/14	SLHT	3.875" ACCESSORY BOX SUB (Not in Manual)
G	06567		04/05/04	SLHT	3.875" ACCESSORY BOX SETTING STARDARD FOR ALL GRADES
M	06564	A	08/26/14	SLHT	3.875" PIN SUB (Not in Manual)
G	06566		04/05/04	SLHT	3.875" PIN SETTING STARDARD FOR ALL GRADES
G	03780	B	6/26/00	SLHT	4" Coupling setting standard for all grades
G	03779	A	6/26/00	SLHT	4" Pin setting standard for all grades
A	05864	B	04/20/16	SLHT	4" 9.50# SPECIAL LIFT PLUG
A	05822		09/05/01	SLHT	4" 9.50 - 13.20# CASING PRESSURE TEST CAP
A	07411		11/30/09	SLHT	4" 9.50 - 14.80# PRESSURE TEST PLUG
A	07283		02/18/09	SLHT	4" 11# SPECIAL O.D. MOD. FOR ACC. BOX SCHLUMBERGER SUB
A	07013		04/05/07	SLHT	4" 11.00 - 13.20# LOW TORQUE PRESSURE TEST CAP
A	07014		04/05/07	SLHT	4" 11.00 - 13.20# LOW TORQUE PRESSURE TEST PLUG
A	07275	A	07/16/13	SLHT	4" 11.60# SPECIAL HANDLING PLUG FOR SCHLUMBERGER SCREENS
BC	0010		05/28/14	SLHT	4" 11.60# BOX BULL CAP
A	05737	A	08/09/02	SLHT	4.124" ACC. BOX SCHLUMBERGER SUB WITH SETBACK
G	05506		7/7/00	SLHT	4.124" ACC. BOX SETTING STANDARD ALL GRADES
A	05504	C	08/26/14	SLHT	4.124" OD ACC. BOX SUB DRAWING (Not in Manual)
M	05503	B	08/26/14	SLHT	4.124" OD PIN CONNECTOR SUB (Not in Manual)
G	05505		7/7/00	SLHT	4.124" PIN SETTING STANDARD ALL GRADES
A	07573		11/03/10	SLHT	4.124" 12.65 - 14.15 LOW TORQUE PRESSURE TEST CAP
I	07029		06/05/07	SLHT	4 1/2" SL HT SAVER SUB - GAGE SET. DIM. FOR ROD STYLE STANDARDS
G	03803	B	6/26/00	SLHT	4 1/2" Coupling setting standard for all grades
G	03802	A	6/26/00	SLHT	4 1/2" Pin setting standard for all grades
M	07271		01/26/09	SLHT	4 1/2" SPECIAL O.D. BEVEL FOR COUPLING
A	07686		03/08/11	SLHT	4 1/2" INTERNAL TOOL GUIDE
A	04547	A	11-01-99	SLHT	4 1/2" 10.50 - 15.10# Lift plug
A	06906		07/05/06	SLHT	4 1/2" 10.50 - 17# PRESSURE TEST CAP
A	06905		07/05/06	SLHT	4 1/2" 10.50 - 17# PRESSURE TEST PLUG
A	05862		12/17/01	SLHT	4 1/2" 12.60# SPECIAL LIFT PLUG FOR SCHLUMBERGER SCREENS
A	07028		06/05/07	SLHT	4 1/2" 12.60# & LIGHTER SL HT PIN x NC 40 BOX SAVER SUB
A	07004		03/19/07	SLHT	4 1/2" 12.60 - 17# LOW TORQUE PRESSURE TEST CAP
A	07005		03/19/07	SLHT	4 1/2" 12.60 - 17# LOW TORQUE PRESSURE TEST PLUG

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	06380		09/16/03	SLHT	4 1/2" 15.10# SLHT PIN W/ SP. I.D. CHAMFER F/ 13.50# ACC. BOX
A	06381		09/16/03	SLHT	4 1/2" 15.10# W/ SP. ID. CHAMFER F/ 13.50# PIPE SLHT ACC. BOX
A	06846		12/05/05	SLHT	4 1/2" 17# CASING LIFT PLUG
G	03782	B	6/26/00	SLHT	5" Coupling setting standard for all grades
P	03819	A	7-2-96	SLHT	5" Pin and box accessory blanking dimensions
P	03819M		7/21/00	SLHT	5" Pin and box accessory blanking dimensions (metric)
G	03781	A	6/26/00	SLHT	5" Pin setting standard for all grades
M	05802		07/30/01	SLHT	5" SPECIAL CLEARANCE FOR COUPLING
M	07090		10/19/07	SLHT	5" 15# SL HT PIN X 4 1/2" IF BOX CROSSOVER SUB
A	07665	C	04/20/16	SLHT	5" 18# SL HT SPECIAL LIFT PLUG
G	05488		06/26/00	SLHT	5" 15 - 23.20# BOX SETTING STANDARD - EDM FRAME STYLE
G	05487		06/26/00	SLHT	5" 15 - 23.20# PIN SETTING STANDARD - EDM FRAME STYLE
A	04749		06-18-98	SLHT	5" 15 - 23.20# pressure test cap
A	04750		06-18-98	SLHT	5" 15 -23.20# test plug
A	07613		01/06/11	SLHT	5" 15 -23.20# LIFT PLUG
M	06382		09/16/03	SLHT	5" 18# SLHT PIN SP. ID CHAMFER F/ 15# ACC. BOX
A	06383		09/16/03	SLHT	5" 18# W/ SP. ID CHAMFER F/ 15# PIPE SLHT ACC. BOX
A	07777		06/14/11	SLHT	5" 18# & ABOVE INTERNAL TOOL GUIDE
A	07295		03/25/09	SLHT	5" 18 - 23.20# LOW TORQUE PRESSURE TEST CAP
A	07296		03/25/09	SLHT	5" 18 - 23.20# LOW TORQUE PRESSURE TEST PLUG
A	03755	E	10/05/06	SLHT	5" - 7" Accessory box
A	03755M	B	10/05/06	SLHT	5" - 7" Accessory box (metric)
A	03513	A	5-22-96	SLHT	5" - 7" Box make-up positioner
M	03456	G	10/05/06	SLHT	5" - 7" Casing coupling all weights
M	03456M	B	10/05/06	SLHT	5" - 7" Casing coupling all weights (metric)
M	03455	H	10/05/06	SLHT	5" - 7" Casing pin connector
M	03455M	B	10/05/06	SLHT	5" - 7" Casing pin connector (metric)
A	03512	A	5-22-96	SLHT	5" - 7" Pin make-up positioner
A	07001		03/15/07	SLHT	5.495" - 5 1/2" 20 - 28.40# LOW TORQUE PRESSURE TEST CAP
A	07002		03/15/07	SLHT	5.495" - 5 1/2" 20 - 28.40# LOW TORQUE PRESSURE TEST PLUG
A	05738	B	07/30/04	SLHT	5.495" ACC. BOX SCHLUMBERGER SUB WITH SETBACK
A	05496	E	02/12/16	SLHT	5.495" 20.22 - 24.80# ACCESSORY BOX SUB (Not in Manual)
M	05495	E	02/12/16	SLHT	5.495" 20.22 - 24.80# PIN CONNECTOR SUB (Not in Manual)
M	06847		12/15/05	SLHT	5 1/2" BOX SPECIAL CLEARANCE O.D.
M	05137		07/23/99	SLHT	5 1/2" coupling (Chevron) Spec. Clearance & O.D. Bevel
G	03805	B	6/26/00	SLHT	5 1/2" Coupling setting standard for all grades
P	03820	B	9-11-97	SLHT	5 1/2" Pin and box accessory blanking dimensions
P	03820M		7/21/00	SLHT	5 1/2" Pin and box accessory blanking dimensions (metric)
G	03804	A	6/26/00	SLHT	5 1/2" Pin setting standard for all grades

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
A	07687		03/08/11	SLHT	5 1/2" INTERNAL TOOL GUIDE
G	05471		06/15/00	SLHT	5 1/2" 15.50 - 28.40# BOX SETTING STANDARD - EDM FRAME STYLE
A	04890		10/07/98	SLHT	5 1/2" 15.50 - 28.40# LIFT PLUG
G	05470		06/15/00	SLHT	5 1/2" 15.50 - 28.40# PIN SETTING STANDARD - EDM FRAME STYLE
A	05484		06/21/00	SLHT	5 1/2" 15.50 - 28.40# PRESSURE TEST CAP
A	05485		06/21/00	SLHT	5 1/2" 15.50 - 28.40# PRESSURE TEST PLUG
A	07357	A	07/21/09	SLHT	5 1/2" 15.50 - 28.40# EXTENDED LIFT PLUG FOR SCHLUMBERGER
A	07251		11/06/08	SLHT	5 1/2" 17# SL HT ACC. BOX W/ SPECIAL I.D. BORE FOR SCHLUMBERGER
A	07278		02/12/09	SLHT	5 1/2" 17# accessory pin face detail for schlumberger
A	07125	A	07/24/13	SLHT	5 1/2" 17# & 20# SPECIAL HANDLING PLUG F/SCHLUMBERGER SCREENS
A	06851		01/26/06	SLHT	5 1/2" 20# PIN X BOX ANADARKO SCREEN SUB
A	05991	A	09/28/16	SLHT	6" ACCESSORY BOX
A	05990		05/15/02	SLHT	6" BOX MAKE-UP POSITIONER
M	05988		05/15/02	SLHT	6" COUPLING
M	05987		05/15/02	SLHT	6" PIN
P	05992		05/15/02	SLHT	6" PIN & BOX ACCESSORY BLANKING DIMENSIONS
A	05989		05/15/02	SLHT	6" PIN MAKE-UP POSITIONER
G	05994		05/15/02	SLHT	6" 18 - 26# BOX SETTING STD - EDM FRAME STYLE
G	05993		05/15/02	SLHT	6" 18 - 26# PIN SETTING STD - EDM FRAME STYLE
G	03811	B	6/26/00	SLHT	6 5/8" Coupling setting standard for all grades
M	04529		12-1-97	SLHT	6 5/8" Coupling special O.D. bevel
P	03818	D	10/05/06	SLHT	6 5/8" Pin & box Accessory blanking dimensions
P	03818M	B	10/05/06	SLHT	6 5/8" Pin & box Accessory blanking dimensions (metric)
G	03810	A	6/26/00	SLHT	6 5/8" Pin setting standard for all grades
A	06730		03/04/05	SLHT	6 5/8" 20 - 32# LIFT PLUG
A	06254	A	02/15/06	SLHT	6 5/8" 20 - 32# PRESSURE TEST CAP
A	06253		02/12/03	SLHT	6 5/8" 20 - 32# PRESSURE TEST PLUG
A	08973	A	07/30/14	SLHT	6 5/8" 20 - 32# EXTENDED HANDLING PLUG
A	08974	A	08/08/14	SLHT	6 5/8" 20 - 32# SPECIAL OD EXTENDED HANDLING PLUG
G	05490	A	10/05/06	SLHT	6 5/8" 20 - 56.80# BOX SETTING STANDARD - EDM FRAME STYLE
G	05489	A	10/05/06	SLHT	6 5/8" 20 - 56.80# PIN SETTING STANDARD - EDM FRAME STYLE
M	06865		02/17/06	SLHT	6 5/8" 24# SLHT LH PIN x SLHT BOX
M	06866		02/17/06	SLHT	6 5/8" 24# SLHT PIN x SLHT LH BOX
A	07032		06/18/07	SLHT	6 5/8" 24 - 32# LOW TORQUE PRESSURE TEST CAP
A	07033		06/18/07	SLHT	6 5/8" 24 - 32# LOW TORQUE PRESSURE TEST PLUG
A	07088		10/12/07	SLHT	6 5/8" 24 - 32# LOW TORQUE, LOW PRESSURE TEST/LIFT SUB PIN
P	07089		10/12/07	SLHT	6 5/8" 24 - 32# LOW TORQUE LOW PRESSURE TEST/LIFT SUB PIN ASSEMBLY
I	06754		05/18/05	SLHT	7" SEAL-LOCK HT SAVER SUB GAGE SET. DIM. FOR ROD STYLE STANDARDS
M	06636		09/30/04	SLHT	7" COUPLING SPECIAL O.D. BEVEL

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
G	03807	B	6/26/00	SLHT	7" Coupling setting standard for all grades
A	04955		12/09/98	SLHT	7" LIFT PLUG/TORQUE TOOL FOR MAKE-UP W/ TOP DRIVE UNITS
P	03821	B	7-2-96	SLHT	7" Pin and box accessory blanking dimensions
P	03821M		7/21/00	SLHT	7" Pin and box accessory blanking dimensions (metric)
M	04432		9-12-97	SLHT	7" Pin I.D. chamfer for special drift casing
G	03806	A	6/26/00	SLHT	7" Pin setting standard for all grades
M	07154		02/21/08	SLHT	7" 23# PIN W/ SPECIAL PIN BORE
A	06366		09/04/03	SLHT	7" 23 - 38# PRESSURE TEST PLUG
A	04476		10-13-97	SLHT	7" 23- 38# Casing pressure test cap
G	05473		06/16/00	SLHT	7" 23 - 38# BOX SETTING STANDARD - EDM FRAME STYLE
G	05472		06/16/00	SLHT	7" 23 - 38# PIN SETTING STANDARD - EDM FRAME STYLE
A	06918		08/25/06	SLHT	7" 26 - 38# LOW TORQUE PRESSURE TEST CAP
A	06917		08/25/06	SLHT	7" 26 - 38# LOW TORQUE PRESSURE TEST PLUG
M	04571		12-22-97	SLHT	7" 26# Box by box protector coupling
M	04812		07-17-98	SLHT	7" 26# cplg. (Chevron order) Special Clearance & O.D. Bevel for
A	06615	B	08/19/04	SLHT	7" 26# SL HT PIN X 4" BLANK DOUBLE PIN SUB FOR BAKER OIL TOOLS
A	06750		05/18/05	SLHT	7" 29# SL-HT PIN X 4 1/2" IF BOX SAVER SUB
M	06508		02/05/04	SLHT	7" 29# SL HT PIN X 5 1/2" 20# SL HT PIN CROSSOVER SUB
P	09168	B	03/09/16	SLHT	2.305" - 5.495" NON - API SIZES ACCESSORY BLANKING DIMENSIONS
P	07009	E	06/20/14	SLHT	ASSEMBLY, LOW TORQUE PRESSURE TEST CAP & PLUG
A	03514	C	07/31/03	SLHT	Make-up positioner assembly & scribe line location for tubing & casing
P	07003	E	02/20/14	SLHT	SEAL O-RING, LOW TORQUE PRESSURE TEST CAP & PLUG
M	06504		02/05/04	SLHT / API BUTTRESS	5 1/2" 20# SL HT BOX X 7" 29# API BUTTRESS PIN CROSSOVER
M	06505		02/05/04	SLHT / API BUTTRESS	5 1/2" 20# SL HT PIN X 7" 29# API BUTTRESS PIN CROSSOVER
M	06385		09/23/03	SLHT / API BUTTRESS	6 5/8" 24# SL HT BOX X 7" API BUTTRESS PIN CROSSOVER
M	06384		09/23/03	SLHT / API BUTTRESS	6 5/8" 24# SL HT PIN X 7" API BUTTRESS PIN CROSSOVER
M	06506		02/05/04	SLHT / API BUTTRESS	7" 29# SL HT PIN X 5 1/2" 20# API BUTTRESS BOX CROSSOVER
M	06507		02/05/04	SLHT / API BUTTRESS	7" 29# SL HT PIN X 5 1/2" 20# API BUTTRESS PIN CROSSOVER
P	04435		09/17/97	SLHT, SLBOSS	Plastic coating specification
M	05012	H	11/18/14	SLHT-S & SLHT-S TIMED	2 1/16" - 4 1/2" COUPLING
M	05028	D	11/18/14	SLHT-S & SLHT-S TIMED	5" - 7" COUPLING
A	05014	E	11/05/02	SLHT-S TIMED	2 1/16" - 4 1/2" BOX MASTER MAKE-UP POSITIONER
A	05013	E	11/05/02	SLHT-S TIMED	2 1/16" - 4 1/2" PIN MASTER MAKE-UP POSITIONER
A	05918	C	11/06/02	SLHT-S TIMED	2 1/16" - 4 1/2" WORKING MAKE-UP POSITIONER - BOX
A	05919	C	11/06/02	SLHT-S TIMED	2 1/16" - 4 1/2" WORKING MAKE-UP POSITIONER - PIN
A	05871	A	05/13/02	SLHT-S TIMED	2 3/8" 4.60# FIT UP COUPLING
M	05362	A	08/13/02	SLHT-S TIMED	2 7/8" cplg. (BP/Amoco) special clearance diameter
A	05869	A	05/13/02	SLHT-S TIMED	2 7/8" 6.40# FIT UP COUPLING
M	06729	A	03/11/05	SLHT-S TIMED	3 1/2" 9.20# 13cr-80 X 19' LONG, EXTENDED LENGTH COUPLING

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
A	05872	A	05/13/02	SLHT-S TIMED	3 1/2" 9.20# FIT UP COUPLING
A	05104	A	06/08/99	SLHT-S TIMED	4" x 5 1/2" Timed Crossover Sub for US Filter/Johnson Screen
A	07876		10/11/11	SLHT-S TIMED	5" 15# TO 5" 18# TRANSITION COUPLING
A	05870	A	05/13/02	SLHT-S TIMED	5" 18# FIT UP COUPLING
A	05030	D	11/05/02	SLHT-S TIMED	5" - 7" BOX MASTER MAKE-UP POSITIONER
A	05029	D	11/05/02	SLHT-S TIMED	5" - 7" PIN MASTER MAKE-UP POSITIONER
A	05920	C	11/06/02	SLHT-S TIMED	5" - 7" WORKING MAKE-UP POSITIONER - BOX
A	05921	D	11/06/02	SLHT-S TIMED	5" - 7" WORKING MAKE-UP POSITIONER - PIN
A	05986		05/07/02	SLHT-S TIMED	5 1/2" 17# FIT UP COUPLING
A	05916		02/14/02	SLHT-S TIMED	MASTER MAKE-UP POSITIONER ASSEMBLY & SCRIBE LINE LOCATION FOR CASING & TUBING
A	05015	C	02/14/02	SLHT-S TIMED	Working Make-up positioner assembly & scribe line location for SLHT-S timed tubing & casing
M	04942		12/01/98	SLHT-SR	5" - 7" COUPLING
M	04943		12/01/98	SLHT-SR	5" - 7" PIN
P	04944		12/01/98	SLHT-SR	5" - 7" SEAL RING
A	04960		12/21/98	SLHT-SR, SLHT-SRS	5" - 7" PIN COATING MASK, CLOSED END
A	04959		12/21/98	SLHT-SR, SLHT-SRS	5" - 7" PIN COATING MASK, OPEN END
P	04952		12/04/98	SLHT-SR, SLHT-SRS	5" - 7" PLASTIC COATING SPECIFICATION
A	04953		12/04/98	SLHT-SRS	5" - 7" COATING MASK
M	04946		12/02/98	SLHT-SRS	5" - 7" COUPLING
M	01159	A	5-9-89	SLHW	4 1/2" - 6 5/8" Coupling grade Q-125 and below
M	01154	C	2-28-90	SLHW	4 1/2" - 6 5/8" Pin connector grades Q-125 and below
I	01555		8-29-89	SLHW	4 1/2"- 13 3/8" Box mic-trac block offsets and riser block settings
I	01637		9-1-89	SLHW	4 1/2"- 13 3/8" Casing pin mic-trac block offsets
I	00805	C	1-24-90	SLHW	5 1/2" Coupling gage setting dimensions for all weights
G	01251	A	1-22-90	SLHW	5 1/2" Coupling setting standard for all weights
I	01652		9-19-89	SLHW	5 1/2" Pin gage offsets using a 5 1/2" Pin setting standard
G	01249	A	2-13-90	SLHW	5 1/2" Pin setting standard for all grades and weights
A	01378	A	2-16-90	SLHW	5 1/2" Pressure test cap
A	01379	A	2-19-90	SLHW	5 1/2" Pressure test plug
I	01591		6-28-89	SLHW	7" Box gage offsets using a 7" box setting standard
I	01592		6-28-89	SLHW	7" Box gage offsets using a 7" box setting standard
I	01034	A	1-23-90	SLHW	7" Coupling gage setting dimensions for all weights
G	01041	A	1-19-90	SLHW	7" Coupling setting standard for all weights
I	01539		5-1-89	SLHW	7" Pin gage offsets using a 7" SLHC pin setting standard
I	01033	A	1-23-90	SLHW	7" Pin gage setting dimensions all weights
G	01040	A	1-19-90	SLHW	7" Pin setting standard for all weights
M	01116		7-26-88	SLHW	7" 41# Casing pin I.D. chamfer for special drift
M	01160	C	3-11-91	SLHW	7" - 8 5/8" Coupling grade Q-125 and below
M	01155	E	3-11-91	SLHW	7" - 8 5/8" Pin connector grade Q-125 and below

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
G	01544		5-3-89	SLHW	7 5/8" Pin setting standard (cone method)
M	01412		1-24-89	SLHW	8" HW, 8 5/8", 10 3/4" Big "o" SL Coupling PR ring groove detail
A	01372		1-10-89	SLHW	8" Pressure test cap
M	01272	B	2-17-89	SLHW	8" 55.98# Coupling all grades
M	01271	C	3-3-89	SLHW	8" 55.98# Pin connector all grades
M	01162	A	5-9-89	SLHW	9 5/8" - 11 3/4" Coupling grade Q-125 and below
M	01156	C	2-28-90	SLHW	9 5/8" - 11 3/4" Pin connector grade Q-125 and below
G	01798		11-9-89	SLHW	10 3/4" Box frame style setting standard
M	01163	A	5-9-89	SLHW	13 3/8" - 13 5/8" Coupling grade Q-125 and below
M	01157	C	2-28-90	SLHW	13 3/8" - 13 5/8" Pin connector grade Q-125 and below
A	01115	A	8-23-88	SLHW	Make-up stencil
M	02684		8-6-92	SLIJHC	10 5/8" 104.08# Box connector
M	02683		8-6-92	SLIJHC	10 5/8" 104.08# Pin connector
I	00470	D	07/29/08	SLLI6	2 3/8 4.60# Pin gage setting information
I	00589	B	05/29/08	SLLI6	2 3/8" 4.60# Coupling gage setting for grade P-105 only
G	00510	B	05/29/08	SLLI6	2 3/8" 4.60# Coupling setting standard for J, L & N grades
G	00632	B	05/29/08	SLLI6	2 3/8" 4.60# Coupling setting standard for P-105
G	00509	A	07/29/08	SLLI6	2 3/8" 4.60# Pin setting standard
A	01703	C	05/29/08	SLLI6	2 3/8" 4.60# Pressure test cap
A	01702	C	05/29/08	SLLI6	2 3/8" 4.60# Pressure test plug
M	01337	G	12/17/08	SLLI6	2 3/8" - 3 1/2" Accessory box, grade P-105 and below
A	00645	B	05/29/08	SLLI6	2 3/8" - 3 1/2" Coupling coating mask
M	00994	G	12/17/08	SLLI6	2 3/8" - 3 1/2" Coupling, grade P-105 and below
P	01010	D	05/29/08	SLLI6	2 3/8" - 3 1/2" Pin and box accessory blanking dimensions
M	00993	D	2-15-94	SLLI6	2 3/8" - 3 1/2" Pin connector, all grades
A	00644	D	05/29/08	SLLI6	2 3/8" - 3 1/2" Pins coating mask
M	00995	D	07/29/08	SLLI6	2 3/8" - 3 1/2" Special O.D. bevels for dual clearance couplings
M	00999	C	07/29/08	SLLI6	2 3/8" - 3 1/2" Special O.D. bevels for work string couplings
G	00481	C	07/29/08	SLLI6	2 7/8" - 6.40# Coupling setting standard for J, L & N grades
G	00480	B	07/29/08	SLLI6	2 7/8" - 6.40# Pin setting standard
I	00587	B	05/29/08	SLLI6	2 7/8" 6.40# Coupling gage setting for grade P-105 only
G	00633	B	05/29/08	SLLI6	2 7/8" 6.40# Coupling setting standard for P-105
A	01700	B	05/29/08	SLLI6	2 7/8" 6.40# Pressure test cap
A	01705	B	05/29/08	SLLI6	2 7/8" 6.40# Pressure test plug
I	00474	C	07/29/08	SLLI6	3 1/2" 9.20# Pin gage setting information
G	00512	B	05/29/08	SLLI6	3 1/2" 9.20# Coupling setting standard for J, L & N grades
G	00634	B	05/29/08	SLLI6	3 1/2" 9.20# Coupling setting standard for P-105
G	00511	B	05/29/08	SLLI6	3 1/2" 9.20# Pin setting standard
A	01785	B	05/29/08	SLLI6	3 1/2" 9.20# Pressure test cap

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
A	01784	B	05/29/08	SLLI6	3 1/2" 9.20# Pressure test plug
P	00479	E	07/29/08	SLLI6	Plastic coating specification Lock-It tubing connection
P	01835	B	07/29/08	SLLI6 / SLLI8	2 3/8" coating requirements for bi-metallic application
P	01910	C	3-19-97	SLLI8	1 1/2" - 3 1/2" Pin and Box accessory blanking dimensions
M	01165	F	10/09/07	SLLI8	1 1/2" (1.900) 2.90# - 4.19# Coupling (all grades)
G	02293		4-26-91	SLLI8	1 1/2" 2.90 - 4.19# Box setting standard for J, L & N grades
G	02292		4-26-91	SLLI8	1 1/2" 2.90 - 4.19# Pin setting standard for all grades
A	02937	A	10-26-93	SLLI8	1 1/2" 2.90 - 4.19# Pressure test cap
A	02936	A	10-20-93	SLLI8	1 1/2" 2.90 - 4.19# Pressure test plug
M	01164	B	3-27-97	SLLI8	1 1/2" 2.90# - 4.19# Pin connector (all grades)
I	01430		2-1-89	SLLI8	1 1/2"- 2.90# Coupling gage setting dimensions
I	01429		2-1-89	SLLI8	1 1/2"- 2.90# Pin gage setting dimensions
I	04757		06-24-98	SLLI8	2 1/16" (M00585 Threadform) pin gage setting dim.
I	04758		06-24-98	SLLI8	2 1/16" (M00586 Threadform) coupling gage setting dim.
M	03867	A	07/17/02	SLLI8	2 1/16" 3.25 - 4.50# Accessory box
A	04314		7-7-97	SLLI8	2 1/16" 3.25 - 4.50# Pressure test cap
A	03861		6-12-96	SLLI8	2 1/16" 3.25 - 4.50# pressure test plug
M	00598	G	07/17/02	SLLI8	2 1/16"- 3.25# & 4.50# Coupling (all grades)
G	01139		8-9-88	SLLI8	2 1/16"- 3.25# & 4.50# Coupling setting standard for J, L & N grades
M	00597	F	9-24-93	SLLI8	2 1/16"- 3.25# & 4.50# Pin connector (all grades)
G	01138		8-9-88	SLLI8	2 1/16"- 3.25# & 4.50# Pin setting standard for all grades
I	01595	A	8-8-89	SLLI8	2 3/8" Coupling gage setting dimensions (M00586 Threadform)
I	01594		7-3-89	SLLI8	2 3/8" Pin gage setting dimensions (M00585 Threadform)
G	02735		10-13-92	SLLI8	2 3/8" Pin setting standard
G	01717	A	10-2-90	SLLI8	2 3/8" 4.6# Box connectors setting standard
G	01716		10-25-89	SLLI8	2 3/8" 4.6# Pin connectors setting standard
A	01894	C	07/17/02	SLLI8	2 3/8" 4.60# Pressure test cap
A	01895	B	10-21-93	SLLI8	2 3/8" 4.60# Pressure test plug
M	01893	D	07/17/02	SLLI8	2 3/8" - 3 1/2" Accessory box (M00586 THREADFORM)
A	01912	A	7-21-92	SLLI8	2 3/8" - 3 1/2" Coupling coating mask
M	02150	G	07/17/02	SLLI8	2 3/8" - 3 1/2" Coupling with M00586 Threadform
A	03006		10-5-93	SLLI8	2 3/8" - 3 1/2" Lift plug
A	01911	A	7-21-92	SLLI8	2 3/8" - 3 1/2" Pin coating mask
M	02149	C	11-1-91	SLLI8	2 3/8" - 3 1/2" Pin connector with M00585 Threadform
M	02853		3-9-93	SLLI8	2 3/8" - 3 1/2" Special O.D. bevel for dual clearance couplings
I	02487		10-31-91	SLLI8	2 7/8" Pin gage offsets
G	02736		10-13-92	SLLI8	2 7/8" Pin setting standard
A	02712	A	10-18-93	SLLI8	2 7/8" Pressure test cap
A	02713	A	10-20-93	SLLI8	2 7/8" Pressure test plug

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
G	02155		10-1-90	SLLI8	2 7/8" 6.4# Pin connector setting standard
G	02156		10-1-90	SLLI8	2 7/8" 6.40# Box connector setting standard
G	02737		10-13-92	SLLI8	3 1/2" Pin setting standard
A	02714	A	10-21-93	SLLI8	3 1/2" Pressure test cap
A	02715	A	10-21-93	SLLI8	3 1/2" Pressure test plug
I	07261		12/15/08	SLLI9	3 1/2" PIN & BOX GAGE SET. DIMS. FOR ROD STYLE STANDARDS
G	02173		10-18-90	SLLI8	3 1/2" 9.20# Box connector setting standard
G	02172		10-18-90	SLLI8	3 1/2" 9.20# Pin connector setting standard
M	02368		8-13-91	SLLI8	5" Coupling with M00586 Threadform
M	02367		8-13-91	SLLI8	5" 15.# Pin connector with M00585 Threadform
M	02220	A	4-4-91	SLLI8	5 1/2" Coupling with M00586 Threadform
G	02224		1-15-91	SLLI8	5 1/2" 15.50# Coupling setting standard
M	02219	A	3-20-91	SLLI8	5 1/2" 15.50# Pin connector with M00585 Threadform
G	02223		1-15-91	SLLI8	5 1/2" 15.50# Pin setting standard
M	01883		1-5-90	SLLI8	8 5/8" Coupling (M00586 Threadform)
M	01882		1-5-90	SLLI8	8 5/8" Pin connector (M00585 Threadform)
M	02941		6-17-93	SLLI8	Optional Make-up line dimensions for all sizes
P	01913		1-25-90	SLLI8	Plastic coating specification tubing connection
M	01643	F	8-11-95	SLMHC	7" Casing pin connector weights as charted, all grades
M	01644	E	8-11-95	SLMHC	7" 23 - 38# Casing coupling
M	01642	B	12-27-89	SLMHC	13 3/8" 72# Casing coupling
M	01641		9-1-89	SLMHC	13 3/8" 72# Casing pin connector all grades
A	00834	A	1-25-90	SLPC	2 3/8" - 3 1/2" box coating mask
M	01067	A	9-25-89	SLPC	2 3/8" - 3 1/2" Coupling all weights, grade P-105 and below
P	00699	C	7-14-92	SLPC	2 3/8" - 3 1/2" pin and box accessory blanking dimensions
M	01072	A	3-17-89	SLPC	2 3/8" - 3 1/2" Special O.D. bevel info. for dual clearance cplgs
M	02057		4-24-90	SLPC	2 3/8" - 3 1/2" Special O.D. bevel option for box accessories
M	00603	H	7-14-92	SLPC	2 3/8" - 3 1/2" tubing accessory box all weights, grade P-105 and below
M	06416		10/30/03	SLPC	4 1/2" 12.75# pin
A	02196	B	10/27/03	SLPC	4 1/2" - 5 1/2" Coating mask
M	02188	E	10/27/03	SLPC	4 1/2" - 10 3/4" Accessory box all weights
M	02186	D	10/27/03	SLPC	4 1/2" - 10 3/4" Casing coupling all weights & grades
A	02195	C	10/27/03	SLPC	4 1/2" - 10 3/4" Pin coating mask
A	02191	D	03/01/12	SLPC	4 1/2" - 10 3/4" Box make-up positioner
A	02190	D	03/01/12	SLPC	4 1/2" - 10 3/4" Pin make-up positioner
M	03084		2-22-94	SLPC	8 5/8" Casing coupling all weights and grades
M	01606		8-1-89	SLPC	8 5/8 32# cplg. seal ring modification
M	01614		8-14-89	SLPC	8 5/8" 40# Accessory box half ring groove machining detail
20M	00382	A	12-29-86	SLPC	9 5/8" 43.50# Pin nose radius detail for PC

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	00943	A	2-13-89	SLPC	Make- up line dimensions for all sizes
A	02193	E	10/27/03	SLPC	Make-up positioner assembly & scribe line location for tubing & casing
P	01604		7-31-89	SLPC	Metallic coating machining practice for marathon
M	01613	D	10/27/03	SLPC	Pin nose radius detail
P	01505		3-31-89	SLPC	Plastic coating field acceptance criteria for marathon
P	02197	A	10/27/03	SLPC	Plastic coating specification
P	01504		3-31-89	SLPC	Plastic coating specification for marathon
P	00445	D	2-14-89	SLPC	Plastic coating specification for tubing
20P	00466		3-11-87	SLPC	Tubing make-up line location
A	00830	A	1-25-90	SLPC, TCNL PC	2 3/8" - 3 1/2" pin coating mask
G	06109		08/06/02	SLRP	10 3/4" BOX SETTING STANDARD -EDM FRAME STYLE FOR SL RP
M	06101	A	04/23/07	SLRP	10 3/4" X .440" WALL COUPLING
M	06102		08/05/02	SLRP	10 3/4" X .440" WALL PIN
G	06027		07/08/02	SLRP	11" BOX SETTING STANDARD -EDM FRAME STYLE FOR SL RP
M	06106	A	04/23/07	SLRP	11" X .671 WALL COUPLING
M	06103	A	04/18/07	SLRP	11" X .671 WALL PIN
G	06029		07/08/02	SLRP	11 3/4" BOX SETTING STANDARD -EDM FRAME STYLE FOR SL RP
M	06105	B	04/23/07	SLRP	11 3/4" COUPLING
M	06104	B	07/09/03	SLRP	11 3/4" PIN
G	06025		07/05/02	SLRP	11 7/8" BOX SETTING STANDARD - EDM FRAME STYLE
G	06024		07/05/02	SLRP	11 7/8" PIN SETTING STANDARD - EDM FRAME STYLE
M	06023	A	04/23/07	SLRP	11 7/8" X .550 WALL COUPLING
M	06022	A	07/09/03	SLRP	11 7/8" X .550 WALL PIN
G	06368		09/08/03	SLRP	13 3/8" 68 - 72# BOX SETTING STANDARD - EDM FRAME STYLE
M	06309	A	06/12/03	SLRP	13 3/8" 68 - 72# PIN
M	06310	A	06/12/03	SLRP	13 3/8" 68 - 72# COUPLING
M	05901	A	04/23/07	SLRP	16" 109# COUPLING
M	05900	A	07/09/03	SLRP	16" 109# PIN
G	05830	A	12/5/01	SLRP	9 5/8" BOX SET. STD. - EDM FRAME STYLE
A	05832		09/28/01	SLRP	9 5/8" MAKE-UP POSITIONER-BOX
A	05831		09/28/01	SLRP	9 5/8" MAKE-UP POSITIONER-PIN
G	05829	A	12/5/01	SLRP	9 5/8" PIN SET. STD. - EDM FRAME STYLE
M	05828	A	06/11/03	SLRP	9 5/8" 47 - 53.50# COUPLING
M	05827	B	07/09/03	SLRP	9 5/8" 47 - 53.50# PIN
M	06323		07/11/03	SLRP	9 5/8" 47 - 53.50# PIN SWAGING
A	05571	B	08/03/01	SLRP	9 3/4" BOX MAKE-UP POSITIONER
G	05553	B	08/03/01	SLRP	9 3/4" BOX SET. STD. - EDM FRAME STYLE
A	05570	C	08/03/01	SLRP	9 3/4" PIN MAKE-UP POSITIONER
G	05552	B	08/03/01	SLRP	9 3/4" PIN SET. STD. - EDM FRAME STYLE

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	05535	E	04/23/07	SLRP	9 3/4" 59.20# COUPLING
M	05735	B	07/09/03	SLRP	9 3/4" 59.20# PIN
G	06946		11/20/06	SLRP	9 7/8" 62.80# BOX SETTING STANDARD - EDM FRAME STYLE
M	06944		11/20/06	SLRP	9 7/8" 62.80# COUPLING
M	06943		11/20/06	SLRP	9 7/8" 62.80# PIN
G	06945		11/20/06	SLRP	9 7/8" 62.80# PIN SETTING STANDARD - EDM FRAME STYLE
G	05849		11/13/01	SLRP	anvil - thread height gage .333 pitch x 1.250 in/ft taper
A	05576	B	08/03/01	SLRP	Make-up positioner assembly & scribe line location
G	05848		11/13/01	SLRP	Thread height standard, external .333" pitch x 1.250" T.P.F.
G	05847		11/13/01	SLRP	Thread height standard, internal .333" pitch x 1.250" T.P.F.
G	06107		08/06/02	SLRP, SLRP-ES	10 3/4" PIN SETTING STANDARD -EDM FRAME STYLE FOR SL RP & SL RP-ES
M	06042		07/15/02	SLRP, SLRP-ES	10 3/4" X .440" WALL PIN SWAGING FOR SL RP & SL RP-ES
G	06026		07/08/02	SLRP, SLRP-ES	11" PIN SETTING STANDARD -EDM FRAME STYLE FOR SL RP & SL RP-ES
G	06028		07/08/02	SLRP, SLRP-ES	11 3/4" PIN SETTING STANDARD -EDM FRAME STYLE FOR SL RP & SL RP-ES
G	06367	A	09/11/03	SLRP, SLRP-ES	13 3/8" 68 - 72# PIN SETTING STANDARD - EDM FRAME STYLE
G	06108		08/06/02	SLRP-ES	10 3/4" BOX SETTING STANDARD -EDM FRAME STYLE FOR SL RP-ES
M	06031	A	04/23/07	SLRP-ES	10 3/4" X .440 WALL COUPLING WITH 2H EXTERNAL SEAL
M	06030		07/09/02	SLRP-ES	10 3/4" X .440 WALL PIN WITH 2H EXTERNAL SEAL
G	06033		07/12/02	SLRP-ES	11" BOX SETTING STANDARD -EDM FRAME STYLE FOR SL RP-ES
M	06004	A	04/23/07	SLRP-ES	11" X .671 WALL COUPLING WITH 2H EXTERNAL SEAL
M	06003	A	07/09/03	SLRP-ES	11" X .671 WALL PIN WITH 2H EXTERNAL SEAL
G	06034		07/12/02	SLRP-ES	11 3/4" BOX SETTING STANDARD -EDM FRAME STYLE FOR SL RP-ES
M	06021	B	04/23/07	SLRP-ES	11 3/4" COUPLING WITH 2H EXTERNAL SEAL
M	06020	B	07/09/03	SLRP-ES	11 3/4" PIN WITH 2H EXTERNAL SEAL
G	06377		07/12/02	SLRP-ES	13 3/8" 68 -72# BOX SETTING STANDARD - EDM FRAME STYLE
M	06376	A	04/23/07	SLRP-ES	13 3/8" 68 -72# COUPLING W/ 2H EXT. SEAL
M	06375		09/11/03	SLRP-ES	13 3/8" 68 -72# PIN W/ 2H EXT. SEAL
M	06177		11/20/02	SLSF	4 1/2" 11.60# BOX
M	06180	A	08/28/03	SLSF	4 1/2" 11.60# BOX FORMING
G	06179		11/20/02	SLSF	4 1/2" 11.60# BOX SETTING STANDARD - EDM FRAME STYLE
T	06181		11/20/02	SLSF	4 1/2" 11.60# EXPANSION MANDREL
A	06185	D	10/04/12	SLSF	4 1/2" 11.60# HANDLING PLUG
A	06213		12/20/02	SLSF	4 1/2" 11.60# LOW PRESSURE TEST CAP
A	06212		12/19/02	SLSF	4 1/2" 11.60# LOW PRESSURE TEST PLUG
M	06176	B	02/17/15	SLSF	4 1/2" 11.60# PIN
G	06178		11/20/02	SLSF	4 1/2" 11.60# PIN SETTING STANDARD - EDM FRAME STYLE
M	06182	B	02/23/04	SLSF	4 1/2" 11.60# PIN SWAGING
M	06351		08/28/03	SLSF	4 1/2" 12.60# & 13.50# BOX
M	06355		08/28/03	SLSF	4 1/2" 12.60# & 13.50# BOX FORMING

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
G	06353		08/28/03	SLSF	4 1/2" 12.60# & 13.50# BOX SETTING STANDARD - EDM FRAME STYLE
T	06356		08/28/03	SLSF	4 1/2" 12.60# & 13.50# EXPANSION MANDREL
A	06357	B	08/01/12	SLSF	4 1/2" 12.60# - 13.50# HANDLING PLUG
M	06350	A	02/17/15	SLSF	4 1/2" 12.60 - 13.50# PIN
G	06352	A	12/02/08	SLSF	4 1/2" 12.60# & 13.50# PIN SETTING STANDARD - EDM FRAME STYLE
M	06354	C	02/23/04	SLSF	4 1/2" 12.60# & 13.50# PIN SWAGING
I	07257		12/01/08	SLSF	4 1/2" 12.60# & 13.50# PIN & BOX GAGE SETTING DIMS. FOR ROD STYLE STANDARDS
G	06364	B	01/05/04	SLSF	4 1/2" 15.10# - 17# BOX SETTING STANDARD - EDM FRAME STYLE
M	06362	B	02/26/04	SLSF	4 1/2" 15.10# & 17# BOX
M	06359	A	01/05/04	SLSF	4 1/2" 15.10# & 17# BOX FORMING
T	06360	A	01/05/04	SLSF	4 1/2" 15.10# & 17# EXPANSION MANDREL
A	06365	C	08/01/12	SLSF	4 1/2" 15.10# - 17# HANDLING PLUG
M	06361	B	02/17/15	SLSF	4 1/2" 15.10 - 17# PIN
G	06363	A	01/05/04	SLSF	4 1/2" 15.10# & 17# PIN SETTING STANDARD - EDM FRAME STYLE
M	06358	C	02/23/04	SLSF	4 1/2" 15.10# & 17# PIN SWAGING
P	05676	J	03/24/10	SLSF	4 1/2" - 6 5/8" ACCESSORY BLANKING DIMENSIONS
P	05544	AB	11/16/15	SLSF	4 1/2" - 18" PIN SWAGING DIE
M	07451		03/24/10	SLSF	5" 15# PIN SWAGING
M	07452		03/24/10	SLSF	5" 15# BOX FORMING
T	07453		03/24/10	SLSF	5" 15# EXPANSION MANDREL
M	07447		03/24/10	SLSF	5" 15# BOX
M	07446	A	02/04/15	SLSF	5" 15# PIN
I	07460		03/29/10	SLSF	5" 15# PIN & BOX GAGE SET. DIMS FOR MRP GAGE SETUP
G	07448		03/24/10	SLSF	5" 15# PIN SET. STD. - EDM FRAME STYLE
G	07449		03/24/10	SLSF	5" 15# BOX SET. STD. - EDM FRAME STYLE
A	07450	A	08/01/12	SLSF	5" 15# HANDLING PLUG
I	07483		06/29/10	SLSF	5" 18 - 21.40# PIN & BOX GAGE SETTING DIMS. FOR ROD STYLE STDS
G	05337	A	03/08/04	SLSF	5" 18 - 21.40# BOX SETTING STANDARD - EDM FRAME STYLE
G	05336	A	03/08/04	SLSF	5" 18 - 21.40# PIN SETTING STANDARD - EDM FRAME STYLE
M	05210	B	03/08/04	SLSF	5" 18 - 21.40# BOX
M	05212	D	03/08/04	SLSF	5" 18 - 21.40# BOX FORMING
T	05692	A	03/08/04	SLSF	5" 18 - 21.40# EXPANSION MANDREL
A	05225	E	10/04/12	SLSF	5" 18 - 21.40# HANDLING PLUG
M	05209	D	01/27/15	SLSF	5" 18 - 21.40# PIN
M	05211	E	03/08/04	SLSF	5" 18 - 21.40# PIN SWAGING
M	06476		01/13/04	SLSF	5" 23.20 - 24.10# BOX
M	06477		01/13/04	SLSF	5" 23.20 - 24.10# BOX FORMING
G	06481	A	04/19/04	SLSF	5" 23.20 - 24.10# BOX SETTING STANDARD - EDM FRAME STYLE
T	06479		01/13/04	SLSF	5" 23.20 - 24.10# EXPANSION MANDREL

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
A	06482	A	08/01/12	SLSF	5" 23.20 - 24.10# HANDLING PLUG
M	06475	A	02/04/15	SLSF	5" 23.20 - 24.10# PIN
G	06480		01/13/04	SLSF	5" 23.20 - 24.10# PIN SETTING STANDARD - EDM FRAME STYLE
M	06478	B	02/23/04	SLSF	5" 23.20 - 24.10# PIN SWAGING
G	06097		08/02/02	SLSF	5 1/2" 13 - 23.80# BOX SETTING STANDARD - EDM FRAME STYLE
G	06096		08/02/02	SLSF	5 1/2" 13 - 23.80# PIN SETTING STANDARD - EDM FRAME STYLE
M	05368	A	01/11/01	SLSF	5 1/2" 17 - 20# BOX
M	05371	B	02/23/04	SLSF	5 1/2" 17 - 20# BOX FORMING
G	05373		02/29/00	SLSF	5 1/2" 17 - 20# BOX SETTING STANDARD - EDM FRAME STYLE
T	05696		02/02/01	SLSF	5 1/2" 17 - 20# EXPANSION MANDREL
A	05369	D	08/01/12	SLSF	5 1/2" 17 - 20# HANDLING PLUG
M	05367	C	02/04/15	SLSF	5 1/2" 17 - 20# PIN
G	05372		02/29/00	SLSF	5 1/2" 17 - 20# PIN SETTING STANDARD - EDM FRAME STYLE
M	05370	D	02/23/04	SLSF	5 1/2" 17 - 20# PIN SWAGING
M	06094		08/02/02	SLSF	5 1/2" 23 - 23.80# BOX
M	06099		08/02/02	SLSF	5 1/2" 23 - 23.80# BOX FORMING
T	06100		08/02/02	SLSF	5 1/2" 23 - 23.80# EXPANSION MANDREL
A	06095	C	08/01/12	SLSF	5 1/2" 23 - 23.80# HANDLING PLUG
M	06093	A	02/04/15	SLSF	5 1/2" 23 - 23.80# PIN
M	06098	B	02/23/04	SLSF	5 1/2" 23 - 23.80# PIN SWAGING
M	07193	A	05/05/15	SLSF	5 1/2" 26# PIN W/ SPECIAL ID BORE FOR OVERSIZED DRIFT
M	06068		07/26/02	SLSF	5 1/2" 26 - 26.80# BOX
M	06074	A	08/05/02	SLSF	5 1/2" 26 - 26.80# BOX FORMING
G	06072		07/26/02	SLSF	5 1/2" 26 - 26.80# BOX SETTING STANDARD - EDM FRAME STYLE
T	06070		07/26/02	SLSF	5 1/2" 26 - 26.80# EXPANSION MANDREL
A	06069	D	08/01/12	SLSF	5 1/2" 26 - 26.80# HANDLING PLUG
M	06067	A	02/04/15	SLSF	5 1/2" 26.80# PIN
G	06071		07/26/02	SLSF	5 1/2" 26 - 26.80# PIN SETTING STANDARD - EDM FRAME STYLE
M	06073	B	02/23/04	SLSF	5 1/2" 26 - 26.80# PIN SWAGING
P	07194		05/20/08	SLSF	5 1/2" 26# & 8 5/8" 32# ACC PIN BLANKING DIM. W/ SPECIAL ID BORE FOR OVERSIZED DRIFT
A	09297		10/04/16	SLSF	5.800" PIN ACCESSORY
A	09298		10/04/16	SLSF	5.800" BOX ACCESSORY
P	09299		10/04/16	SLSF	5.800" ACCESSORY BLANKING DIMENSIONS
M	06910		08/17/06	SLSF	6 5/8" 24 - 28# BOX
M	06915		08/17/06	SLSF	6 5/8" 24 - 28# BOX FORMING
G	06912		08/17/06	SLSF	6 5/8" 24 - 28# BOX SETTING STANDARD - EDM FRAME STYLE
T	06913		08/17/06	SLSF	6 5/8" 24 - 28# EXPANSION MANDREL
A	06916	A	08/01/12	SLSF	6 5/8" 24 - 28# HANDLING PLUG
M	06909	A	02/10/15	SLSF	6 5/8" 24 - 28# PIN

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
G	06911		08/17/06	SLSF	6 5/8" 24 - 28# PIN SETTING STANDARD - EDM FRAME STYLE
M	06914		08/17/06	SLSF	6 5/8" 24 - 28# PIN SWAGING
M	07073	A	02/10/15	SLSF	6 5/8" 32 - 33# PIN
M	07074		08/24/07	SLSF	6 5/8" 32 - 33# BOX
G	07075		08/24/07	SLSF	6 5/8" 32 - 33# PIN SET. STD. - EDM FRAME STYLE
G	07076		08/24/07	SLSF	6 5/8" 32 - 33# BOX SET. STD. - EDM FRAME STYLE
A	07077	A	08/01/12	SLSF	6 5/8" 32 - 33# HANDLING PLUG
T	07078		08/24/07	SLSF	6 5/8" 32 - 33# EXPANSION MANDREL
M	07079		08/24/07	SLSF	6 5/8" 32 - 33# PIN SWAGING
M	07080		08/24/07	SLSF	6 5/8" 32 - 33# BOX FORMING
M	05214	B	07/09/03	SLSF	7" 23 - 26# BOX
M	05216	C	02/23/04	SLSF	7" 23 - 26# BOX FORMING
G	05446		05/09/00	SLSF	7" 23 - 26# BOX SETTING STANDARD - EDM FRAME STYLE
T	05693		02/02/01	SLSF	7" 23 - 26# EXPANSION MANDREL
A	05444	D	08/01/12	SLSF	7" 23 - 26# HANDLING PLUG
M	05213	C	02/10/15	SLSF	7" 23 - 26# PIN
G	05445		05/09/00	SLSF	7" 23 - 26# PIN SETTING STANDARD - EDM FRAME STYLE
M	05215	D	02/23/04	SLSF	7" 23 - 26# PIN SWAGING
I	07353		06/11/09	SLSF	7" 23 - 26# PIN & BOX GAGE SET. DIMS. FOR MRP GAGE SETUP
T	05690		02/02/01	SLSF	7" 29 - 32# EXPANSION MANDREL
A	05338	D	08/01/12	SLSF	7" 29 - 32# HANDLING PLUG
M	05192	C	03/08/13	SLSF	7" 29 - 32# BOX
M	05194	C	02/23/04	SLSF	7" 29 - 32# BOX FORMING
G	05200	A	09/03/99	SLSF	7" 29 - 32# BOX SETTING STANDARD - EDM FRAME STYLE
M	05191	F	05/29/15	SLSF	7" 29 - 32# PIN
G	05199	A	11/11/99	SLSF	7" 29 - 32# PIN SETTING STANDARD - EDM FRAME STYLE
M	05193	E	02/23/04	SLSF	7" 29 - 32# PIN SWAGING
M	06925		10/09/06	SLSF	7" 32# PIN x 7 5/8" BOX CROSSOVER SUB
M	05931		02/27/02	SLSF	7" 35 - 38# BOX
M	05932	A	02/23/04	SLSF	7" 35 - 38# BOX FORMING
G	05936		02/27/02	SLSF	7" 35 - 38# BOX SETTING STANDARD -EDM FRAME STYLE
T	05933		02/27/02	SLSF	7" 35 - 38# EXPANSION MANDREL
A	05934	C	08/01/12	SLSF	7" 35 - 38# HANDLING PLUG
M	05930	B	02/09/15	SLSF	7" 35 - 38# PIN
G	05935		02/27/02	SLSF	7" 35 - 38# PIN SETTING STANDARD -EDM FRAME STYLE
M	05939	B	02/23/04	SLSF	7" 35 - 38# PIN SWAGING
A	06035		07/12/02	SLSF	7" 35 - 38# PRESSURE TEST CAP
A	06036		07/12/02	SLSF	7" 35 - 38# PRESSURE TEST PLUG
M	06757		06/15/05	SLSF	7" 35# PIN X 7" 32# BOX CROSSOVER SUB

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	06311		06/11/03	SLSF	7" 38# PIN X 10 1/8" 79.22# BOX CROSSOVER SUB
M	07715	B	02/09/15	SLSF	7" 41 - 45.40# PIN
M	07716		03/31/11	SLSF	7" 41 - 45.40# BOX
G	07717		03/31/11	SLSF	7" 41 - 45.40# PIN SET. STD. - EDM FRAME STYLE
G	07718		03/31/11	SLSF	7" 41 - 45.40# BOX SET. STD. - EDM FRAME STYLE
A	07719	A	08/01/12	SLSF	7" 41 - 45.40# HANDLING PLUG
M	07720		03/31/11	SLSF	7" 41 - 45.40# PIN SWAGING
M	07721		03/31/11	SLSF	7" 41 - 45.40# BOX FORMING
T	07720		03/31/11	SLSF	7" 41 - 45.40# EXPANSION MANDREL
A	07175	A	02/20/15	SLSF	7" 50.11# ACCESSORY PIN (SCHLUMBERGER)
A	07176		03/19/08	SLSF	7" 50.11# ACCESSORY BOX (SCHLUMBERGER)
P	07177		03/19/08	SLSF	7" 50.11# ACCESSORY BLANKING DIMS. PIN & BOX (SCHLUMBERGER)
P	05677	I	05/01/12	SLSF	7" - 8 5/8" ACCESSORY BLANKING DIMENSIONS
M	05555	A	01/11/01	SLSF	7 5/8" 29.70 - 33.70# BOX
M	05558	B	02/23/04	SLSF	7 5/8" 29.70 - 33.70# BOX FORMING
G	05560		09/22/00	SLSF	7 5/8" 29.70 - 33.70# BOX SETTING STANDARD - EDM FRAME STYLE
T	05575	A	02/01/01	SLSF	7 5/8" 29.70 - 33.70# EXPANSION MANDREL
A	05556	D	08/01/12	SLSF	7 5/8" 29.70 - 33.70# HANDLING PLUG
M	05554	B	02/09/15	SLSF	7 5/8" 29.70 - 33.70# PIN
G	05559		09/22/00	SLSF	7 5/8" 29.70 - 33.70# PIN SETTING STANDARD - EDM FRAME STYLE
M	05557	C	02/23/04	SLSF	7 5/8" 29.70 - 33.70# PIN SWAGING
A	06147		10/18/02	SLSF	7 5/8" 29.70 - 33.70# PRESSURE TEST CAP
A	06146		10/18/02	SLSF	7 5/8" 29.70 - 33.70# PRESSURE TEST PLUG
I	06556		03/24/04	SLSF	7 5/8" 29.70# GAGE SETTING DIM. FOR ROD STYLE STANDARDS PIN & BOX
M	06273	B	06/04/03	SLSF	7 5/8" 39# PIN X 7 3/4" 46.10# BOX CROSSOVER SUB
M	07377		09/28/09	SLSF	7 5/8" 39# PIN X 7 5/8" 29.70# BOX CROSSOVER SUB
T	05626		02/02/01	SLSF	7 5/8" 39 - 42.80# EXPANSION MANDREL
A	06501		02/03/04	SLSF	7 5/8" 39 - 42.80# PRESSURE TEST PLUG
M	05185	D	03/11/05	SLSF	7 5/8" 39 - 42.80# BOX
M	05187	C	02/23/04	SLSF	7 5/8" 39 - 42.80# box forming
G	05202	A	11/11/99	SLSF	7 5/8" 39 - 42.80# BOX SETTING STANDARD - EDM FRAME STYLE
A	05188	E	08/01/12	SLSF	7 5/8" 39 - 42.80# HANDLING PLUG
M	05184	F	01/29/15	SLSF	7 5/8" 39 - 42.80# PIN
G	05201	B	11/18/02	SLSF	7 5/8" 39 - 42.80# PIN SETTING STANDARD - EDM FRAME STYLE
M	05186	E	02/23/04	SLSF	7 5/8" 39 - 42.80# pin swaging
M	07034	C	02/10/15	SLSF	7 5/8" 45.30 - 51.20# PIN
M	07035	B	08/01/11	SLSF	7 5/8" 45.30 - 51.20# BOX
G	07036		06/26/07	SLSF	7 5/8" 45.30 - 51.20# PIN SET. STD. - EDM FRAME STYLE
G	07037		06/26/07	SLSF	7 5/8" 45.30 - 51.20# BOX SET. STD. - EDM FRAME STYLE

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
A	07038	B	10/04/12	SLSF	7 5/8" 45.30 - 51.20# HANDLING PLUG
M	07039		06/26/07	SLSF	7 5/8" 45.30 - 51.20# PIN SWAGING
M	07040		06/26/07	SLSF	7 5/8" 45.30 - 51.20# BOX FORMING
T	07041		06/26/07	SLSF	7 5/8" 45.30 - 51.20# EXPANSION MANDREL
A	08001		07/20/12	SLSF	7 5/8" 45.30 - 51.20# PRESSURE TEST PLUG
M	07796		06/29/11	SLSF	7 5/8" 47.10# PIN x 7 5/8" 39# BOX CROSSOVER SUB
M	06706	B	07/09/13	SLSF	7 5/8" 52.80 - 55.30# BOX
M	06711	A	03/24/11	SLSF	7 5/8" 52.80 - 55.30# BOX FORMING
G	06708		02/01/05	SLSF	7 5/8" 52.80 - 55.30# BOX SETTING STANDARD - EDM FRAME STYLE
T	06712		02/01/05	SLSF	7 5/8" 52.80 - 55.30# EXPANSION MANDREL
A	06709	B	08/01/12	SLSF	7 5/8" 52.80 - 55.30# HANDLING PLUG
M	06705	B	02/11/15	SLSF	7 5/8" 52.80 - 55.30# PIN
G	06707		02/01/05	SLSF	7 5/8" 52.80 - 55.30# PIN SETTING STANDARD - EDM FRAME STYLE
M	06710		02/01/05	SLSF	7 5/8" 52.80 - 55.30# PIN SWAGING
I	07952		03/21/12	SLSF	7 5/8" 52.80 - 55.30# PIN & BOX GAGE SET. DIMS. FOR ROD STYLE STANDARDS
A	08035		10/03/12	SLSF	7 5/8" 52.80 - 55.30# PRESSURE TEST CAP
A	08036		10/03/12	SLSF	7 5/8" 52.80 - 55.30# PRESSURE TEST PLUG
M	05329	C	01/08/15	SLSF	7 3/4" 46.10# PIN
M	05330	B	05/07/13	SLSF	7 3/4" 46.10# BOX
A	05331	D	08/01/12	SLSF	7 3/4" 46.10# HANDLING PLUG
M	05332	D	02/23/04	SLSF	7 3/4" 46.10# PIN SWAGING
M	05332	B	02/23/04	SLSF	7 3/4" 46.10# BOX FORMING
G	05334		01/25/00	SLSF	7 3/4" 46.10# PIN SETTING STANDARD - EDM FRAME STYLE
G	05335		01/25/00	SLSF	7 3/4" 46.10# BOX SETTING STANDARD - EDM FRAME STYLE
T	05695		01/25/00	SLSF	7 3/4" 46.10# EXPANSION MANDREL
M	06795	A	08/24/05	SLSF	8 1/6" 53.90# PIN X 7 5/8" 39# BOX
M	06019	B	05/01/12	SLSF	8 1/6" 53.95# - 54.02# BOX
M	06065	A	05/01/12	SLSF	8 1/6" 53.95# - 54.02# BOX FORMING
G	06063	A	05/01/12	SLSF	8 1/6" 53.95# - 54.02# BOX SETTING STANDARD - EDM FRAME STYLE
T	06066	A	05/01/12	SLSF	8 1/6" 53.90# - 54.02# EXPANSION MANDREL
A	06061	D	08/01/12	SLSF	8 1/6" 53.95# - 54.02# HANDLING PLUG
M	06018	B	02/12/15	SLSF	8 1/6" 53.95# - 54.02# PIN
G	06062	A	05/01/12	SLSF	8 1/6" 53.95# - 54.02# PIN SETTING STANDARD - EDM FRAME STYLE
M	06064	C	05/01/12	SLSF	8 1/6" 53.95# - 54.02# PIN SWAGING
M	07192		05/19/08	SLSF	8 5/8" 32# PIN W/ SPECIAL ID BORE FOR OVERSIZED DRIFT
A	06607	A	08/01/12	SLSF	8 5/8" 32 - 36# HANDLING PLUG
M	06604	A	03/01/05	SLSF	8 5/8" 32 - 36# BOX
M	06609		07/21/04	SLSF	8 5/8" 32 - 36# BOX FORMING
G	06606		07/21/04	SLSF	8 5/8" 32 - 36# BOX SETTING STANDARD - EDM FRAME STYLE

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
T	06610		07/21/04	SLSF	8 5/8" 32 - 36# EXPANSION MANDREL
M	06603	A	01/27/15	SLSF	8 5/8" 32 - 36# PIN
G	06605		07/21/04	SLSF	8 5/8" 32 - 36# PIN SETTING STANDARD - EDM FRAME STYLE
M	06608		07/21/04	SLSF	8 5/8" 32 - 36# PIN SWAGING
M	07761	A	02/12/15	SLSF	8 5/8" 40 - 44# PIN
M	07762		05/17/11	SLSF	8 5/8" 40 - 44# BOX
G	07763		05/17/11	SLSF	8 5/8" 40 - 44# PIN SET. STD. - EDM FRAME STYLE
G	07764		05/17/11	SLSF	8 5/8" 40 - 44# BOX SET. STD. - EDM FRAME STYLE
A	07765	A	08/01/12	SLSF	8 5/8" 40 - 44# HANDLING PLUG
M	07766		05/17/11	SLSF	8 5/8" 40 - 44# PIN SWAGING
M	07767		05/17/11	SLSF	8 5/8" 40 - 44# BOX FORMING
T	07768		05/17/11	SLSF	8 5/8" 40 - 44# EXPANSION MANDREL
M	07693	A	01/15/15	SLSF	9 5/8" 36 - 40# PIN
M	07694	A	03/23/11	SLSF	9 5/8" 36 - 40# BOX
A	07695	A	08/01/12	SLSF	9 5/8" 36 - 40# HANDLING PLUG
M	07696		03/14/11	SLSF	9 5/8" 36 - 40# PIN SWAGING
M	07697		03/14/11	SLSF	9 5/8" 36 - 40# BOX FORMING
T	07698		03/14/11	SLSF	9 5/8" 36 - 40# BOX EXPANSION MANDREL
G	07699		03/14/11	SLSF	9 5/8" 36 - 40# PIN SET. STD. - EDM FRAME STYLE
G	07700	A	03/23/11	SLSF	9 5/8" 36 - 40# BOX SET. STD. - EDM FRAME STYLE
M	06305		06/03/03	SLSF	9 3/8" 39# PIN X 9 7/8" 62.80# BOX CROSSOVER SUB
M	05540	A	09/13/00	SLSF	9 5/8" 43.50 - 47# BOX
T	05545	A	02/01/01	SLSF	9 5/8" 43.50 - 47# BOX EXPANSION MANDREL
M	05543	B	02/23/04	SLSF	9 5/8" 43.50 - 47# BOX FORMING
G	05547		09/13/00	SLSF	9 5/8" 43.50 - 47# BOX SETTING STANDARD - EDM FRAME STYLE
A	05541	D	08/01/12	SLSF	9 5/8" 43.50 - 47# HANDLING PLUG
M	05539	B	02/12/15	SLSF	9 5/8" 43.50 - 47# PIN
G	05546		09/13/00	SLSF	9 5/8" 43.50 - 47# PIN SETTING STANDARD - EDM FRAME STYLE
M	05542	C	02/23/04	SLSF	9 5/8" 43.50 - 47# PIN SWAGING
A	06149		10/18/02	SLSF	9 5/8" 53.50# PRESSURE TEST CAP
A	06148		10/18/02	SLSF	9 5/8" 53.50# PRESSURE TEST PLUG
M	04979	C	02/02/15	SLSF	9 5/8" 53.50# BOX
M	04990	C	02/23/04	SLSF	9 5/8" 53.50# BOX FORMING
G	05038		04/06/99	SLSF	9 5/8" 53.50# BOX SETTING STD - EDM FRAME STYLE
T	05686		02/02/01	SLSF	9 5/8" 53.50# EXPANSION MANDREL
A	05161	C	08/01/12	SLSF	9 5/8" 53.50# HANDLING PLUG
M	04978	D	02/02/15	SLSF	9 5/8" 53.50# PIN
G	05037	A	08/16/99	SLSF	9 5/8" 53.50# PIN SETTING STD - EDM FRAME STYLE
M	05142	E	02/23/04	SLSF	9 5/8" 53.50# PIN SWAGING

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	06435		11/25/03	SLSF	9 5/8" 53.50# PIN X 10 3/4" 64# BOX CROSSOVER SUB
M	09176	D	08/29/16	SLSF	9 5/8" 53.50# CRA BOX
M	06334		07/21/03	SLSF	9 5/8" 70.30 - 71.60# BOX FORMING
G	06331		07/21/03	SLSF	9 5/8" 70.30 - 71.60# BOX SETTTING STANDARD - EDM FRAME STYLE
T	06333		07/21/03	SLSF	9 5/8" 70.30 - 71.60# EXPANSION MANDREL
A	06335	B	08/01/12	SLSF	9 5/8" 70.30 - 71.60# HANDLING PLUG
G	06330		07/21/03	SLSF	9 5/8" 70.30 - 71.60# PIN SETTTING STANDARD - EDM FRAME STYLE
M	06332	B	02/23/04	SLSF	9 5/8" 70.30 - 71.60# PIN SWAGING
M	06329		07/21/03	SLSF	9 5/8" 70.30 - 71.60# BOX
M	06328	B	02/12/15	SLSF	9 5/8" 70.30 - 71.60# PIN
P	05678	Q	01/27/16	SLSF	9 5/8" - 10 3/4" ACCESSORY BLANKING DIMENSIONS
M	06919		08/31/06	SLSF	9 7/8" 62.80# BOX x 10 1/8" 79.22# PIN
A	05173	A	12/05/02	SLSF	9 7/8" 62.80# PRESSURE TEST CAP
A	05174		08/21/99	SLSF	9 7/8" 62.80# PRESSURE TEST PLUG
M	06472		01/08/04	SLSF	9 7/8" 62.80# SL SF PIN X 10 1/8" 79.22# SL SF BOX CROSSOVER SUB
M	07288		02/19/09	SLSF	9 7/8" 62.80# SL SF PIN X 10 3/4" 85.30# SL SF BOX CROSSOVER SUB
M	05144	H	02/22/13	SLSF	9 7/8" 62.80 - 66.60# BOX
M	06771	A	11/16/05	SLSF	9 7/8" 62.80 - 66.60# 15CR BOX FOR CHEVRON
G	06773		07/27/05	SLSF	9 7/8" 62.80 - 66.60# 15CR BOX SETTING STANDARD - EDM FRAME STYLE - FOR CHEVRON
M	06770	A	11/16/05	SLSF	9 7/8" 62.80 - 66.60# 15CR PIN FOR CHEVRON
G	06772		07/27/05	SLSF	9 7/8" 62.80 - 66.60# 15CR PIN SETTING STANDARD - EDM FRAME STYLE - FOR CHEVRON
M	05146	D	01/18/08	SLSF	9 7/8" 62.80 - 66.60# BOX FORMING
G	05156	A	10/10/02	SLSF	9 7/8" 62.80 - 66.60# BOX SETTING STANDARD - EDM FRAME STYLE
A	05162	E	08/01/12	SLSF	9 7/8" 62.80 - 66.60# HANDLING PLUG
G	05155	A	10/10/02	SLSF	9 7/8" 62.80 - 66.60# PIN SETTING STANDARD - EDM FRAME STYLE
M	05145	G	01/18/08	SLSF	9 7/8" 62.80 - 66.60# PIN SWAGING
I	07339		05/22/09	SLSF	9 7/8" 62.80 - 66.60# PIN & BOX GAGE SET. DIMS. FOR ROD STYLE STDS.
T	05687	F	11/05/12	SLSF	9 7/8" 62.80 - 66.60# EXPANSION MANDREL
M	05143	K	05/20/15	SLSF	9 7/8" 62.80 - 66.60# PIN
M	07637	B	02/19/15	SLSF	10" 68.70 - 73.90# PIN
M	07638		01/24/11	SLSF	10" 68.70 - 73.90# BOX
M	07642		01/24/11	SLSF	10" 68.70 - 73.90# PIN SWAGING
M	07643		01/24/11	SLSF	10" 68.70 - 73.90# BOX FORMING
A	07639	A	08/01/12	SLSF	10" 68.70 - 73.90# HANDLING PLUG
G	07640		01/24/11	SLSF	10" 68.70 - 73.90# PIN SET. STD. - EDM FRAME STYLE
G	07641		01/24/11	SLSF	10" 68.70 - 73.90# BOX SET. STD. - EDM FRAME STYLE
T	08075		12/07/12	SLSF	10" 68.70 - 73.90# BOX EXPANSION MANDREL
M	05960	D	11/05/12	SLSF	10 1/8" 75.90 - 79.22# BOX FORMING

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	05961	E	11/05/12	SLSF	10 1/8" 75.90 - 79.22# PIN SWAGING
T	08074		12/07/12	SLSF	10 1/8" 75.90 - 79.22# BOX EXPANSION MANDREL
M	05959	F	11/05/12	SLSF	10 1/8" 75.90 - 79.22# BOX
G	05963	B	11/05/12	SLSF	10 1/8" 75.90 - 79.22# BOX SETTING STANDARD - EDM FRAME STYLE
A	05964	D	11/05/12	SLSF	10 1/8" 75.90 - 79.22# HANDLING PLUG
M	05958	G	01/29/15	SLSF	10 1/8" 75.90 - 79.22# PIN
G	05962	B	11/05/12	SLSF	10 1/8" 75.90 - 79.22# PIN SETTING STANDARD - EDM FRAME STYLE
M	06155	A	11/06/02	SLSF	10 1/8" 79.22# SL SF PIN X 11 3/4" 65# SL SF PIN
M	06076	A	12/04/02	SLSF	10 3/8" 87.76# BOX
M	06079		07/26/02	SLSF	10 3/8" 87.76# BOX FORMING
G	06082		07/26/02	SLSF	10 3/8" 87.76# BOX SETTING STANDARD - EDM FRAME STYLE
T	06080		07/26/02	SLSF	10 3/8" 87.76# EXPANSION MANDREL
A	06077	C	08/01/12	SLSF	10 3/8" 87.76# HANDLING PLUG
M	06075	A	02/12/15	SLSF	10 3/8" 87.76# PIN
G	06081		07/26/02	SLSF	10 3/8" 87.76# PIN SETTING STANDARD - EDM FRAME STYLE
M	06078	B	02/23/04	SLSF	10 3/8" 87.76# PIN SWAGING
M	06214		12/20/02	SLSF	10 3/8" 87.76# PIN X 10 3/4" 64# BOX CROSSOVER
M	06326	A	07/25/03	SLSF	10 3/8" 87.76# SL SF BOX X 9 7/8" 62.80# SUPREME LX PIN CROSSOVER SUB
M	06325	A	07/25/03	SLSF	10 3/8" 87.76# SL SF PIN X 9 7/8" 62.80# HYDRIL SUPREME LX PIN CROSSOVER SUB
M	07950	A	08/29/12	SLSF	10.50" OD 8.20" ID BOX HANGER
P	07951		03/15/12	SLSF	10.50" OD 8.20" ID HANGER ACC. BLANK.DIMS
M	05218	B	06/26/08	SLSF	10 3/4" 51 - 56# BOX
M	05220	C	06/26/08	SLSF	10 3/4" 51 - 56# BOX FORMING
G	05458	A	06/26/08	SLSF	10 3/4" 51 - 56# BOX SETTING STANDARD - EDM FRAME STYLE
A	05456	D	08/01/12	SLSF	10 3/4" 51 - 56# HANDLING PLUG
M	05217	D	02/10/15	SLSF	10 3/4" 51 - 56# PIN
G	05457	A	06/26/08	SLSF	10 3/4" 51 - 56# PIN SETTING STANDARD - EDM FRAME STYLE
M	05219	E	06/26/08	SLSF	10 3/4" 51 - 56# PIN SWAGING
T	05694	A	06/26/08	SLSF	10 3/4" 51 - 56# EXPANSION MANDREL
I	07472		05/18/10	SLSF	10 3/4" 51 - 56# PIN & BOX GAGE SET. DIMS. FOR ROD STYLE STDS.
X	08971		07/17/14	SLSF	10 3/4" 55.50# HP-13CR-110 BOX FORMING
X	08969	A	09/14/15	SLSF	10 3/4" 55.50# CRA BOX
X	09265		07/21/16	SLSF	10 3/4" 60.70# PIN (MOD)
X	09266		07/21/16	SLSF	10 3/4" 60.70# BOX (MOD)
T	05580	A	02/01/01	SLSF	10 3/4" 60.70 - 65.70# EXPANSION MANDREL
M	05582	C	11/20/15	SLSF	10 3/4" 60.70 - 65.70# BOX
M	05584	D	11/20/15	SLSF	10 3/4" 60.70 - 65.70# BOX FORMING
G	05592		10/06/00	SLSF	10 3/4" 60.70 - 65.70# BOX SETTING STANDARD -EDM

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
A	05593	D	08/01/12	SLSF	10 3/4" 60.70 - 65.70# HANDLING PLUG
M	05581	E	11/20/15	SLSF	10 3/4" 60.70 - 65.70# PIN
G	05591		10/06/00	SLSF	10 3/4" 60.70 - 65.70# PIN SETTING STANDARD -EDM
M	05583	E	11/20/15	SLSF	10 3/4" 60.70 - 65.70# PIN SWAGING
M	06322	A	07/14/03	SLSF	10 3/4" 64# PIN X 10 3/8" 87.76# BOX CROSSOVER SUB
M	06324	A	07/25/03	SLSF	10 3/4" 64# SL SF BOX X 9 7/8" 62.80# SUPREME LX PIN CROSSOVER SUB
M	06159		11/05/02	SLSF	10 3/4" 64.50# SL SF PIN X 11 3/4" 119.79# SL SF BOX
M	07412		12/14/09	SLSF	10 3/4" 65.70# BOX WITH 11" SPECIAL CLEARANCE O.D.
M	06822		10/18/05	SLSF	10 3/4" 79.20 - 85.30# BOX
M	06827		10/18/05	SLSF	10 3/4" 79.20 - 85.30# BOX FORMING
G	06824		10/18/05	SLSF	10 3/4" 79.20 - 85.30# BOX SETTING STANDARD - EDM FRAME STYLE
T	06828		10/18/05	SLSF	10 3/4" 79.20 - 85.30# EXPANSION MANDREL
A	06825	A	08/01/12	SLSF	10 3/4" 79.20 - 85.30# HANDLING PLUG
M	06821	B	01/29/15	SLSF	10 3/4" 79.20 - 85.30# PIN
G	06823		10/18/05	SLSF	10 3/4" 79.20 - 85.30# PIN SETTING STANDARD - EDM FRAME STYLE
M	06826		10/18/05	SLSF	10 3/4" 79.20 - 85.30# PIN SWAGING
X	09256	B	06/22/16	SLSF	10 3/4" 85.30# PIN (MOD-1)
X	09257	B	06/22/16	SLSF	10 3/4" 85.30# BOX (MODIFIED)
X	09258	A	06/20/16	SLSF	10 3/4" 85.30# PIN (MOD-2)
M	08128	A	02/12/15	SLSF	11.150" 85.44 PIN
M	08129		04/09/13	SLSF	11.150" 85.44 BOX
A	08130		04/09/13	SLSF	11.150" 85.44 HANDLING PLUG
G	08131		04/09/13	SLSF	11.150" 85.44 BOX SETTING STANDARD -EDM FRAME STYLE
G	08137		04/09/13	SLSF	11.150" 85.44 PIN SETTING STANDARD -EDM FRAME STYLE
P	08138		04/09/13	SLSF	11.150" 85.44 ACCESSORY BLANKING DIMS.
M	08139		04/09/13	SLSF	11.150" 85.44 PIN SWAGING
M	08140		04/09/13	SLSF	11.150" 85.44 BOX FORMING
T	08141		04/09/13	SLSF	11.150" 85.44 BOX EXPANSION MANDREL
M	07229		09/04/08	SLSF	11 3/4" 54 - 60# BOX FORMING
M	07228		09/04/08	SLSF	11 3/4" 54 - 60# PIN SWAGING
T	07230		09/04/08	SLSF	11 3/4" 54 - 60# EXPANSION MANDREL
M	07223	A	02/19/15	SLSF	11 3/4" 54 - 60# PIN
M	07224		09/04/08	SLSF	11 3/4" 54 - 60# BOX
G	07225		09/04/08	SLSF	11 3/4" 54 - 60# PIN SETTING STANDARD - EDM FRAME STYLE
G	07226		09/04/08	SLSF	11 3/4" 54 - 60# BOX SETTING STANDARD - EDM FRAME STYLE
A	07227	A	08/01/12	SLSF	11 3/4" 54 - 60# HANDLING PLUG
M	07376		09/23/09	SLSF	11 3/4" 65# SLSF BOX x TENARISHYDRIL 523 BOX CROSSOVER SUB
M	07375		09/23/09	SLSF	11 3/4" 65# ON 12" 125.60# PIPE PIN x PIN P.B.R. CROSSOVER SUB
T	05685		02/02/01	SLSF	11 3/4" 65 - 71# EXPANSION MANDREL

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
A	06503		02/04/04	SLSF	11 3/4" 65 - 71# PRESSURE TEST CAP
M	05009	B	01/11/01	SLSF	11 3/4" 65 - 71# BOX
M	05099	C	02/23/04	SLSF	11 3/4" 65 - 71# BOX FORMING
A	05138	D	08/01/12	SLSF	11 3/4" 65 - 71# HANDLING PLUG
M	05008	D	02/19/15	SLSF	11 3/4" 65 - 71# PIN
M	05136	E	02/23/04	SLSF	11 3/4" 65 - 71# PIN SWAGING
M	06017		06/26/02	SLSF	11 3/4" 65 BOX (FOR CONOCO SPA)
G	05101	A	11/11/99	SLSF	11 3/4" 65 - 71# BOX SETTING STD. - EDM FRAME STYLE
G	05100	A	11/11/99	SLSF	11 3/4" 65 - 71# PIN SETTING STD - EDM FRAME STYLE
M	07801		07/08/11	SLSF	11 3/4" 80.50# PIN SWAGING
M	07802		07/08/11	SLSF	11 3/4" 80.50# BOX FORMING
T	07803		07/08/11	SLSF	11 3/4" 80.50# EXPANSION MANDREL
M	07798	A	02/12/15	SLSF	11 3/4" 80.50# PIN
M	07799		07/08/11	SLSF	11 3/4" 80.50# BOX
A	07800	A	08/01/12	SLSF	11 3/4" 80.50# HANDLING PLUG
G	07804		07/08/11	SLSF	11 3/4" 80.50# PIN SETTING STANDARD - EDM FRAME STYLE
G	07805		07/08/11	SLSF	11 3/4" 80.50# BOX SETTING STANDARD - EDM FRAME STYLE
M	06669	B	07/18/13	SLSF	11 3/4" 93.23 - 100.01# BOX
M	06674		11/09/04	SLSF	11 3/4" 93.23 - 100.01# BOX FORMING
G	06671		11/09/04	SLSF	11 3/4" 93.23 - 100.01# BOX SETTING STANDARD - EDM FRAME STYLE
T	06675		11/09/04	SLSF	11 3/4" 93.23 - 100.01# EXPANSION MANDREL
A	06672	B	07/18/13	SLSF	11 3/4" 93.23 - 100.01# HANDLING PLUG
M	06668	A	02/02/15	SLSF	11 3/4" 93.23 - 100.01# PIN
G	06670		11/09/04	SLSF	11 3/4" 93.23 - 100.01# PIN SETTING STANDARD - EDM FRAME STYLE
M	06673		11/09/04	SLSF	11 3/4" 93.23 - 100.01# PIN SWAGING
A	09073		02/13/15	SLSF	11 3/4" 100.01# SPECIAL LIFT PLUG FOR HALLIBURTON
M	06084	C	12/04/02	SLSF	11 3/4" 119.79# BOX
M	06087		07/26/02	SLSF	11 3/4" 119.79# BOX FORMING
G	06090		07/26/02	SLSF	11 3/4" 119.79# BOX SETTING STANDARD - EDM FRAME STYLE
T	06088		07/26/02	SLSF	11 3/4" 119.79# EXPANSION MANDREL
A	06085	C	08/01/12	SLSF	11 3/4" 119.79# HANDLING PLUG
M	06083	B	02/17/15	SLSF	11 3/4" 119.79# PIN
G	06089		07/26/02	SLSF	11 3/4" 119.79# PIN SETTING STANDARD - EDM FRAME STYLE
M	06086	B	02/23/04	SLSF	11 3/4" 119.79# PIN SWAGING
P	05679	T	05/20/15	SLSF	11 3/4" - 14.344" ACCESSORY BLANKING DIMENSIONS
M	05148	A	01/11/01	SLSF	11 7/8" 71.80# BOX
M	05150	C	02/23/04	SLSF	11 7/8" 71.80# BOX FORMING
G	05158		08/10/99	SLSF	11 7/8" 71.80# BOX SETTING STANDARD - EDM FRAME STYLE
M	06627		09/08/04	SLSF	11 7/8" 71.80# BOX W/ 12.015" SP. CLR. OD FOR CHEVRON

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
T	05688		02/02/01	SLSF	11 7/8" 71.80# EXPANSION MANDREL
A	05163	C	08/01/12	SLSF	11 7/8" 71.80# HANDLING PLUG
M	05147	C	01/08/15	SLSF	11 7/8" 71.80# PIN
G	05157		08/10/99	SLSF	11 7/8" 71.80# PIN SETTING STANDARD - EDM FRAME STYLE
M	05149	E	02/23/04	SLSF	11 7/8" 71.80# PIN SWAGING
M	06243		01/22/02	SLSF	11 7/8" 71.80# PIN X 13 5/8" 88.20# BOX CROSSOVER
A	05175		08/21/99	SLSF	11 7/8" 71.80# PRESSURE TEST CAP
A	05176		08/21/99	SLSF	11 7/8" 71.80# PRESSURE TEST PLUG
M	06173		11/06/02	SLSF	12 1/8" p.b.r. 11 3/4" 65# Accessory box connector
M	05451	A	01/11/01	SLSF	13 3/8" 61 - 68# BOX
M	05453	B	02/23/04	SLSF	13 3/8" 61 - 68# BOX FORMING
G	05449		05/10/00	SLSF	13 3/8" 61 - 68# BOX SETTING STANDARD - EDM FRAME STYLE
T	05698		02/02/01	SLSF	13 3/8" 61 - 68# EXPANSION MANDREL
A	05454	E	08/01/12	SLSF	13 3/8" 61 - 68# HANDLING PLUG
M	05450	C	02/12/15	SLSF	13 3/8" 61 - 68# PIN
G	05448		05/10/00	SLSF	13 3/8" 61 - 68# PIN SETTING STANDARD - EDM FRAME STYLE
M	05452	D	02/23/04	SLSF	13 3/8" 61 - 68# PIN SWAGING
T	05691		02/02/01	SLSF	13 3/8" 72 - 77# EXPANSION MANDREL
M	05196	B	01/11/01	SLSF	13 3/8" 72 - 77# BOX
M	05198	C	02/23/04	SLSF	13 3/8" 72 - 77# BOX FORMING
G	05204	A	11/11/99	SLSF	13 3/8" 72 - 77# BOX SETTING STANDARD - EDM FRAME STYLE
A	05339	E	08/01/12	SLSF	13 3/8" 72 - 77# HANDLING PLUG
M	05195	D	02/12/15	SLSF	13 3/8" 72 - 77# PIN
G	05203	A	11/11/99	SLSF	13 3/8" 72 - 77# PIN SETTING STANDARD - EDM FRAME STYLE
M	05197	E	02/23/04	SLSF	13 3/8" 72 - 77# PIN SWAGING
I	07394		10/08/09	SLSF	13 3/8" 72 - 77# PIN & BOX GAGE SET. DIMS FOR ROD STYLE STANDARDS
M	06347		08/14/03	SLSF	13 3/8" 72# PIN X 13 5/8" 88.20# BOX CROSSOVER SUB
M	09001		08/28/14	SLSF	13 3/8" 72# PIN on 13 5/8" 88.20# CROSSOVER SUB
M	09002		08/28/14	SLSF	13 3/8" 72# BOX on 13 5/8" 88.20# CROSSOVER SUB
M	07196	A	02/12/15	SLSF	13 3/8" 80.70 - 86.00# PIN
M	07197		06/02/08	SLSF	13 3/8" 80.70 - 86.00# BOX
G	07198		06/02/08	SLSF	13 3/8" 80.70 - 86.00# PIN SETTING STANDARD - EDM FRAME STYLE
G	07199		06/02/08	SLSF	13 3/8" 80.70 - 86.00# BOX SETTING STANDARD - EDM FRAME STYLE
A	07200	A	08/01/12	SLSF	13 3/8" 80.70 - 86.00# HANDLING PLUG
M	07201		06/02/08	SLSF	13 3/8" 80.70 - 86.00# PIN SWAGING
M	07202		06/02/08	SLSF	13 3/8" 80.70 - 86.00# BOX FORMING
T	07203		06/02/08	SLSF	13 3/8" 80.70 - 86.00# EXPANSION MANDREL
M	05152	C	08/01/11	SLSF	13 5/8" 88.20# BOX
M	06582		05/05/04	SLSF	13 5/8" 88.20# BOX (SP. CLR. FOR CHEVRON)

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	06583		05/07/04	SLSF	13 5/8" 88.20# BOX ACC. BLANK. DIM. (SP. CLR. FOR CHEVRON)
M	05442	A	01/11/01	SLSF	13 5/8" 88.20# BOX CONNECTOR W/ 14.100" BOX OD (CHEVRON)
M	05154	C	02/23/04	SLSF	13 5/8" 88.20# BOX FORMING
G	05160		08/10/99	SLSF	13 5/8" 88.20# BOX SETTING STANDARD - EDM FRAME STYLE
T	05689		02/02/01	SLSF	13 5/8" 88.20# EXPANSION MANDREL
A	05164	G	08/01/12	SLSF	13 5/8" 88.20# HANDLING PLUG
M	05151	E	01/08/15	SLSF	13 5/8" 88.20# PIN
G	05159		08/10/99	SLSF	13 5/8" 88.20# PIN SETTING STANDARD - EDM FRAME STYLE
M	05153	E	02/23/04	SLSF	13 5/8" 88.20# PIN SWAGING
M	05786		06/27/01	SLSF	13 5/8" 88.20# PIN X 14 1/16" 122# BOX - CROSSOVER SUB
A	05850		11/14/01	SLSF	13 5/8" 88.20# PRESSURE TEST CAP
M	06443		12/03/03	SLSF	13 5/8" 88.20# SL SF BOX X 11 7/8" 71.80# HYDRIL 511 PIN CROSSOVER SUB
M	07162		03/07/08	SLSF	13 5/8" 88.20# BOX x 14" 112.60# PIN CROSSOVER SUB
I	07310		04/15/09	SLSF	13 5/8" 88.20# PIN & BOX GAGE SETTING DIMS. FOR ROD STYLE STDS.
M	08241		01/15/14	SLSF	13 5/8" 88.20# SL SF PIN x 14" 115.53# SL SF BOX
M	08242		01/15/14	SLSF	13 5/8" 88.20# SL SF BOX x 14" 115.53# SL SF PIN
X	09296	B	09/22/16	SLSF	13 5/8" 88.20# BOX (MOD)
M	06392	C	08/01/11	SLSF	13 3/4" 98.58# BOX
M	06394	A	02/18/11	SLSF	13 3/4" 98.58# BOX FORMING
G	06397	C	02/18/11	SLSF	13 3/4" 98.58# BOX SETTING STANDARD - EDM FRAME STYLE
T	06400	A	02/18/11	SLSF	13 3/4" 98.58# EXPANSION MANDREL
A	06395	D	08/01/12	SLSF	13 3/4" 98.58# HANDLING PLUG
M	06391	B	01/08/15	SLSF	13 3/4" 98.58# PIN
G	06396	A	02/18/11	SLSF	13 3/4" 98.58# PIN SETTING STANDARD - EDM FRAME STYLE
M	06393	C	02/18/11	SLSF	13 3/4" 98.58# PIN SWAGING
T	09252	B	06/09/16	SLSF	14" 104.20# - 116.19# SL SF 6 5/8" FULL HOLE X 14" RETRIEVAL SWAGE TOOL
M	06640		10/12/04	SLSF	14" 100# BOX
M	06645		10/12/04	SLSF	14" 100# BOX FORMING
G	06642		10/12/04	SLSF	14" 100# BOX SETTING STANDARD - EDM FRAME STYLE
T	06646	A	11/09/04	SLSF	14" 100# EXPANSION MANDREL
A	06643	A	08/01/12	SLSF	14" 100# HANDLING PLUG
M	06639	A	01/09/15	SLSF	14" 100# PIN
G	06641		10/12/04	SLSF	14" 100# PIN SETTING STANDARD - EDM FRAME STYLE
M	06644		10/12/04	SLSF	14" 100# PIN SWAGING
M	05382	J	08/05/13	SLSF	14" 104.20 - 116.19# BOX
M	05385	F	09/13/12	SLSF	14" 104.20 - 116.19# BOX FORMING
M	05381	K	01/29/15	SLSF	14" 104.20 - 116.19# PIN
M	05384	H	09/13/12	SLSF	14" 104.20 - 116.19# PIN SWAGING
G	05386	C	08/04/09	SLSF	14" 104.20# - 116.19#; 14 1/16" 118 - 122#; 14.150" 126.82# PIN SET. STD. - EDM FRAME STYLE

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
G	05387	C	12/18/12	SLSF	14" 104.20# - 116.19#; 14 1/16" 118 - 122#; 14.150" 126.82# BOX SET. STD. - EDM FRAME STYLE
T	05697	B	08/04/09	SLSF	14" 104.20# - 116.19# & 14 1/16" 118 - 122# EXPANSION MANDREL
A	05383	G	01/07/13	SLSF	14" 104.20 - 116.19# & 14 1/16" 118.00# - 122.00# & 14.150" 126.82# HANDLING PLUG
M	07836	A	03/11/15	SLSF	14" 115.53# PIN (FOR ENI)
M	07834		09/07/11	SLSF	14" 115.53# BOX (FOR ENI)
M	07832	A	08/23/11	SLSF	14" 115.53# PIN x 14" 100# BOX CROSS OVER SUB
X	09300		11/01/16	SLSF	14" 115.53# BOX (NEW DESIGN)
M	06749		04/25/05	SLSF	14" 116.19# PIN X 13 5/8" 88.20# BOX CROSSOVER SUB
M	05751	A	09/10/09	SLSF	14 1/16" 118 - 122# BOX
M	05753	A	02/23/04	SLSF	14 1/16" 118 - 122# BOX FORMING
M	05750	A	02/18/15	SLSF	14 1/16" 118 - 122# PIN
M	05752	B	02/23/04	SLSF	14 1/16" 118 - 122# PIN SWAGING
M	08068	C	12/03/13	SLSF	14.150" 126.82# Box
M	08069	B	02/03/15	SLSF	14.150" 126.82# Pin
M	08070		01/02/13	SLSF	14.150" 126.82# Pin Swaging
M	08076		01/02/13	SLSF	14.150" 126.82# Box Forming
T	08077	A	09/18/13	SLSF	14.150" 126.82# & 14 1/4" 133.75 Box Expansion Mandrel
M	08202	A	02/18/15	SLSF	14 1/4" 133.75# PIN
M	08203		09/13/13	SLSF	14 1/4" 133.75# BOX
G	08204		09/13/13	SLSF	14 1/4" 133.75# PIN SET. STD. - EDM FRAME STYLE
G	08205		09/13/13	SLSF	14 1/4" 133.75# BOX SET. STD. - EDM FRAME STYLE
M	08208		09/13/13	SLSF	14 1/4" 133.75# PIN SWAGING
M	08209		09/13/13	SLSF	14 1/4" 133.75# BOX FORMING
A	08210		09/13/13	SLSF	14 1/4" 133.75# HANDLING PLUG
M	06775	C	02/18/15	SLSF	16" 84 - 84.80# PIN
M	06776	B	06/26/08	SLSF	16" 84 - 84.80# BOX
G	06777	B	03/31/09	SLSF	16" 84 - 84.80# & 16.100" 103.39# PIN SETTING STANDARD - EDM FRAME STYLE
G	06778	D	03/31/09	SLSF	16" 84 - 84.80# & 16.100" 103.39# BOX SETTING STANDARD - EDM FRAME STYLE
A	06779	E	08/01/12	SLSF	16" 84 - 84.80# HANDLING PLUG
M	06780	A	06/26/08	SLSF	16" 84 - 84.80# PIN SWAGING
M	06781	A	06/26/08	SLSF	16" 84 - 84.80# BOX FORMING
T	06782	A	06/26/08	SLSF	16" 84 - 84# EXPANSION MANDREL
G	06679	E	08/11/11	SLSF	16" 94.50 - 99# AND 16.040" 109.61# PIN SETTING STANDARD - EDM FRAME STYLE
M	06683	B	03/02/06	SLSF	16" 94.50 - 99# BOX FORMING
G	06680	F	08/11/11	SLSF	16" 94.50 - 99# AND 16.040" 109.61# BOX SETTING STANDARD - EDM FRAME STYLE
T	06684	D	08/11/11	SLSF	16" 94.50 - 99# AND 16.040" 109.61# EXPANSION MANDREL
A	06681	J	08/01/12	SLSF	16" 94.50 - 99# AND 16.040" 109.61# HANDLING PLUG
M	06682	B	03/02/06	SLSF	16" 94.50 - 99# PIN SWAGING
M	06678	D	03/02/06	SLSF	16" 94.50 - 99# BOX

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	06677	F	01/09/15	SLSF	16" 94.50 - 99# PIN
I	07086	A	08/11/11	SLSF	16" 94.50 - 99# & 16.040" 109.61# PIN & BOX GAGE SET. DIMS FOR ROD STYLE STANDARDS
M	06784	A	06/16/08	SLSF	16" 109 - 112.62# BOX
M	06789	A	06/16/08	SLSF	16" 109 - 112.62# BOX FORMING
G	06786	A	06/16/08	SLSF	16" 109 - 112.62# BOX SETTING STANDARD - EDM FRAME STYLE
T	06790	A	08/02/05	SLSF	16" 109 - 112.62# EXPANSION MANDREL
A	06787	D	08/01/12	SLSF	16" 109 - 112.62 HANDLING PLUG
M	06783	C	02/18/15	SLSF	16" 109 - 112.62# PIN
G	06785	A	06/16/08	SLSF	16" 109 - 112.62# PIN SETTING STANDARD - EDM FRAME STYLE
M	06788	A	06/16/08	SLSF	16" 109 - 112.62# PIN SWAGING
M	07809		07/08/11	SLSF	16" 127.06# PIN SWAGING
M	07810		07/08/11	SLSF	16" 127.06# BOX FORMING
T	07811		07/08/11	SLSF	16" 127.06# EXPANSION MANDREL
M	07806	B	02/18/15	SLSF	16" 127.06# PIN
M	07807		07/08/11	SLSF	16" 127.06# BOX
A	07808	A	08/01/12	SLSF	16" 127.06# HANDLING PLUG
G	07812		07/08/11	SLSF	16" 127.06# PIN SETTING STANDARD - EDM FRAME STYLE
G	07813		07/08/11	SLSF	16" 127.06# BOX SETTING STANDARD - EDM FRAME STYLE
A	07956		03/22/12	SLSF	16" 127.06# PRESSURE TEST PLUG
A	07955		03/22/12	SLSF	16" 127.06# PRESSURE TEST CAP
M	08143	A	02/18/15	SLSF	16" 137.97# PIN
M	08144	A	08/06/13	SLSF	16" 137.97# BOX
M	08145		05/13/13	SLSF	16" 137.97# PIN SWAGING
M	08146		05/13/13	SLSF	16" 137.97# BOX FORMING
G	08147		05/13/13	SLSF	16" 137.97# PIN SETTING STD. - EDM FRAME STYLE
G	08148		05/13/13	SLSF	16" 137.97# BOX SETTING STD. - EDM FRAME STYLE
A	08149		05/13/13	SLSF	16" 137.97# HANDLING PLUG
T	08150		05/13/13	SLSF	16" 137.97# BOX EXPANSION MANDREL
P	06685	K	05/28/13	SLSF	16" - 18" ACC. BLANK. DIM.
M	07081	C	01/21/15	SLSF	16.040" 109.61# PIN
M	07082	A	08/11/11	SLSF	16.040" 109.61# BOX
M	07083	A	08/11/11	SLSF	16.040" 109.61# PIN SWAGING
M	07084	A	08/11/11	SLSF	16.040" 109.61# BOX FORMING
M	07346	A	08/11/11	SLSF	16.040" 109.61# SLSF BOX x 16" 97# SLSF PIN CROSSOVER SUB
M	07301	B	01/08/15	SLSF	16.100" 103.39 PIN
M	07302	A	05/08/12	SLSF	16.100" 103.39 BOX
M	07303		03/31/09	SLSF	16.100" 103.39 PIN SWAGING
M	07304		03/31/09	SLSF	16.100" 103.39 BOX FORMING
T	07305		03/31/09	SLSF	16.100" 103.39 EXPANSION MANDREL

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
A	07307	A	08/01/12	SLSF	16.100" 103.39 HANDLING PLUG
M	07344		05/29/09	SLSF	16.100" 103.39 SLSF PIN x 16" 97# BOX CROSSOVER SUB
M	07345		05/29/09	SLSF	16.100" 103.39 SLSF BOX x 16" 97# PIN CROSSOVER SUB
M	07779	E	01/21/15	SLSF	16.150" 119.23# - 126.91# PIN
M	07780	A	02/01/12	SLSF	16.150" 119.23# - 126.91# BOX
G	07781	D	02/01/12	SLSF	16.150" 119.23# - 126.91# PIN SETTING STANDARD - EDM FRAME STYLE
G	07782		06/16/11	SLSF	16.150" 119.23# - 126.91# BOX SETTING STANDARD - EDM FRAME STYLE
A	07783	A	08/01/12	SLSF	16.150" 119.23# - 126.91# HANDLING PLUG
M	07784		06/16/11	SLSF	16.150" 119.23# - 126.91# PIN SWAGING
M	07785		06/16/11	SLSF	16.150" 119.23# - 126.91# BOX FORMING
T	07786		06/16/11	SLSF	16.150" 119.23# - 126.91# EXPANSION MANDREL
X	08257		02/24/14	SLSF	16.150" 119.23# - 126.91# PIN PROTOTYPE
X	08258		02/24/14	SLSF	16.150" 119.23# - 126.91# PIN SET. STD. - EDM FRAME STYLE PROTOTYPE
M	07958	C	02/20/15	SLSF	17.40" x 15.50" ID PIN HANGER
M	07959	E	06/03/13	SLSF	17.40" x 15.50" ID BOX HANGER
G	07960		03/23/12	SLSF	17.40" x 15.50" ID PIN HANGER SETTING STANDARD - EDM FRAME STYLE
G	07961	B	06/03/03	SLSF	17.40" x 15.50" ID BOX HANGER SETTING STANDARD - EDM FRAME STYLE
P	07972		05/10/12	SLSF	17.40" x 15.50" ID HANGER ACCESSORY BLANKING DIMENSIONS
M	06973		02/07/07	SLSF	18" 93.45 BOX
M	06978		02/07/07	SLSF	18" 93.45 BOX FORMING
G	06975		02/07/07	SLSF	18" 93.45 BOX SETTING STANDARD - EDM FRAME STYLE
T	06979		02/07/07	SLSF	18" 93.45 EXPANSION MANDREL
A	06976	B	08/01/12	SLSF	18" 93.45 HANDLING PLUG
M	06972	B	02/18/15	SLSF	18" 93.45 PIN
G	06974		02/07/07	SLSF	18" 93.45 PIN SETTING STANDARD - EDM FRAME STYLE
M	06977		02/07/07	SLSF	18" 93.45 PIN SWAGING
M	06981		02/07/07	SLSF	18" 116.09 BOX
M	06986		02/07/07	SLSF	18" 116.09 BOX FORMING
G	06983		02/07/07	SLSF	18" 116.09 BOX SETTING STANDARD - EDM FRAME STYLE
T	06987		02/07/07	SLSF	18" 116.09 EXPANSION MANDREL
A	06984	B	08/01/12	SLSF	18" 116.09 HANDLING PLUG
M	06980	B	01/13/15	SLSF	18" 116.09 PIN
G	06982		02/07/07	SLSF	18" 116.09 PIN SETTING STANDARD - EDM FRAME STYLE
M	06985	A	04/27/07	SLSF	18" 116.09 PIN SWAGING
A	07997	A	07/30/12	SLSF	HANDLING PLUG MODIFICATION FOR SL SF CASING (ENGR DIR. 1033)
M	08577	C	06/01/15	SL-VF-SF	14.344" 125.58# HALLIBURTON HANGER BODY PIN
M	08578	C	06/01/15	SL-VF-SF	14.344" 125.58# HALLIBURTON HANGER BODY BOX
M	06492		01/20/04	SLWASH PIPE	3 1/2" 9.20# - 4" 11.60# BOX
M	06491		01/20/04	SLWASH PIPE	3 1/2" 9.20# - 4" 11.60# PIN

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	06494		01/20/04	SLWASH PIPE	4" 14# - 5 3/4" 22.50# BOX
M	06493		01/20/04	SLWASH PIPE	4" 14# - 5 3/4" 22.50# PIN
M	06496		01/20/04	SLWASH PIPE	6" 20# - 6 5/8" 24# BOX
M	06495		01/20/04	SLWASH PIPE	6" 20# - 6 5/8" 24# PIN
M	06498		01/20/04	SLWASH PIPE	7" 26# - 11 3/4" 60# BOX
M	06497		01/20/04	SLWASH PIPE	7" 26# - 11 3/4" 60# PIN
M	08957	A	12/29/14	SLXD	4 1/2" (.250" WALL) 11.60# PIN
M	08958		08/08/14	SLXD	4 1/2" (.250" WALL) 11.60# COUPLING
G	08959		08/08/14	SLXD	4 1/2" (.250" WALL) 11.60# PIN SETTING STANDARD - EDM FRAME STYLE
G	08960		08/08/14	SLXD	4 1/2" (.250" WALL) 11.60# BOX SETTING STANDARD - EDM FRAME STYLE
A	08961		08/08/14	SLXD	4 1/2" (.250" WALL) 11.60# INTERNAL TOOL GUIDE
P	08962		08/08/14	SLXD	4 1/2" 11.60# PIN ACCESSORY BLANKING DIMENSION
M	08963		12/12/14	SLXD	4 1/2" 11.60# PIN SWAGING
M	09026	A	12/29/14	SLXD	4 1/2" (.271" WALL) 12.60# PIN
M	09027		09/16/14	SLXD	4 1/2" (.271" WALL) 12.60# BOX
G	09028		09/16/14	SLXD	4 1/2" (.271" WALL) 12.60# PIN SET. STD. - EDM FRAME STYLE
G	09029		09/16/14	SLXD	4 1/2" (.271" WALL) 12.60# BOX SET. STD. - EDM FRAME STYLE
A	09030		09/16/14	SLXD	4 1/2" (.271" WALL) 12.60# INTERNAL TOOL GUIDE
P	09031		09/16/14	SLXD	4 1/2" (.271" WALL) 12.60# ACC. BLANK. DIMS.
M	09032		12/12/14	SLXD	4 1/2" 12.60# PIN SWAGING
M	08590	B	11/08/16	SLXD	4 1/2" (.337" WALL) 15.10# PIN
M	08591	B	11/08/16	SLXD	4 1/2" (.337" WALL) 15.10# COUPLING
G	08592	B	11/08/16	SLXD	4 1/2" (.337" WALL) 15.10# PIN SET. STD. - EDM FRAME STYLE
G	08593	B	11/08/16	SLXD	4 1/2" (.337" WALL) 15.10# BOX SET. STD. - EDM FRAME STYLE
X	08594	A	04/29/15	SLXD	4 1/2" (.337" WALL) 15.10# INTERNAL TOOL GUIDE
P	08595	B	11/08/16	SLXD	4 1/2" (.337" WALL) 15.10# ACC. BLANK. DIMS
M	08596	B	11/08/16	SLXD	4 1/2" 15.10# PIN SWAGING
M	08604		08/27/15	SLXD	5" (.296" WALL) 15# PIN
M	08605		08/27/15	SLXD	5" (.296" WALL) 15# COUPLING
G	08606		08/27/15	SLXD	5" (.296" WALL) 15# PIN SETTING STANDARD - EDM FRAME STYLE
G	08607		08/27/15	SLXD	5" (.296" WALL) 15# BOX SETTING STANDARD - EDM FRAME STYLE
A	08608		08/27/15	SLXD	5" (.296" WALL) 15# INTERNAL TOOL GUIDE
P	08609		08/27/15	SLXD	5" (.296" WALL) 15# ACCESSORY BLANKING DIMENSION
M	08610		08/27/15	SLXD	5" (.296" WALL) 15.00# PIN SWAGING
M	08259	A	12/29/14	SLXD	5 1/2" (.361" WALL) 20# PIN
M	08260		07/15/14	SLXD	5 1/2" (.361" WALL) 20# COUPLING
A	08263		07/15/14	SLXD	5 1/2" (.361" WALL) 20# INTERNAL TOOL GUIDE
G	08261		07/28/14	SLXD	5 1/2" (.361" WALL) 20# PIN SETTING STANDARD - EDM FRAME STYLE
G	08262		07/28/14	SLXD	5 1/2" (.361" WALL) 20# BOX SETTING STANDARD - EDM FRAME STYLE

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	08265	A	12/12/14	SLXD	5 1/2" 20# PIN SWAGING
P	08264		07/28/14	SLXD	5 1/2" 20# ACCESSORY BLANKING DIMENSION
M	08653	B	12/29/14	SLXD	5 1/2" 23# (.415" WALL) PIN
M	08654	A	08/14/14	SLXD	5 1/2" 23# (.415" WALL) COUPLING
G	08655		07/17/14	SLXD	5 1/2" 23# (.415" WALL) PIN SETTING STANDARD - EDM FRAME STYLE
G	08656		07/17/14	SLXD	5 1/2" 23# (.415" WALL) BOX SETTING STANDARD - EDM FRAME STYLE
A	08657	A	08/14/14	SLXD	5 1/2" 23# (.415" WALL) INTERNAL TOOL GUIDE
P	08658		07/17/14	SLXD	5 1/2" 23# ACCESSORY BLANKING DIMENSION
M	08659		12/12/14	SLXD	5 1/2" 23# PIN SWAGING
M	09122		10/24/16	SLXD	5 1/2" (.500" WALL) 26.80# PIN
M	09123		10/20/16	SLXD	5 1/2" (.500" WALL) 26.80# COUPLING
G	09124		10/24/16	SLXD	5 1/2" (.500" WALL) 26.80# PIN SETTING STANDARD- EDM FRAME STYLE
G	09125		10/24/16	SLXD	5 1/2" (.500" WALL) 26.80# BOX SETTING STANDARD- EDM FRAME STYLE
P	09127		10/20/16	SLXD	5 1/2" (.500" WALL) 26.80# ACCESSORY BLANKING DIMENSION
M	09128		10/20/16	SLXD	5 1/2" (.500" WALL) 26.80# PIN SWAGING
M	08688		02/10/15	SLXD	6 5/8" 28# (.417" WALL) PIN
M	08689		02/10/15	SLXD	6 5/8" 28# (.417" WALL) COUPLING
G	08690		02/10/15	SLXD	6 5/8" 28# (.417" WALL) PIN SET. STD. - EDM FRAME STYLE
G	08691		02/10/15	SLXD	6 5/8" 28# (.417" WALL) BOX SET. STD. - EDM FRAME STYLE
A	08692		02/10/15	SLXD	6 5/8" 28# (.417" WALL) INTERNAL TOOL GUIDE
P	08693		02/10/15	SLXD	6 5/8" 28# (.417" WALL) ACC. BLANK DIMS.
M	08694		02/10/15	SLXD	6 5/8" 28# PIN SWAGING
M	08716	B	04/22/15	SLXD	7" 23# (.317" WALL) PIN
M	08717	A	04/22/15	SLXD	7" 23# (.317" WALL) COUPLING
G	08718	A	04/22/15	SLXD	7" 23# (.317" WALL) PIN SETTING STANDARD - EDM FRAME STYLE
G	08719	A	04/22/15	SLXD	7" 23# (.317" WALL) BOX SETTING STANDARD - EDM FRAME STYLE
A	08720	A	04/22/15	SLXD	7" 23# (.317" WALL) INTERNAL TOOL GUIDE
P	08721	A	04/22/15	SLXD	7" 23# (.317" WALL) ACCESSORY BLANKING DIMS
M	08722	B	04/22/15	SLXD	7" 23# PIN SWAGING
M	08080	B	11/10/14	SLXD	7" 29# PIN SWAGING
M	08084	D	12/29/14	SLXD	7" 29# (.408" WALL) PIN
M	08085	C	08/08/14	SLXD	7" 29# (.408" WALL) COUPLING
G	08086	B	08/08/14	SLXD	7" 29# (.408" WALL) PIN SET. STD. - EDM FRAME STYLE
G	08087	B	08/08/14	SLXD	7" 29# (.408" WALL) BOX SET. STD. - EDM FRAME STYLE
A	08975		08/12/14	SLXD	7" 29# (.408" WALL) INTERNAL TOOL GUIDE
P	08088	C	08/08/14	SLXD	7" 29# ACC. BLANK. DIMS
M	08737		10/24/16	SLXD	7" 35# (.498" WALL) PIN
M	08738		10/20/16	SLXD	7" 35# (.498" WALL) COUPLING
M	08743		10/24/16	SLXD	7" 35# (.498" WALL) PIN SWAGING

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
G	08739		10/24/16	SLXD	7" 35# (.498" WALL) PIN SET. STD. - EDM FRAME STYLE
G	08740		10/24/16	SLXD	7" 35# (.498" WALL) BOX SET. STD. - EDM FRAME STYLE
P	08742		10/20/16	SLXD	7" 35# (.498" WALL) ACC. BLANK. DIMS.
M	08266	A	12/01/14	SLXD	7 5/8" 29.70# (3.75" WALL) PIN
M	08267		08/05/14	SLXD	7 5/8" 29.70# (3.75" WALL) COUPLING
G	08268		08/05/14	SLXD	7 5/8" 29.70# (3.75" WALL) PIN SET. STD. - EDM FRAME STYLE
G	08269		08/05/14	SLXD	7 5/8" 29.70# (3.75" WALL) BOX SET. STD. - EDM FRAME STYLE
A	08270		08/05/14	SLXD	7 5/8" 29.70# (3.75" WALL) INTERNAL TOOL GUIDE
P	08271		08/05/14	SLXD	7 5/8" 29.70# (3.75" WALL) ACC. BLANK. DIMS.
M	08272		12/12/14	SLXD	7 5/8" 29.70# PIN SWAGING
M	08099	D	12/29/14	SLXD	9 5/8" 40# (.395" WALL) PIN
M	08100	C	08/07/14	SLXD	9 5/8" 40# (.395" WALL) COUPLING
P	08101	A	08/07/14	SLXD	9 5/8" 40# (.395" WALL) ACC. BLANK. DIMS
G	08102	A	08/07/14	SLXD	9 5/8" 40# (.395" WALL) PIN SET. STD. - EDM FRAME STYLE
G	08103	A	08/07/14	SLXD	9 5/8" 40# (.395" WALL) BOX SET. STD. - EDM FRAME STYLE
A	08972		08/07/14	SLXD	9 5/8" 40# (.395" WALL) INTERNAL TOOL GUIDE
M	08104	A	12/12/14	SLXD	9 5/8" 40# PIN SWAGING
M	08842	A	01/15/15	SLXD	9 5/8" 47# (.472" WALL) PIN
M	08843		12/09/14	SLXD	9 5/8" 47# (.472" WALL) COUPLING
G	08844		12/09/14	SLXD	9 5/8" 47# (.472" WALL) PIN SET. STD. - EDM FRAME STYLE
G	08845		12/09/14	SLXD	9 5/8" 47# (.472" WALL) BOX SET. STD. - EDM FRAME STYLE
A	08846		12/09/14	SLXD	9 5/8" 47# (.472" WALL) INTERNAL TOOL GUIDE
P	08847		12/09/14	SLXD	9 5/8" 47# (.472" WALL) ACCESSORY BLANK. DIMS.
M	08848		12/12/14	SLXD	9 5/8" 47# PIN SWAGING
M	08849		09/09/16	SLXD	9 5/8" 53.50# (.545" WALL) PIN
M	08850		09/09/16	SLXD	9 5/8" 53.50# (.545" WALL) COUPLING
G	08851		09/09/16	SLXD	9 5/8" 53.50# (.545" WALL) PIN SET. STD. -EDM FRAME STYLE
G	08852		09/09/16	SLXD	9 5/8" 53.50# (.545" WALL) BOX SET. STD. -EDM FRAME STYLE
P	08854		09/09/16	SLXD	9 5/8" 53.50# (.545" WALL) ACCESSORY BLANK. DIMS.
M	08855		09/09/16	SLXD	9 5/8" 53.50# (.545" WALL) PIN SWAGING
M	08019	C	12/29/14	SLXD	10 3/4" 60.70# (.545" WALL) PIN
M	08020	B	08/06/14	SLXD	10 3/4" 60.70# (.545" WALL) COUPLING
P	08023	B	08/06/14	SLXD	10 3/4" 60.70# (.545" WALL) ACC. BLANK. DIMS.
G	08024	B	08/26/14	SLXD	10 3/4" 60.70# (.545" WALL) PIN SET. STD. - EDM FRAME STYLE
G	08025	C	08/06/14	SLXD	10 3/4" 60.70# (.545" WALL) BOX SET. STD. - EDM FRAME STYLE
M	08026	B	12/12/14	SLXD	10 3/4" 60.70# PIN SWAGING
M	08273	A	12/29/14	SLXD	13 3/8" 68# (.480" WALL) PIN
M	08274		08/11/14	SLXD	13 3/8" 68# (.480" WALL) COUPLING
G	08275		08/11/14	SLXD	13 3/8" 68# (.480" WALL) PIN SET. STD. - EDM FRAME STYLE

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
G	08276		08/11/14	SLXD	13 3/8" 68# (.480" WALL) BOX SET. STD. - EDM FRAME STYLE
A	08277		08/11/14	SLXD	13 3/8" 68# (.480" WALL) INTERNAL TOOL GUIDE
P	08278		08/11/14	SLXD	13 3/8" 68# (.480" WALL) ACC. BLANK. DIMS
M	08279		12/12/14	SLXD	13 3/8" 68# PIN SWAGING
M	08933	B	01/15/15	SLXD	13 3/8" 72# (.514" WALL) PIN
M	08934	A	10/20/14	SLXD	13 3/8" 72# (.514" WALL) COUPLING
G	08935	A	10/20/14	SLXD	13 3/8" 72# (.514" WALL) PIN SET. STD. - EDM FRAME STYLE
G	08936	A	10/20/14	SLXD	13 3/8" 72# (.514" WALL) BOX SET. STD. - EDM FRAME STYLE
A	08937	A	10/20/14	SLXD	13 3/8" 72# (.514" WALL) INTERNAL TOOL GUIDE
P	08938	A	10/20/14	SLXD	13 3/8" 72# (.514" WALL) ACC. BLANK. DIMS
M	08939		12/12/14	SLXD	13 3/8" 72# PIN SWAGING
A	06861		02/10/06	SLXP	1" SUCKER ROD PIN X 1 1/4" SL-XP PIN CROSSOVER SUB
P	06859	A	03/07/06	SLXP	1 1/4" 2.40 - 3.24# ACCESSORY BLANKING DIMENSIONS
M	06856	A	05/15/07	SLXP	1 1/4" 2.40 - 3.24# BOX
A	06860		02/10/06	SLXP	1 1/4" 2.40 - 3.24# BOX X BOX HOLLOW SUCKER ROD TEE
G	06858		02/10/06	SLXP	1 1/4" 2.40 - 3.24# BOX SETTING STANDARD - EDM FRAME STYLE
M	06855	B	05/15/07	SLXP	1 1/4" 2.40 - 3.24# PIN
G	06857		02/10/06	SLXP	1 1/4" 2.40 - 3.24# PIN SETTING STANDARD
M	06869		03/07/06	SLXP	2 1/16" 3.25 - 4.50# BOX
G	06871		03/07/06	SLXP	2 1/16" 3.25 - 4.50# BOX FLAT SETTING STANDARD
M	06868		03/07/06	SLXP	2 1/16" 3.25 - 4.50# PIN
G	06870		03/07/06	SLXP	2 1/16" 3.25 - 4.50# PIN FLAT SETTING STANDARD
P	06415	D	08/25/09	SLXP	2 1/16" - 4 1/2" ACC. BLANK. DIM.
G	06408		10/27/03	SLXP	2 3/8" 4.60 - 5.95# BOX SETTING STANDARD - EDM FRAME STYLE
G	06407	A	11/19/03	SLXP	2 3/8" 4.60 - 5.95# PIN SETTING STANDARD
M	06404	B	04/21/05	SLXP	2 3/8" 4.60# BOX
M	06403	A	03/16/04	SLXP	2 3/8" 4.60# PIN
A	07209	A	03/28/11	SLXP	2 3/8" 4.60# - 5.95# HANDLING PLUG
M	06406	D	05/15/07	SLXP	2 3/8" 4.70 - 5.95# BOX
M	06405	C	05/15/07	SLXP	2 3/8" 4.70 - 5.95# PIN
P	06341	D	07/06/05	SLXP	2 3/8" - 4 1/2" UPSET DIMENSIONS
M	06258	D	04/21/05	SLXP	2 7/8" 6.40# BOX CONNECTOR
M	06257	C	03/16/04	SLXP	2 7/8" 6.40# PIN CONNECTOR
M	06339	E	05/15/07	SLXP	2 7/8" 6.50 - 8.70# BOX CONNECTOR
M	06338	D	05/15/07	SLXP	2 7/8" 6.50 - 8.70# PIN CONNECTOR
A	07436		03/11/10	SLXP	2 7/8" 7.90# SL XP PIN x 2 7/8" API IF BOX
A	06762		06/23/05	SLXP	3 1/2" 9.20 - 12.95# PRESSURE TEST CAP
A	06761		06/23/05	SLXP	3 1/2" 9.20 - 12.95# PRESSURE TEST PLUG
M	06410	B	04/21/05	SLXP	3 1/2" 9.20# BOX

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	06409	A	03/16/04	SLXP	3 1/2" 9.20# PIN
M	06412	D	05/15/07	SLXP	3 1/2" 9.30 - 12.95# BOX
M	06411	C	05/15/07	SLXP	3 1/2" 9.30 - 12.95# PIN
M	06904		06/28/06	SLXP	3 1/2" 9.30# SL XP PIN x 3 1/2" XH (NC 46) BOX SAVER SUB
A	07087	A	03/28/11	SLXP	3 1/2" 9.20 - 12.95# HANDLING PLUG
M	06880		05/01/06	SLXP	3 1/2" 12.95# SPECIAL CLEARNACE O.D. / SPECIAL BORE, PIN AND BOX
M	06427	D	08/25/09	SLXP	4" 11 - 14.80# BOX
M	06426	B	08/25/09	SLXP	4" 11 - 14.80# PIN
M	06513	A	04/21/05	SLXP	4 1/2" 11.60 - 12.60# BOX
M	06512		02/19/04	SLXP	4 1/2" 11.60 - 12.60# PIN
M	06429	B	05/15/07	SLXP	4 1/2" 12.75 - 15.50# BOX
M	06428	A	05/15/07	SLXP	4 1/2" 12.75 - 15.50# PIN
A	07145		02/13/08	SLXP	5.100" 17.77 - 19.64# ALIGNMENT STINGER (SCHLUMBERGER)
M	07146		02/13/08	SLXP	5.100" 17.77 - 19.64# PIN
M	07147		02/13/08	SLXP	5.100" 17.77 - 19.64# BOX
I	07151		02/14/08	SLXP	5.100" 17.77 - 19.64# PIN & BOX GAGE SET. DIMS. FOR ROD STYLE STDS.
A	07148		02/13/08	SLXP	5.225" 18.63 - 20.54# ALIGNMENT STINGER (SCHLUMBERGER)
M	07149		02/13/08	SLXP	5.225" 18.63 - 20.54# PIN
M	07150		02/13/08	SLXP	5.225" 18.63 - 20.54# BOX
I	07152		02/14/08	SLXP	5.225" 18.63 - 20.54# PIN & BOX GAGE SET. DIMS FOR RODY STYLE STDS.
P	04620		03/02/06	SL XP / TS-HP	UPSET SPEC. FOR PIN & BOX CONNECTORS
P	06715	A	02/05/08	SLXP PC	1/2 - SEAL RING FOR ACCESSORY BOX, TABULATED
M	07131		02/05/08	SLXP PC	2 7/8" 6.40# PIN CONNECTOR
M	07132		02/05/08	SLXP PC	2 7/8" 6.40# COUPLING
A	07133		02/05/08	SLXP PC	2 7/8" 6.40# ACC. BOX
P	07134		02/05/08	SLXP PC	2 7/8" 6.40# SEAL RING
A	07135		02/05/08	SLXP PC	2 7/8" 6.40# PIN COATING/BLASTING MASK
A	07136		02/05/08	SLXP PC	2 7/8" 6.40# BOX COATING MASK
I	07137		02/05/08	SLXP PC	2 7/8" 6.40# PIN AND BOX COATING MASK GAGE SET. DIMS. FOR ROD STYLE STDS.
P	07031	A	02/05/08	SLXP PC	2 7/8" - 4 1/2" ACC. BLANK. DIMS.
A	06713	B	02/14/08	SLXP PC	3 1/2" 9.20# ACCESSORY BOX
A	06722		02/10/05	SLXP PC	3 1/2" 9.20# BOX COATING MASK
M	06700	A	02/09/05	SLXP PC	3 1/2" 9.20# COUPLING
M	06699	A	02/14/05	SLXP PC	3 1/2" 9.20# PIN
I	06723		02/11/05	SLXP PC	3 1/2" 9.20# Pin and box coating mask - gage setting dimensions for rod style standards
A	06701	A	02/10/05	SLXP PC	3 1/2" 9.20# PIN COATING/BLASING MASK
P	06716		02/02/05	SLXP PC	3 1/2" 9.20# SEAL RING
A	06714	B	02/14/08	SLXP PC	4 1/2" 12.60# ACCESSORY BOX
A	06721		02/10/05	SLXP PC	4 1/2" 12.60# BOX COATING MASK

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	06445	A	01/18/05	SLXP PC	4 1/2" 12.60# COUPLING
M	06447		12/09/03	SLXP PC	4 1/2" 12.60# GAGE SETTING DIM. FOR ROD STYLE STANDARDS
I	06724		02/11/05	SLXP PC	4 1/2" 12.60# Pin and box coating mask - gage setting dimensions for rod style standards
A	06720		02/10/05	SLXP PC	4 1/2" 12.60# PIN COATING/BLASTING MASK
M	06438	D	01/09/06	SLXP PC	4 1/2" 12.60# PIN CONNECTOR
P	06436	A	01/18/05	SLXP PC	4 1/2" 12.60# SEAL RING
P	06440	A	02/09/05	SLXP PC	Plastic coating specification for SLXP PC tubing
M	06741	A	04/21/05	SLXP TC	3 1/2" 12.70# COUPLING
M	06740		03/31/05	SLXP TC	3 1/2" 12.70# PIN
A	06743	B	03/28/11	SLXP/SLXP PC	2 7/8" 6.40# 8.70# HANDLING PLUG
G	06340	A	02/05/08	SLXP/SLXP PC	2 7/8" 6.40 - 8.70# PIN SETTING STANDARD
G	06342	A	02/05/08	SLXP/SLXP PC	2 7/8" 6.40 - 8.70# BOX SETTING STANDARD - EDM FRAME STYLE
G	06414	A	02/09/05	SLXP/SLXP PC	3 1/2" 9.20 - 12.95# BOX SETTING STANDARD - EDM FRAME STYLE
G	06413	A	02/09/05	SLXP/SLXP PC	3 1/2" 9.20 - 12.95# PIN SETTING STANDARD
I	07495		07/08/10	SLXP/SLXP PC	3 1/2" 9.20 - 12.95# PIN & BOX GAGE SET. DIMS FOR ROD STYLE STDS.
G	06515		02/19/04	SLXP/SLXP PC	4 1/2" 11.60 - 15.50# BOX SETTING STANDARD -EDM FRAME STYLE
G	06514		02/19/04	SLXP/SLXP PC	4 1/2" 11.60 - 15.50# PIN SETTING STANDARD
M	07055		07/26/07	SLXPC	4 1/2" 11.60 - 17# PIN
M	07056		07/26/07	SLXPC	4 1/2" 11.60 - 17# COUPLING
M	07061		07/26/07	SLXPC	4 1/2" 11.60 - 17# PIN SWAGING
M	07057		07/26/07	SLXPC	5" 15 - 23.20# PIN
M	07058		07/26/07	SLXPC	5" 15 - 23.20# COUPLING
M	07062		07/26/07	SLXPC	5" 15 - 23.20# PIN SWAGING
M	07059		07/26/07	SLXPC	5 1/2" 17 - 26# PIN
M	07060		07/26/07	SLXPC	5 1/2" 17 - 26# COUPLING
M	07063		07/26/07	SLXPC	5 1/2" 17 - 26# PIN SWAGING
G	02561		2-17-92	TAPER BLOCKS	1.375" Mic-trac box thread pad and seal pad
G	02562		2-17-92	TAPER BLOCKS	1.375" Mic-trac pin taper seal and thread pads
I	03825		5-10-96	TAPER BLOCKS	5" - 7" SLHT box mic-trac offsets using SL tubing taper blocks
I	03824		5-10-96	TAPER BLOCKS	5" - 7" SLHT pin mic-trac offsets using SL tubing taper blocks
I	03833		5-20-96	TAPER BLOCKS	9 5/8" 47- 71.60# SL Apex box mic-trac offsets using HW SL taper blocks
G	02304	B	12-9-93	TAPER BLOCKS	External taper blocks for gagemaker mic-trac boss connection- 1.125 in/ft taper
G	02303	B	12-9-93	TAPER BLOCKS	Internal taper blocks for gagemaker mic-trac boss connection- 1.125 in/ft taper
G	02474	B	5-24-95	TAPER BLOCKS	Internal taper blocks for gagemaker mic-trac boss connection- 1.250 in/ft taper
I	01488		3-14-89	TCNL	2 3/8" Box gage offsets for tubing using a 2 3/8" SL box setting standard
G	00922	C	8-22-90	TCNL	2 3/8" Coupling setting standard for all grades
G	00900		4-9-88	TCNL	2 3/8" Pin setting standard for all grades
I	00878	B	4-20-90	TCNL	2 3/8" - 3 1/2" Coupling gage setting information for all grades
M	01342	A	5-15-89	TCNL	2 3/8" - 3 1/2" Accessory box all weights, all grades

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	01063	C	3-31-94	TCNL	2 3/8" - 3 1/2" Coupling
I	01489		3-14-89	TCNL	2 7/8" Box gage offsets for tubing using a 2 7/8" SL box setting standard
G	00923	B	12-18-89	TCNL	2 7/8" Coupling setting standard for all grades
G	00902		4-9-88	TCNL	2 7/8" Pin setting standard for all grades
I	01490		3-14-89	TCNL	3 1/2" Box gage offsets for tubing using a 3 1/2" SL box setting standard
G	00924	B	12-18-89	TCNL	3 1/2" Coupling setting standard for all grades
G	00903		4-9-88	TCNL	3 1/2" Pin setting standard for all grades
I	01630	A	1-20-94	TCNL	Torque shoulder depth gage setting dimensions for Box
I	00879	C	1-20-94	TCNL	Torque shoulder depth gage setting dimensions for TC pins
A	03010	A	12-10-93	TCNL FGL	2 3/8" - 3 1/2" Accessory box
A	03013		10-8-93	TCNL FGL	2 3/8" - 3 1/2" Accessory pin stainless alloy crossover
M	03008	A	12-9-93	TCNL FGL	2 3/8" - 3 1/2" Coupling
M	03009	A	12-9-93	TCNL FGL	2 3/8" - 3 1/2" Pin connector
I	03125		4-6-94	TCNL FGL	3 1/2" Accessory Pin mic-trac offsets using SL tubing riser blocks
M	01238	B	5-12-89	TCNL PC	2 3/8" - 3 1/2" Accessory box all weights, all grades
A	00835	A	2-1-90	TCNL PC	2 3/8" - 3 1/2" Coating mask accessory box
M	01068	B	3-31-94	TCNL PC	2 3/8" - 3 1/2" Coupling
P	00247	D	2-14-89	TCNL PC	Plastic coating specification for TC NU-LOCK tubing
I	00851	B	9-22-88	TCNL, IJNL	2 3/8" - 3 1/2" Pin gage setting dimensions
20P	00258		4-10-85	TCNL, IJNL	2 7/8" 6.50# Pin swaging
A	02938		6-15-93	TCNL, TCNL PC	2 3/8" - 3 1/2" Lift plug
M	01062	D	3-31-94	TCNL, TCNL PR, TCNL PC	2 3/8" - 3 1/2" Pin connector (all grades)
A	02375		8-16-91	TEST CAP	12" Plug wrench
A	01383		1-12-89	TEST CAP	Handle for test plug and cap
A	01409		1-19-89	TEST CAP	Plug wrench
A	02091		6-1-90	TEST CAP	Small Plug wrench
G	08082	B	02/10/15	THREAD HEIGHT	.200 pitch x .480 IN/FT SLXD THREAD HEIGHT STANDARD (FOR - 0001)
G	08079	B	02/10/15	THREAD HEIGHT	.250 pitch x .480 IN/FT SLXD THREAD HEIGHT TAPER STANDARD (FOR - 0004)
G	08055	C	02/10/15	THREAD HEIGHT	.250 Pitch x .720 IN/FT SLXD thread height standard (FOR - 0006)
G	01891		1-12-90	THREAD HEIGHT	1 1/2" - 2 3/8" Pin standard for lock-it-eight
G	01890	A	7-24-91	THREAD HEIGHT	1 1/2" - 3 1/2" Coupling standard for lock-it-eight
G	00821		3-10-88	THREAD HEIGHT	2 3/8" - 3 1/2" Box standard for seal-lock, TC NU-lock & I-J NU- lock tubing
G	00501	A	11-25-91	THREAD HEIGHT	2 3/8" - 3 1/2" Coupling standard for lock-it
G	00500		4-16-87	THREAD HEIGHT	2 3/8" - 3 1/2" Pin standard for lock-it
G	00820		3-10-88	THREAD HEIGHT	2 3/8" - 3 1/2" Pin standard for seal-lock, TC NU-lock & I-J NU-lock tubing
G	00754	A	10-18-91	THREAD HEIGHT	2 3/8" - 4 1/2" Coupling standard for HD lock-it
G	00753		2-3-88	THREAD HEIGHT	2 3/8" - 4 1/2" Pin standard for HD lock-it
G	00705	A	7-16-91	THREAD HEIGHT	4 1/2" - 10 3/4" Coupling standard for seal-lock casing
G	00704		1-11-88	THREAD HEIGHT	4 1/2" - 10 3/4" Pin standard for seal-lock casing

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
G	00707	A	7-18-91	THREAD HEIGHT	11 3/4" - 13 3/8" Coupling standard for seal-lock casing
G	00706		1-11-88	THREAD HEIGHT	11 3/4" - 13 3/8" Pin standard for seal-lock casing
G	00818		3-10-88	THREAD HEIGHT	14" - 20" Coupling standard for big "o" seal-lock
G	00817		3-10-88	THREAD HEIGHT	14" - 20" Pin standard for big "o" seal-lock
G	02346		7-19-91	THREAD HEIGHT	Coupling setting standard for Boss internal
G	03264		9-8-94	THREAD HEIGHT	External .125 pitch, .0300 load flank, .864" T.P.F. (M00971 threadform)
G	03188		6-22-94	THREAD HEIGHT	External .1667 pitch x 1.250" T.P.F., M00837 threadform
G	03234	A	11/03/15	THREAD HEIGHT	External .200 pitch, .0500 load flank, 1.375 T.P.F. (M00929 & M09182 threadform)
G	05118		07/07/99	THREAD HEIGHT	External .200 pitch x .0400 load flank, 1.375 T.P.F., (M04963 thread form)
G	02722		9-22-92	THREAD HEIGHT	External .2500 pitch x 1.250" T.P.F. Apex threadform
G	02470		3-27-92	THREAD HEIGHT	External .2500 pitch x 1.250" T.P.F. Boss threadform
G	02813		2-10-93	THREAD HEIGHT	External 5- pitch (.200 lead) x 1.00" T.P.F.
G	02831		2-25-93	THREAD HEIGHT	External apex .250 pitch x 2.00" T.P.F.
G	02345		7-19-91	THREAD HEIGHT	External Setting standard for Boss casing
G	06759		06/20/05	THREAD HEIGHT	External SL-SF, .333 pitch, 1.125 T.P.F. .060 load flank, casing
G	07848		06/20/05	THREAD HEIGHT	External SL-SF, .333 pitch, 1.125 T.P.F. .0660 load flank, casing
G	03265		9-8-94	THREAD HEIGHT	Internal .125 pitch, .0300 load flank, .864" T.P.F. (M00970)
G	03224		7-27-94	THREAD HEIGHT	Internal .125 pitch, .0330 load flank, .750 T.P.F. (M02620 threadform)
G	03189		6-22-94	THREAD HEIGHT	Internal .1667 pitch x 1.250" T.P.F., M00838 threadform
G	03225	A	4-10-96	THREAD HEIGHT	Internal .1667 pitch, .0434 load flank, 1.0205 T.P.F. (M02548 threadform)
G	03235		8-4-94	THREAD HEIGHT	Internal .200 pitch, .0530 load flank, 1.375 T.P.F. (M00930 threadform)
G	05119		07/07/99	THREAD HEIGHT	Internal .200 pitch x .0420 load flank, 1.375 T.P.F., (M04964 thread form)
G	02721		9-22-92	THREAD HEIGHT	Internal .2500 pitch x 1.250" T.P.F. Apex threadform
G	02475		3-27-92	THREAD HEIGHT	Internal, .2500 pitch x 1.250" T.P.F., BOSS thread form
G	02832		2-25-93	THREAD HEIGHT	Internal apex .250 pitch x 2.00" T.P.F.
G	02814		2-10-93	THREAD HEIGHT	Internal apex 5- pitch (.200) x 1.00" T.P.F.
G	04037		10-23-96	THREAD HEIGHT	Internal Apex-e 4- pitch (.250) x 1.250" T.P.F.
G	04036		10-23-96	THREAD HEIGHT	Internal Apex-e 5- pitch (.200) x 1.000" T.P.F.
G	04818	A	08/13/98	THREAD HEIGHT	INT/EXT, .0315 FLANK HEIGHT, TS-HP (M04564/M04565 Thd form)
G	04820	A	08/13/98	THREAD HEIGHT	INT/EXT, .050 FLANK HEIGHT, TS-HD (M04566/M04567 Thd form)
G	07859		10/10/11	THREAD HEIGHT	Internal & external .040" load flank X .046" stab flank
G	07502		07/21/10	THREAD HEIGHT	Internal & external .044" load flank X .056" stab flank
G	07868		09/12/11	THREAD HEIGHT	Internal & external .054" load flank X .072" stab flank
G	05777		05/25/01	THREAD HEIGHT	Internal & external, .200 pitch x 2.400" T.P.F.
G	03646	A	08/12/04	THREAD HEIGHT	Pin and box standard for all FS-150 & FJ-150 products
G	03651		10-9-95	THREAD HEIGHT	Pin and box standard for all TKC 4040 products
G	07524		08/09/10	THREAD HEIGHT	Standard, Internal & external .044" load flank X .054" stab flank
G	08207	E	10/14/16	THREAD HEIGHT	Standard, WEDGE-LOCK SF Series
X	08220	D	10/14/16	THREAD HEIGHT	Standard (PROTOTYPE), WEDGE-LOCK SF SERIES

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
G	08979		08/27/14	THREAD HEIGHT	Standard SL XD for -0002 (.200 PITCH x .600 IN/FT TAPER)
G	08980		08/27/14	THREAD HEIGHT	Standard SL XD for -0003 (.200 PITCH x .720 IN/FT TAPER)
G	08981		08/27/14	THREAD HEIGHT	Standard SL XD for -0005 (.250 PITCH x .600 IN/FT TAPER)
G	08982		08/27/14	THREAD HEIGHT	Standard SL XD for -0007 (.167 PITCH x .480 IN/FT TAPER)
G	07858		10/07/11	THREAD HEIGHT GAGE - ANVIL	.040" load flank x .046" stab flank
G	07525		08/09/10	THREAD HEIGHT GAGE - ANVIL	.044" load flank x .054" stab flank
G	07503		07/21/10	THREAD HEIGHT GAGE - ANVIL	.044" load flank x .056" stab flank
G	07869		09/12/11	THREAD HEIGHT GAGE - ANVIL	.054" load flank x .072" stab flank
G	04258		5-27-97	THREAD HEIGHT & ANVIL	.1667 Pitch x 1.000" taper
G	04011		9-17-96	THREAD HEIGHT & ANVIL	.1667 pitch x 1.0205" taper
G	08081	A	02/10/15	THREAD HEIGHT GAGE - ANVIL	.200 PITCH x .480 IN/FT TAPER SLXD (FOR - 0001)
G	04649		2-20-98	THREAD HEIGHT & ANVIL	.200 pitch x 1.250" taper
G	08078	A	02/10/15	THREAD HEIGHT GAGE - ANVIL	.250 PITCH x .480 IN/FT TAPER SLXD (FOR - 0004)
G	08056	B	02/10/15	THREAD HEIGHT GAGE - ANVIL	.250 PITCH x .720 IN/FT TAPER SLXD (FOR - 0006)
G	02469	A	2-15-93	THREAD HEIGHT & ANVIL	.2500 Pitch x 1.250 in/ft taper Apex & Boss
G	05778		05/25/01	THREAD HEIGHT & ANVIL	anvil - thread height gage .200 pitch x 2.400 in/ft taper
G	03237	B	05/02/05	THREAD HEIGHT & ANVIL	anvil - thread height gage flush seal-lock, seal-lock sf, & seal-lock XP .200 pitch x 1.373 in/ft taper
G	02821		2-16-93	THREAD HEIGHT & ANVIL	Apex .200 pitch x 1.00" taper
G	02833		2-25-93	THREAD HEIGHT & ANVIL	Apex .250 pitch x 2.00" taper
G	03268		9-12-94	THREAD HEIGHT & ANVIL	Flush seal-lock .125 pitch x .864" taper
G	03190		6-22-94	THREAD HEIGHT & ANVIL	Flush seal-lock .1667 pitch x 1.250" taper
G	03647	A	08/12/04	THREAD HEIGHT & ANVIL	FS-150 & FJ-150 .150 pitch x .050" taper
G	04822		8-4-98	THREAD HEIGHT & ANVIL	GAGE FOR HP & HD THREADFORM
G	03791	A	5-27-97	THREAD HEIGHT & ANVIL	Lock-it-eight, seal-lock HT & flush seal-lock .125 pitch x 0.750" taper
G	02344		7-22-91	THREAD HEIGHT & ANVIL	Pin and box Boss casing
G	08222	E	10/14/16	THREAD HEIGHT GAGE - ANVIL	WEDGE-LOCK SF SERIES
X	08943	C	10/14/16	THREAD HEIGHT GAGE - ANVIL	WEDGE-LOCK SF SERIES (PROTOTYPE)
G	08983		08/27/14	THREAD HEIGHT GAGE - ANVIL	SL XD FOR -0002 (.200 PITCH x .600 IN/FT TAPER)
G	08984		08/27/14	THREAD HEIGHT GAGE - ANVIL	SL XD FOR -0003 (.200 PITCH x .720 IN/FT TAPER)
G	08985		08/27/14	THREAD HEIGHT GAGE - ANVIL	SL XD FOR -0005 (.250 PITCH x .600 IN/FT TAPER)
G	08986		08/27/14	THREAD HEIGHT GAGE - ANVIL	SL XD FOR -0007 (.167 PITCH x .480 IN/FT TAPER)
M	03503	B	08/12/04	THREADFORM	1.315" - 9 5/8" FS - 150 & FJ -150 BOX THREAD FORM
M	03502	B	08/12/04	THREADFORM	1.315" - 9 5/8" FS - 150 & FJ-150 PIN THREAD FORM
M	00277	D	8-4-97	THREADFORM	2 3/8" - 3 1/2" Seal-lock, TC NU-lock, & I-J NU-lock tubing box
M	00276	D	8-4-97	THREADFORM	2 3/8" - 3 1/2" Seal-lock, TC NU-lock, & I-J NU-lock tubing pin
M	03483		9/25/95	THREADFORM	2 3/8" - 3 1/2" NUE 10 ROUND COUPLING & ACCESSORY BOX THREAD FORM
M	03482		9/28/95	THREADFORM	2 3/8" - 3 1/2" NUE 10 ROUND PIN THREAD FORM
M	03975		8/26/96	THREADFORM	2 3/8" - 4 1/2" TS-8 8 ROUND PIN THREAD FORM
M	03501	A	04/25/96	THREADFORM	2 3/8" - 9 5/8" TKC 4040 BOX THREAD FORM

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	03500	A	04/25/96	THREADFORM	2 3/8" - 9 5/8" TKC 4040 PIN THREAD FORM
M	03479	A	9/23/96	THREADFORM	2 3/8" - 20" EUE, LTC, & STC 8 ROUND COUPLING & ACCESSORY BOX THREAD FORM
M	03478		9/28/95	THREADFORM	2 3/8" - 20" EUE, LTC, & STC 8 ROUND PIN THREAD FORMS
M	00273	E	8-4-97	THREADFORM	4 1/2" - 10 3/4" Seal-lock casing box
M	00273M		07/13/00	THREADFORM	4 1/2" - 10 3/4" Seal-lock casing box (metric)
M	00272	D	8-4-97	THREADFORM	4 1/2" - 10 3/4" Seal-lock casing pin
M	00272M		07/13/00	THREADFORM	4 1/2" - 10 3/4" Seal-lock casing pin (metric)
M	03484	A	11/10/03	THREADFORM	4 1/2" - 13 3/8" API BUTTRESS EXTERNAL THREAD FORM
M	03485	A	11/10/03	THREADFORM	4 1/2" - 13 3/8" API BUTTRESS INTERNAL THREAD FORM
M	00275	F	08/11/10	THREADFORM	11 3/4" - 13 5/8" SL HC, GS, & PC casing box; 4 1/2" - 13 5/8" HW SL casing box
M	00274	D	8-4-97	THREADFORM	11 3/4" - 13 5/8" Seal-lock casing pin 4 1/2" - 13 5/8" HW SL casing pin
M	03486	A	11/10/03	THREADFORM	16" - 20" API BUTTRESS EXTERNAL THREAD FORM
M	03487	A	11/10/03	THREADFORM	16" - 20" API BUTTRESS INTERNAL THREAD FORM
M	05290	B	02/14/08	THREADFORM	EU, NU, LC & STC 8 RD API EXTERNAL THREAD FORM
M	05289	B	06/17/09	THREADFORM	API 8 ROUND INTERNAL THREADFORM
M	06060		07/25/02	THREADFORM	EXTERNAL - 13 3/8" SEAL-LOCK BOSS-S TIMED WORKING MAKE-UP POSITIONER
M	06058		07/25/02	THREADFORM	EXTERNAL - 9 5/8" SEAL-LOCK BOSS-S TIMED WORKING MAKE-UP POSITIONER
M	09182	A	10/28/16	THREADFORM	EXTERNAL .050 H X 1.375 T.P.F - 5 T.P.I. (SLF)
M	06038		07/12/02	THREADFORM	EXTERNAL - FOR 2 1/16" - 4 1/2" SEAL-LOCK HT-S TIMED WORKING MAKEUP POSITIONERS
M	06040		07/12/02	THREADFORM	EXTERNAL - FOR 5" - 7" SEAL-LOCK HT-S TIMED WORKING MAKEUP POSITIONERS
M	00585	E	8-4-97	THREADFORM	External .030 load flank x .750 T.P.F x .125 pitch
M	00971	B	8-4-97	THREADFORM	External .030 load flank x .864 T.P.F. x .125 pitch
M	00260	E	8-4-97	THREADFORM	External .0394 height .864" T.P.F. 6 thread per inch
M	00052	K	8-4-97	THREADFORM	External .0394 height 1.0205" T.P.F. 6 thread per inch
M	00837	A	8-4-97	THREADFORM	External .0394 height 1.250" T.P.F. 6 threads per inch
M	04963		12/28/98	THREADFORM	External .040 load flank x .200 pitch, x 1.375 in/ft taper
M	05709		02/22/01	THREADFORM	External.040 load flank x .200 pitch, x 1.375 in/ft taper
M	04134	A	8-4-97	THREADFORM	External .0420 load flank x .198 pitch 1.000 in/ft taper apex-e
M	02765	E	8-4-97	THREADFORM	External .0420 load flank x .200 pitch, 1.000 in/ft taper
M	02765E	E	8-4-97	THREADFORM	External .0420 load flank x .200 pitch, 1.000 in/ft taper
M	01477	A	8-4-97	THREADFORM	External .0423 load flank .200 pitch 1.250 in/ft taper
M	00929	A	8-4-97	THREADFORM	External .050 height x 1.375 T.P.F. 5 threads per inch
M	05754		05/15/01	THREADFORM	External .050 load flank x .200 pitch, x 2.400 in/ft taper
M	02443	C	06/25/01	THREADFORM	External .0508 load flank x .0638 stab flank x .2500 pitch
M	00224	E	8-4-97	THREADFORM	External .056 load flank x .0643 stab flank x .200 pitch
M	04073	C	8-4-97	THREADFORM	External .0600 load flank x .0729 stab flank x .248 pitch
M	02698	C	8-4-97	THREADFORM	External .0600 load flank x .0730 stab flank x .250 pitch
M	06737		08/13/10	THREADFORM	External .0600 load flank x .0756 stab flank x .3333 pitch
M	07330		05/08/09	THREADFORM	EXTERNAL WEDGE .066 LOAD FLANK EIGHT X .092 STAB FLANK HEIGHT

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	07847		10/03/11	THREADFORM	External .0660 load flank x .0816 stab flank x .3333 pitch
M	02700	D	8-4-97	THREADFORM	External .0680 load flank x .0888 stab flank x .250 pitch
M	02273	C	06/27/01	THREADFORM	External .0700 load flank x .0856 stab flank x .3333 pitch
M	02273M		03/10/09	THREADFORM	External 1.778 load flank x 2.174 stab flank x 8.466 pitch (metric)
M	01485	A	8-4-97	THREADFORM	External .0781 load flank x 1.212 in/ft taper x .3333 pitch
M	00378	D	8-4-97	THREADFORM	External .0866 load flank x .1040 stab flank x .3333 pitch
M	05538	B	03/16/01	THREADFORM	External .0866 load flank x .1040 stab flank x 1.250 in/ft taper (3 pitch riser connector)
M	06115		09/17/02	THREADFORM	EXTERNAL .090 LOAD FLANK X .1134 STAB FLANK X .500 PITCH (SL DC)
M	00585M		07/20/00	THREADFORM	External .762 load flank x .625 mm/cm x 3.175 pitch (metric)
M	02765M		07/20/00	THREADFORM	External 1.067 load flank x 5.080 pitch, .833 mm/cm taper (metric)
M	02443M	A	06/26/01	THREADFORM	External 1.290 load flank x 1.621 stab flank x 6.350 pitch (metric)
M	06811		09/29/05	THREADFORM	EXTERNAL LIFT PLUG THREAD FORM: .0700 LOAD FLANK X .0856 STAB FLANK X .3333 PITCH
M	06811M		03/23/09	THREADFORM	EXTERNAL LIFT PLUG THREAD FORM: 1.778 LOAD FLANK X 2.174 STAB FLANK X 8.466 PITCH
M	05356	B	02/14/08	THREADFORM	EXTERNAL NU & EU 10 ROUND API
M	08097	B	05/22/14	THREADFORM	EXTERNAL SL XD
M	04566	B	08/13/98	THREADFORM	External TS-HD .050 THD. HT. X 6 pitch
M	04566M	A	08/13/98	THREADFORM	External TS-HD 1.27MM THD. HT. X 6 pitch
M	04564	B	8-13-98	THREADFORM	External TS-HP .0315 THD. HT. X 8 pitch
M	04564M	A	08/13/98	THREADFORM	External TS-HP .80MM THD. HT. X 8 pitch
M	07853		10/06/11	THREADFORM	External wedge .040 x .046 thread height; .290 S.F. x .308 L.F. lead
M	07564		10/12/10	THREADFORM	External wedge .044 x .054 thread height; .290 S.F. x .308 L.F. lead
M	07512		08/02/10	THREADFORM	External wedge .044 x .054 thread height; .292 S.F. x .308 L.F. lead
M	07562		10/12/10	THREADFORM	External wedge .044 x .056 thread height; .292 S.F. x .308 L.F. lead
M	07265	B	01/07/11	THREADFORM	External wedge .044 x .056 thread height; .290 S.F. x .308 L.F. lead
M	07689		03/09/11	THREADFORM	External wedge .054 x .072 thread height; .350 S.F. x .368 L.F. lead
M	08153		05/10/13	THREADFORM	External wedge-lock Flush series
M	07971	I	10/14/16	THREADFORM	EXTERNAL WEDGE-LOCK SEMI FLUSH SERIES
X	08224	D	10/14/16	THREADFORM	EXTERNAL WEDGE-LOCK SF SERIES (PROTOTYPE)
M	06059		07/25/02	THREADFORM	INTERNAL - 13 3/8" SEAL-LOCK BOSS-S TIMED WORKING MAKE-UP POSITIONER
M	06039		07/12/02	THREADFORM	INTERNAL - 2 1/16" - 4 1/2" SEAL-LOCK HT-S TIMED WORKING MAKEUP POSITIONERS
M	06041		07/12/02	THREADFORM	INTERNAL - 5" - 7" SEAL-LOCK HT-S TIMED WORKING MAKEUP POSITIONERS
M	06057		07/25/02	THREADFORM	INTERNAL - 9 5/8" SEAL-LOCK BOSS-S TIMED WORKING MAKE-UP POSITIONER
M	02620	A	8-4-97	THREADFORM	Internal .0330 load flank x .750 in/ft taper x .1250 pitch
M	00970	B	8-4-97	THREADFORM	Internal .0330 load flank x .864 T.P.F. x .125 pitch
M	00586	G	8-4-97	THREADFORM	Internal .0400 load flank x .750 T.P.F. x .125 pitch
M	02548	B	8-4-97	THREADFORM	Internal .0414 L.F. height 1.0205" T.P.F. 6 threads per inch
M	04964		12/28/98	THREADFORM	Internal .042 load flank x .200 pitch, x 1.375 in/ft taper
M	02766	C	8-4-97	THREADFORM	Internal .0430 load flank x .200 pitch, 1.000 in/ft taper
M	00838	A	8-4-97	THREADFORM	Internal .0434 height 1.250" T.P.F. 6 threads per inch

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	01668	A	8-4-97	THREADFORM	Internal .0468 load flank x .0572 stab flank x .2000 pitch
M	00262	F	8-4-97	THREADFORM	Internal .0494 height .864" T.P.F. 6 thread per inch
M	00053	M	8-4-97	THREADFORM	Internal .0494 height 1.0205" T.P.F. 6 thread per inch
M	05755		05/15/01	THREADFORM	Internal .050 load flank x .200 pitch, x 2.400 in/ft taper
M	04135	A	8-4-97	THREADFORM	Internal .0520 load flank x .198 pitch x 1.000 in/ft taper
M	03908	D	8-4-97	THREADFORM	Internal .0520 load flank x .200 pitch, x 1.000 in/ft taper
M	02444	C	9-14-98	THREADFORM	Internal .0528 load flank x .0658 stab flank x .2500 pitch
M	00930	A	8-4-97	THREADFORM	Internal .053 height x 1.375 T.P.F. 5 threads per inch
M	01666	A	8-4-97	THREADFORM	Internal .0588 load flank x .0692 stab flank x .2000 pitch
M	00225	D	8-4-97	THREADFORM	Internal .059 load flank x .0673 stab flank x .200 pitch
M	02699	C	8-4-97	THREADFORM	Internal .0610 load flank x .0740 stab flank x .250 pitch
M	02701	D	8-14-97	THREADFORM	Internal .0690 load flank x .0898 stab flank x .250 pitch
M	03913	D	8-4-97	THREADFORM	Internal .0700 load flank x .0829 stab flank x .248 pitch
M	02274	D	9-14-98	THREADFORM	Internal .0720 load flank x .0876 stab flank x .3333 pitch
M	00379	D	8-4-97	THREADFORM	Internal .0896 load flank x .107 stab flank x .333 pitch
M	05537	B	03/16/01	THREADFORM	Internal .0896 load flank x .107 stab flank x .333 pitch (3 pitch riser connector)
M	06114		09/17/02	THREADFORM	INTERNAL .090 LOAD FLANK X .1134 STAB FLANX X .500 PITCH (SL DC)
M	01674	A	8-4-97	THREADFORM	Internal .0946 load flank x .1120 stab flank x .3333 pitch
M	02620M		07/20/00	THREADFORM	Internal .838 load flank x .625 mm/cm taper x 3.175 pitch (replaces M00586 Rev. E) (metric)
M	02766M		07/20/00	THREADFORM	Internal 1.092 load flank x 5.080 pitch, .833 mm/cm taper (metric)
M	02444M		07/18/00	THREADFORM	Internal 1.341 load flank x 1.671 stab flank x 6.350 pitch (metric)
M	02699M		09/02/10	THREADFORM	Internal 1.550 load flank x 1.880 stab flank x .6.350 pitch (METRIC)
M	02274M		03/10/09	THREADFORM	Internal 1.829 load flank x 2.225 stab flank x 8.466 pitch (metric)
M	05355	A	02/14/08	THREADFORM	INTERNAL NU & EU 10 ROUND API
M	04567	B	08/13/98	THREADFORM	Internal TS-HD .050 THD. HT. X 6 pitch
M	04567M	A	08/13/98	THREADFORM	Internal TS-HD 1.27 THD. HT. X 6 pitch
M	04565	B	08/13/98	THREADFORM	Internal TS-HP .0315 THD. HT. X 8 pitch
M	04565M	A	08/13/98	THREADFORM	Internal TS-HP .80MM THD. HT. X 8 pitch
M	07854		10/06/11	THREADFORM	Internal wedge .040 x .046 thread height; .290 S.F. x .308 L. F. lead
M	07565		10/12/10	THREADFORM	Internal wedge .044 x .054 thread height; .290 S.F. x .308 L. F. lead
M	07513		08/02/10	THREADFORM	Internal wedge .044 x .054 thread height; .292 S.F. x .308 L. F. lead
M	07266	B	01/07/11	THREADFORM	Internal wedge .044 x .056 Thread height; .290 S.F. x .308 L. F. lead
M	07563		10/12/10	THREADFORM	Internal wedge .044 x .056 thread height; .292 S.F. x .308 L. F. lead
M	07690		03/09/11	THREADFORM	Internal wedge .054 x .072 Thread height; .350 S.F. x .368 L. F. lead
M	07331		05/08/09	THREADFORM	Internal wedge .066 load flank height X .092 stab flank height
M	08098	B	05/22/14	THREADFORM	Internal SLXD
M	08154		05/10/13	THREADFORM	Internal wedge-lock Flush series
M	07976	I	10/14/16	THREADFORM	INTERNAL WEDGE-LOCK SEMI FLUSH SERIES
X	08223	D	10/14/16	THREADFORM	INTERNAL WEDGE-LOCK SF SERIES (PROTOTYPE)

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	06488		01/20/04	THREADFORM	INTERNAL & EXTERNAL THREADFORM 4 PITCH SEAL-LOCK WASH PIPE
M	06489		01/20/04	THREADFORM	INTERNAL & EXTERNAL THREADFORM 6 PITCH SEAL-LOCK WASH PIPE
M	06490		01/20/04	THREADFORM	INTERNAL & EXTERNAL THREADFORM 8 PITCH SEAL-LOCK WASH PIPE
M	07401		10/28/09	TITANIUM	3 1/2" .170 WALL NUE PIN SWAGING
X	07049		07/16/07	TITANIUM	4 1/2" TEST PIN
X	07050		07/16/07	TITANIUM	4 1/2" LOW TORQUE TEST END CAP
I	07053		07/24/07	TITANIUM	4 1/2" TEST END CAP PIN & BOX GAGE SET. DIMS FOR ROD STYLE STDS.
X	07054		07/24/07	TITANIUM	4 1/2" SEAL RING FOR TEST END CAP
X	07205	A	07/07/08	TITANIUM	7 5/8" TEST PIN
X	07206	A	07/07/08	TITANIUM	7 5/8" LOW TORQUE TEST END CAP
I	07207	A	07/07/08	TITANIUM	7 5/8" TEST END CAP PIN & BOX GAGE SET. DIMS FOR ROD STYLE STDS.
X	07208		06/10/08	TITANIUM	7 5/8" SEAL RING FOR TEST END CAP
A	03587	I	12/28/10	TKC 4040	2 3/8" - 4 1/2" ACCESSORY BOX
M	03583	J	12/28/10	TKC 4040	2 3/8" - 4 1/2" COUPLING
M	07294	C	08/14/14	TKC 4040 TPL	2 3/8" - 4 1/2" COUPLING
M	03586	C	10/9/97	TKC 4040	2 3/8" - 4 1/2" END SEAL
M	03585	A	7/29/96	TKC 4040	2 3/8" - 4 1/2" NOSE SEAL
A	06698		01/18/05	TKC 4040	2 7/8" 6.50 - 8.70# PRESSURE TEST CAP
A	06697	A	12/28/10	TKC 4040	2 7/8" 6.50 - 8.70# PRESSURE TEST PLUG
I	07395		10/08/09	TKC 4040	2 7/8" pin & box gage setting dimension for MRP gage
A	03794	B	12/28/10	TKC 4040	3 1/2" SPECIAL CLEARANCE INGRAM CACTUS CRA TUBING HANGER
A	06799		08/19/05	TKC 4040	3 1/2" 9.30 - 12.95# PRESSURE TEST CAP
A	06798	A	12/28/10	TKC 4040	3 1/2" 9.30 - 12.95# PRESSURE TEST PLUG
I	07334		05/09/09	TKC 4040	3 1/2" GAGE SETTING DIM. FOR MRP GAGE
A	05724	A	12/28/10	TKC 4040	4 1/2" BELL NIPPLE
M	05375	D	10/02/03	TKC 4040 HO	2 3/8" - 4 1/2" COUPLING
M	05723		03/23/01	TKC 4040 HO	4 1/2" THREAD TECH/PAN CANADIAN
A	06234	I	08/30/10	TKC 4040 HO, 4040 HO-I	2 3/8" - 4 1/2" ACCESSORY BOX
G	05378	B	07/22/03	TKC 4040 HO, 4040 HO-I	2 3/8" - 4 1/2" COUPLING SETTING STANDARD
I	07477		01/16/10	TKC 4040 HO, 4040 HO-I	2 7/8" GAGE SETTING DIMS FOR MRP GAGE
I	07108		12/13/07	TKC 4040 HO, 4040 HO-I	3 1/2" GAGE SETTING DIM. FOR MRP GAGE
I	07104	A	11/19/07	TKC 4040 HO, 4040 HO-I	4 1/2" GAGE SETTING DIM. FOR ROD STYLE STANDARDS
P	06336	F	08/30/10	TKC 4040 HO, 4040 HO-I, 4040 RTC	2 3/8" - 4 1/2" ACCESSORY BLANKING DIMENSIONS
A	07688		03/08/11	TKC 4040 HO, 4040 HO-I, 4040 RTC	4 1/2" 9.50 - 15.10# PRESSURE TEST PLUG
M	06235	H	08/30/10	TKC 4040 HO-I	2 3/8" - 4 1/2" COUPLING
A	08988		08/26/14	TKC 4040 HO-I	4 1/2" 11.60# VIT HANDLING PLUG
A	08239	A	02/25/14	TKC 4040 HO-I	5 1/2" 17# HANDLING PLUG

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	06602	B	11/09/11	TKC 4040 HO-I	5 1/2" COUPLING
M	07442		03/22/10	TKC 4040 HO-I	6 5/8" COUPLING
M	06758	A	08/27/08	TKC 4040 HO-I	7" COUPLING
M	09302		11/07/16	TKC 4040 HO-I	8 5/8" 36# PIN
M	09303		11/07/16	TKC 4040 HO-I	8 5/8" 36# COUPLING
G	09304	A	12/05/16	TKC 4040 HO-I	8 5/8" 36# COUPLING SETTING STANDARD -EDM FRAME STYLE
M	06999		03/07/07	TKC 4040 HO-I	NC38 x 3 1/2" TKC 4040 HO-I DRIVE SUB
M	06990	A	03/01/07	TKC 4040 HO-I	NC50 BOX x 3 1/2" TKC 4040 HO-I PIN DRIVE SUB
A	09069		01/16/15	TKC 4040 HO-I VIT	2 3/8" 4.60# HANDLING PLUG
A	09118		06/02/15	TKC 4040 HO-I VIT	3 1/2" 9.20# HANDLING PLUG
A	05278	E	11/09/11	TKC 4040 HO-I, 4040 RTC & C4040	5 1/2" ACCESSORY BOX
I	07105	C	01/29/10	TKC 4040 HO-I, 4040 RTC & C4040	5 1/2" COUPLING & ACC BOX GAGE SET DIMS FOR ROD STYLE STANDARDS
G	05276	A	01/20/10	TKC 4040 HO-I, 4040 RTC & C4040	5 1/2" COUPLING SETTING STANDARD - EDM FRAME STYLE
P	05715	D	11/09/11	TKC 4040 HO-I, 4040 RTC & C4040	5" - 9 5/8" ACCESORY BLANKING DIMENSIONS
A	05910	B	01/20/10	TKC 4040 HO-I, 4040 RTC & C4040	5" ACCESSORY BOX
G	05908	B	12/28/10	TKC 4040 HO-I, 4040 RTC & C4040	5" COUPLING SETTING STANDARD - EDM FRAME STYLE
A	07443		03/22/10	TKC 4040 HO-I, 4040 RTC & C4040	6 5/8" ACCESSORY BOX
G	07445		03/22/10	TKC 4040 HO-I, 4040 RTC & C4040	6 5/8" COUPLING SETTING STANDARD - EDM FRAME STYLE
A	05636	C	01/20/10	TKC 4040 HO-I, 4040 RTC & C4040	7" ACCESSORY BOX
G	05638	B	12/28/10	TKC 4040 HO-I, 4040 RTC & C4040	7" COUPLING SETTING STANDARD - EDM FRAME STYLE
P	04713		4/16/98	TKC 4040 IJMMS	2 3/8" - 4 1/2" 4040 INTEGRAL MMS BLANKING DIMENSIONS
M	04711	B	06/11/03	TKC 4040 IJMMS	2 3/8" - 4 1/2" 4040 INTEGRAL MMS BOX
M	04712		4/16/98	TKC 4040 IJMMS	2 3/8" - 4 1/2" 4040 INTEGRAL MMS PIN
P	06594		06/09/04	TKC 4040 MMS	2 1/6" NUE 4040 MMS ACCESSORY BLANKING DIMENSIONS
A	06591		06/09/04	TKC 4040 MMS	2 1/6" NUE 4040 MMS ACCESSORY BOX
M	06596		06/09/04	TKC 4040 MMS	2 1/6" NUE 4040 MMS ACCESSORY CENTER SEAL RING
M	06595		06/09/04	TKC 4040 MMS	2 1/6" NUE 4040 MMS CENTER SEAL RING
M	06590		06/09/04	TKC 4040 MMS	2 1/6" NUE 4040 MMS COUPLING
G	06598		06/09/04	TKC 4040 MMS	2 1/6" NUE 4040 MMS COUPLING MARKING GAGE
G	06593		06/09/04	TKC 4040 MMS	2 1/6" NUE 4040 MMS COUPLING SETTING STANDARD
M	06589		06/09/04	TKC 4040 MMS	2 1/6" NUE 4040 MMS PIN
G	06597		06/09/04	TKC 4040 MMS	2 1/6" NUE 4040 MMS PIN MARKING GAGE
G	06592		06/09/04	TKC 4040 MMS	2 1/6" NUE 4040 MMS PIN SETTING STANDARD
M	06599		06/17/04	TKC 4040 MMS	2 1/6" NUE 4040 MMS SPECIAL CLEARANCE COUPLING O.D.
P	03618	C	05/16/06	TKC 4040 MMS	2 3/8" - 4 1/2" NUE 4040 MMS ACCESSORY BLANKING DIMENSIONS
A	03617	E	12/19/05	TKC 4040 MMS	2 3/8" - 4 1/2" NUE 4040 MMS ACCESSORY BOX
M	03787	B	05/01/06	TKC 4040 MMS	2 3/8" - 4 1/2" NUE 4040 MMS ACCESSORY CENTER SEAL RING

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	03616	D	05/01/06	TKC 4040 MMS	2 3/8" - 4 1/2" NUE 4040 MMS CENTER SEAL RING
M	03614	G	05/16/06	TKC 4040 MMS	2 3/8" - 4 1/2" NUE 4040 MMS COUPLING
G	05141	A	06/11/03	TKC 4040 MMS	2 3/8" - 4 1/2" NUE 4040 MMS COUPLING MARKING GAGE
G	05170		08/18/99	TKC 4040 MMS	2 3/8" - 4 1/2" NUE 4040 MMS COUPLING SETTING STANDARD
G	06877		04/20/06	TKC 4040 MMS	2 3/8" - 4 1/2" NUE 4040 MMS COUPLING SETTING STD EDM FRAME STYLE
M	03615	B	12/19/05	TKC 4040 MMS	2 3/8" - 4 1/2" NUE 4040 MMS PIN
G	05140	B	06/11/03	TKC 4040 MMS	2 3/8" - 4 1/2" NUE 4040 MMS PIN MARKING GAGE
M	05441		05/05/00	TKC 4040 MMS	2 7/8" SPECIAL CLEARANCE COUPLING O.D.
P	05605		10/25/00	TKC 4040 MMS	5" ACCESSORY BLANKING DIMS
A	05604	C	03/31/10	TKC 4040 MMS	5" ACCESSORY BOX
M	05606		10/25/00	TKC 4040 MMS	5" ACCESSORY CENTER SEAL RING
M	05603		10/25/00	TKC 4040 MMS	5" CENTER SEAL RING
M	05601	C	03/31/10	TKC 4040 MMS	5" COUPLING
G	05608		10/25/00	TKC 4040 MMS	5" COUPLING MARKING GAGE
G	05609		10/25/00	TKC 4040 MMS	5" COUPLING SETTING STANDARD
M	05602		10/25/00	TKC 4040 MMS	5" PIN
G	05607		10/25/00	TKC 4040 MMS	5" PIN MARKING GAGE
P	06165	A	03/10/05	TKC 4040 MMS	5 1/2" ACCESSORY BLANKING DIMENSIONS
A	06163	C	03/31/10	TKC 4040 MMS	5 1/2" ACCESSORY BOX
M	06164		11/05/02	TKC 4040 MMS	5 1/2" ACCESSORY CENTER SEAL RING
M	06162		11/05/02	TKC 4040 MMS	5 1/2" CENTER SEAL RING
M	06161	C	03/31/10	TKC 4040 MMS	5 1/2" COUPLING
G	06168	A	03/10/05	TKC 4040 MMS	5 1/2" COUPLING MARKING GAUGE
G	06166	A	03/10/05	TKC 4040 MMS	5 1/2" COUPLING SETTING STANDARD - EDM FRAME STYLE
M	06160	C	03/10/05	TKC 4040 MMS	5 1/2" PIN
G	06167	A	03/10/05	TKC 4040 MMS	5 1/2" PIN MARKING GAGE
M	06577		04/22/04	TKC 4040 MMS	7" ACC. CENTER SEAL RING
P	06576		04/22/04	TKC 4040 MMS	7" ACCESSORY BLANKING DIMENSIONS
A	06574	A	03/31/10	TKC 4040 MMS	7" ACCESSORY BOX
M	06337	A	04/22/04	TKC 4040 MMS	7" CENTER SEAL RING
M	06573	A	03/31/10	TKC 4040 MMS	7" COUPLING
G	06578		04/22/04	TKC 4040 MMS	7" COUPLING MARKING GAGE
G	06575		04/22/04	TKC 4040 MMS	7" CPLG. SETTING STANDARD - EDM FRAME STYLE
M	06572		04/22/04	TKC 4040 MMS	7" PIN
I	07405		11/05/09	TKC 4040 MMS	7" PIN & BOX GAGE SET. DIMS FOR MRP GAGE SET-UP
G	06579		04/22/04	TKC 4040 MMS	7" PIN MARKING GAGE
M	07920		12/14/11	TKC 4040 MMS	8 5/8" COUPLING
M	07922		12/14/11	TKC 4040 MMS	8 5/8" PIN
M	07923		12/14/11	TKC 4040 MMS	8 5/8" CENTER SEAL RING

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
A	07924		12/14/11	TKC 4040 MMS	8 5/8" ACC BOX
P	07925		12/14/11	TKC 4040 MMS	8 5/8" ACC BLANKING DIMS
M	07926		12/14/11	TKC 4040 MMS	8 5/8" ACC CENTER SEAL RING
G	07927		12/14/11	TKC 4040 MMS	8 5/8" PIN SET. STD. - EDM FRAME STYLE
G	07928		12/14/11	TKC 4040 MMS	8 5/8" COUPLING SET. STD. - EDM FRAME STYLE
G	07929		12/14/11	TKC 4040 MMS	8 5/8" COUPLING MARKING GAGE
G	07930		12/14/11	TKC 4040 MMS	8 5/8" PIN MARKING GAGE
P	07155		02/22/08	TKC 4040 MMS	PIN COATING SPECIFICATION
G	05465	C	01/29/10	TKC 4040 RTC	2 3/8" - 4 1/2" COUPLING SETTING STANDARD (ROUND)
M	05303	D	01/20/10	TKC 4040 RTC	2 3/8" - 4 1/2" COUPLING
A	07419	B	01/03/11	TKC 4040 RTC	2 3/8" - 4 1/2" ACCESSORY BOX
A	07550		09/10/10	TKC 4040 RTC	2 3/8" - 4 1/2" INTERNAL TOOL GUIDE
A	07466	A	04/27/10	TKC 4040 RTC	4 1/2" IF x 4 1/2" 11.60# TKC 4040 RTC SLIP JOINT SAVER SUB, UPPER
A	07467	A	04/27/10	TKC 4040 RTC	4 1/2" IF x 4 1/2" 11.60# TKC 4040 RTC SLIP JOINT SAVER SUB, LOWER
A	07468	A	04/27/10	TKC 4040 RTC	4 1/2" IF BOX x 4 1/2" 11.60# TKC 4040 RTC SLIP JOINT SAVER SUB, PIN
M	07410	A	01/20/10	TKC 4040 RTC	5" COUPLING
A	07776		06/14/11	TKC 4040 RTC	5" 18# & ABOVE INTERNAL TOOL GUIDE
M	07329	B	11/14/14	TKC 4040 RTC	5 1/2" COUPLING
A	07462	A	12/28/10	TKC 4040 RTC	5 1/2" 17# AND ABOVE INTERNAL TOOL GUIDE
M	07831		08/17/11	TKC 4040 RTC	5 1/2" 20# TKC 4040 BOX x 4 1/2" 13.50# API BUTTSS PIN
M	07652		01/28/11	TKC 4040 RTC	6 5/8" COUPLING
M	07402	A	01/20/10	TKC 4040 RTC	7" COUPLING
M	07612		01/05/11	TKC 4040 RTC	9 5/8" COUPLING
A	07600		12/29/10	TKC 4040 RTC	PIN MAKE-UP STENCIL
M	07210	A	06/17/08	TKC 4040 TLP	2 7/8" COUPLING
M	07294	C	08/14/14	TKC 4040 TPL	2 3/8" - 4 1/2" COUPLING (THERMAL PLASTIC LINING)
G	05644	A	01/05/11	TKC 4040, 4040HO-I, 4040RTC, & C4040	9 5/8" COUPLING SETTING STANDARD - EDM FRAME STYLE
A	05643	B	01/05/11	TKC 4040, 4040HO-I, 4040RTC, & C4040	9 5/8" ACCESSORY BOX
P	03588	G	08/30/10	TKC 4040, 4040P, C4040	2 3/8" - 4 1/2" ACC BLANK DIMS
G	04246	B	05/03/07	TKC 4040, 4040P, C4040	2 3/8" - 4 1/2" NUE COUPLING SETTING STANDARD
M	05376	H	12/03/14	TKC 4040, 4040P, C4040, 4040RTC, 4040HO, 4040HO-I	2 3/8" - 4 1/2" PIN
A	06448	A	03/08/11	TKC 4040, 4040P, C4040, 4040RTC, 4040HO, 4040HO-I	4 1/2" 12.60# PRESSURE TEST CAP
M	05907	C	12/28/10	TKC 4040, 4040P, C4040, 4040RTC, 4040HO, 4040 HO-I	5" PIN
M	05274	F	11/09/11	TKC 4040, 4040P, C4040, 4040RTC, 4040HO, 4040HO-I	5 1/2" PIN
I	07526		08/09/10	TKC 4040, 4040P, C4040, 4040RTC, 4040HO, 4040HO-I	5 1/2" Pin gage setting dimensions for MRP Gage
M	07441		03/22/10	TKC 4040, 4040P, C4040, 4040RTC, 4040HO, 4040HO-I	6 5/8" PIN
M	05635	D	12/28/10	TKC 4040, 4040P, C4040, 4040RTC, 4040HO, 4040HO-I	7" PIN
G	05639	B	12/20/11	TKC 4040, 4040P, C4040, 4040RTC, 4040HO, 4040HO-I	7" PIN SETTING STANDARD - EDM FRAME STYLE
M	05641	A	01/05/11	TKC 4040, 4040P, C4040, 4040RTC, 4040HO, 4040HO-I	9 5/8" PIN

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
G	05379	B	01/29/10	TKC 4040, 4040P, C4040, 4040RTC, 4040HO, 4040HO-I, 4040MMS	2 3/8" - 4 1/2" PIN SETTING STANDARD (ROUND)
G	05277	A	01/29/10	TKC 4040, 4040P, C4040, 4040RTC, 4040HO, 4040HO-I, 4040MMS	5 1/2" Pin Set. Std. - EDM Frame Style
G	05610	A	01/29/10	TKC 4040, 4040P, C4040, 4040RTC, 4040HO, 4040HO-I, 4040MMS	5" PIN SETTING STANDARD (ROUND)
G	05909	A	01/29/10	TKC 4040, 4040P, C4040, 4040RTC, 4040HO, 4040HO-I, 4040MMS	5" PIN SETTING STANDARD EDM FRAME STYLE
G	07444		03/22/10	TKC 4040, 4040P, C4040, 4040RTC, 4040HO, 4040HO-I, 4040MMS	6 5/8" PIN SETTING STANDARD EDM FRAME STYLE
G	05645	A	01/05/11	TKC 4040, 4040P, C4040, 4040RTC, 4040HO, 4040HO-I, 4040MMS	9 5/8" PIN SETTING STANDARD - EDM FRAME STYLE
A	03590	H	12/28/10	TKC 4040P	2 3/8" - 4 1/2" NUE 4040 TKC PLUS ACCESSORY BOX (DEUCE)
M	03589	I	12/28/10	TKC 4040P	2 3/8" - 4 1/2" NUE 4040 TKC PLUS COUPLING (DEUCE)
M	03786		4/19/96	TKC 4040P	4" 11.60# NUE 4040 TKC PLUS SPECIAL EXXON BEVEL (DEUCE)
P	06601	A	11/09/11	TKC 4040P	5 1/2" ACCESSORY BLANKING DIMENSIONS
A	03564	C	02/08/12	TKC BTC	4 1/2" - 20" ACCESSORY BOX
P	03565	B	02/08/12	TKC BTC	4 1/2" - 20" BOX ACCESSORY BLANKING DIMENSIONS
M	03560	C	02/08/12	TKC BTC	4 1/2" - 20" COUPLING
M	03562	A	08/31/10	TKC BTC	4 1/2" - 20" NOSE SEAL
P	03566	A	05/12/04	TKC BTC	4 1/2" - 20" PIN ACCESSORY BLANKING DIMENSIONS
G	04154	A	02/16/01	TKC BTC	4 1/2" - 20" COUPLING P.D. SETTING STANDARD
M	03563		9/18/95	TKC BTC	4 1/2" - 20" END SEAL
M	03561	E	05/12/04	TKC BTC	4 1/2" - 20" PIN END FINISH
G	04153		2/13/97	TKC BTC	4 1/2" - 20" PIN SETTING STANDARD
G	05701		02/12/01	TKC BTC	7" ALL WEIGHTS COUPLING SET STD - EDM FRAME STYLE
G	05703		02/12/01	TKC BTC	9 5/8" ALL WEIGHTS COUPLING SET STD - EDM FRAME STYLE
M	04244	E	12/28/10	TKC C4040	2 3/8" - 4 1/2" COUPLING
M	04245	D	08/30/10	TKC C4040	2 3/8" - 4 1/2" STEEL CENTER RING
M	04929	A	03/06/01	TKC C4040	3 1/2" 9.2# DROP-IN STEEL CENTER RING FOR FREEPORT
M	04930	A	03/06/01	TKC C4040	3 1/2" 9.3# TEFLON RING FOR FREEPORT SULFUR
M	04928	B	12/28/10	TKC C4040	3 1/2" 9.3# W/ EXTERNAL SEAL FOR FREEPORT SULFUR
M	05273	A	06/11/03	TKC C4040	5 1/2" Coupling
M	05275	A	11/09/11	TKC C4040	5 1/2" Steel center ring
M	05906	A	06/11/03	TKC C4040	5" COUPLING
M	05905		02/06/02	TKC C4040	5" STEEL CENTER RING
M	05634	A	06/11/03	TKC C4040	7" COUPLING
M	05637		12/19/00	TKC C4040	7" DROP IN STEEL CENTER RING
M	05640	A	06/11/03	TKC C4040	9 5/8" COUPLING
M	05642		12/19/00	TKC C4040	9 5/8" DROP IN STEEL CENTER RING
A	03642	B	02/08/12	TKC CBTC	4 1/2" - 20" ACCESSORY BOX
P	03643	A	05/17/04	TKC CBTC	4 1/2" - 20" ACCESSORY BOX BLANKING DIMENSIONS
P	03644	A	05/17/04	TKC CBTC	4 1/2" - 20" PIN ACCESSORY BLANKING DIMENSIONS
M	03640	C	05/17/04	TKC CBTC	4 1/2" - 20" RECOMMENDED PIN END FINISH
M	03641	E	05/17/04	TKC CBTC	4 1/2" - 20" RING

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	03639	A	9/9/96	TKC CBTC	4 1/2" - 20" COUPLING
M	06344	A	06/30/04	TKC CBTC	9 5/8" 40# & 47# API BUTTRESS TKC CONVERTIBLE RING, NEXEN ONLY
A	08968		07/08/14	TKC CBTC	20" 133# SAVER PLUG
I	07474		05/28/10	TKC CBTC	20" BOX GAGE SET. DIMS. FOR ROD STYLE STDS.
M	04658		2/27/98	TKC CBTC	SPECIAL O.D. FOR 7"
P	03623		9/7/95	TKC CEUE	2 3/8" - 4 1/2" ACCESSORY BLANKING DIMENSIONS
A	03622	A	09/09/96	TKC CEUE	2 3/8" - 4 1/2" ACCESSORY BOX
M	03621	D	01/24/01	TKC CEUE	2 3/8" - 4 1/2" RING
M	03619	A	04/17/01	TKC CEUE	2 3/8" - 4 1/2" COUPLING
M	03620	C	04/18/01	TKC CEUE	2 3/8" - 4 1/2" RECOMMENDED PIN END FINISH
T	06653		04/05/91	TKC CLTC	4 1/2" HYDRAULIC RING INSERTION TOOL END PLATE
T	06652		02/22/91	TKC CLTC	4 1/2" HYDRAULIC RING INSERTION TOOL ASSEMBLY DRAWING
T	06656		04/05/91	TKC CLTC	4 1/2" HYDRAULIC RING INSERTION TOOL CYLINDER MOUNT
T	06654		04/05/91	TKC CLTC	4 1/2" HYDRAULIC RING INSERTION TOOL LARGE END PLATE
T	06655		04/05/91	TKC CLTC	4 1/2" HYDRAULIC RING INSERTION TOOL RING HOLDER
T	06657		04/06/91	TKC CLTC	4 1/2" HYDRAULIC RING INSERTION TOOL TIE ROD FOR
T	06658		04/06/91	TKC CLTC	4 1/2" HYDRAULIC RING INSERTION TOOL TIE ROD SPACER FOR
A	03637	B	05/17/04	TKC CLTC	4 1/2" - 20" ACCESSORY BOX
M	03636	E	05/17/04	TKC CLTC	4 1/2" - 20" RING
P	03638	A	05/17/04	TKC CLTC	4 1/2" - 20" ACCESSORY BLANKING DIMENSIONS
M	03634	A	08/10/00	TKC CLTC	4 1/2" - 20" COUPLING
M	03635	E	05/17/04	TKC CLTC	4 1/2" - 20" PIN END FINISH
M	06267		11/30/93	TKC CLTC	7 5/8" 26.40# CEMENT LINED RING (CONV. PER STAUDT)
M	06269		01/26/94	TKC CLTC	7 5/8" 26.40# CEMENT LINED RING, 1" WIDE (CONV. PER STAUDT)
M	06270		01/26/94	TKC CLTC	7 5/8" 26.40# CEMENT LINED TEFLON RING (1" RING) (CONV. PER STAUDT)
M	06268		11/30/93	TKC CLTC	7 5/8" 26.40# CEMENT LINED TEFLON RING (CONV. PER STAUDT)
M	03624		9/5/95	TKC CNUE	2 3/8" - 4 1/2" 8/10 RND COUPLING
M	03625	C	04/18/01	TKC CNUE	2 3/8" - 4 1/2" 8/10 RND RECOMMENDED PIN END FINISH
P	03628		9/19/95	TKC CNUE	2 3/8" - 4 1/2" 8/10 RND ACCESSORY BLANKING DIMENSIONS
A	03627		9/19/95	TKC CNUE	2 3/8" - 4 1/2" 8/10 RND ACCESSORY BOX
M	03626	C	01/24/01	TKC CNUE	2 3/8" - 4 1/2" 8/10 RND RING
M	03630	C	04/18/01	TKC CSTC	4 1/2" - 20" RECOMMENDED FOR PIN END FINISH
P	03633		9/19/95	TKC CSTC	4 1/2" - 20" ACCESSORY BLANKING DIMENSIONS
A	03632	A	08/10/00	TKC CSTC	4 1/2" - 20" ACCESSORY BOX
M	03629	A	08/10/00	TKC CSTC	4 1/2" - 20" COUPLING
M	03631	C	01/24/01	TKC CSTC	4 1/2" - 20" RING
M	05087		5/17/99	TKC CSTC	5 1/2" 15.5# FREEPORT RING
M	05088		5/17/99	TKC CSTC	5 1/2" 15.5# FREEPORT TEFLON RING
P	03541	A	02/17/11	TKC EUE	2 3/8" - 4 1/2" EUE 8RD ACCESSORY BLANKING DIMS

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
G	04116		1/22/97	TKC EUE	2 3/8" - 4 1/2" EUE 8RD SPECIAL CLEARANCE SPACER
A	03540	B	02/17/11	TKC EUE	2 3/8" - 4 1/2" EUE 8RD ACCESSORY BOX
M	03536	B	02/17/11	TKC EUE	2 3/8" - 4 1/2" EUE 8RD COUPLING
G	04115	A	2/4/97	TKC EUE	2 3/8" - 4 1/2" EUE 8RD COUPLING P.D. SETTING STANDARD
M	03539	A	7/3/96	TKC EUE	2 3/8" - 4 1/2" EUE 8RD END SEAL
M	03538	A	7/3/96	TKC EUE	2 3/8" - 4 1/2" EUE 8RD NOSE SEAL
M	03537	C	02/17/11	TKC EUE	2 3/8" - 4 1/2" EUE 8RD PIN
G	04114		1/22/97	TKC EUE	2 3/8" - 4 1/2" EUE 8RD PIN SETTING STANDARD
M	04345		8/11/97	TKC EUE	3 1/2" 9.30# EUE 8RD CONVERSION (FROM 3 1/2" 9.30# 2-STEP PIN CONN.)
M	04343		8/7/97	TKC EUE	3 1/2" 9.30# EUE 8RD CONVERSION (FROM 3 1/2" 9.30# 2-STEP PIN CONN.)
G	04252		5/21/97	TKC FJ150	1" (1.315) - 2 1/16 (2.063) BOX P.D. SETTING STANDARD
G	04253		5/21/97	TKC FJ150	1" (1.315) - 2 1/16 (2.063) PIN P.D. SETTING STANDARD
M	03829	B	10/27/05	TKC FJ150	1" (1.315) - 2 1/16" (2.063) BOX CONNECTOR
M	03828		5/14/96	TKC FJ150	1" (1.315) - 2 1/16" (2.063) PIN CONNECTOR
M	05563		09/22/00	TKC FJ150	1.56 - 2.41 SCHLUMBERGER PUSH PIPE BOX CONNECTOR
G	05565		09/22/00	TKC FJ150	1.56 - 2.41 SCHLUMBERGER PUSH PIPE BOX P.D. SETTING STANDARD
M	05562		09/22/00	TKC FJ150	1.56 - 2.41 SCHLUMBERGER PUSH PIPE PIN CONNECTOR
G	05564		09/22/00	TKC FJ150	1.56 - 2.41 SCHLUMBERGER PUSH PIPE PIN P.D. SETTING STANDARD
I	07156		02/22/08	TKC FJ150	2.2" SCHLUMBERGER PIN X BOX GAGE SET. DIMS. FOR ROD STYLE STDS.
M	05946	A	05/22/02	TKC FJ150	2.20" SCHLUMBERGER BOX
G	05948	A	05/22/02	TKC FJ150	2.20" SCHLUMBERGER BOX P.D. SETTING STANDARD
M	05945	B	05/22/02	TKC FJ150	2.20" SCHLUMBERGER PIN
G	05947	A	05/22/02	TKC FJ150	2.20" SCHLUMBERGER PIN P.D. SETTING STANDARD
A	06557		03/25/04	TKC FJ150	2 3/8" LIFT PLUG ALL WEIGHTS
I	07273		02/05/09	TKC FJ150	2 3/8" 4.60# PIN & BOX GAGE SETTING DIMS. FOR ROD STYLE STDS.
I	07117		12/26/07	TKC FJ150	2 3/8" 5.80# FJ-150 PIN & BOX GAGE SET. DIMS. FOR ROD STYLE STDS.
P	04573	C	01/04/12	TKC FJ150	2 3/8" - 4 1/2" ACCESSORY BLANKING DIMENSIONS
M	03920	C	11/16/05	TKC FJ150	2 3/8" - 4 1/2" BOX CONNECTOR
G	04024	B	07/14/05	TKC FJ150	2 3/8" - 4 1/2" BOX P.D. SETTING STANDARD
M	03921	D	07/14/05	TKC FJ150	2 3/8" - 4 1/2" PIN CONNECTOR
G	04025	B	07/14/05	TKC FJ150	2 3/8" - 4 1/2" PIN P.D. SETTING STANDARD
A	06558		03/25/04	TKC FJ150	2 7/8" LIFT PLUG ALL WEIGHTS
A	05409	A	03/19/04	TKC FJ150	3 1/2" LIFT PLUG (ALL WEIGHTS)
A	07618		01/17/11	TKC FJ150	3 1/2" 12.70# LOW TORQUE PRESSURE TEST CAP
A	07619		01/17/11	TKC FJ150	3 1/2" 12.70# LOW TORQUE PRESSURE TEST PLUG
A	06559		03/25/04	TKC FJ150	4" LIFT PLUG ALL WEIGHTS
I	07511		07/30/10	TKC FJ150	4" 9.50# PIN & BOX GAGE SETTING DIMENSIONS FOR MRP GAGE SETUP
M	05061		4/20/99	TKC FJ150	4" 11# CONCENTRIC COUPLING BLANK
A	06560		03/25/04	TKC FJ150	4 1/2" LIFT PLUG ALL WEIGHTS

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
I	07106		11/30/07	TKC FJ150	4 1/2" 11.60# GAGE SET. DIMS. FOR MRP GAGE SETUP PIN & BOX
I	07306		03/31/09	TKC FJ150	4 1/2" 15.10# GAGE SET. DIMS. FOR MRP GAGE SETUP PIN & BOX
P	04917		10/27/98	TKC FJ150	5" ACCESSORY BLANKING DIMENSIONS
M	04214	B	10/27/05	TKC FJ150	5" ALL WEIGHTS BOX CONNECTORS
M	04215	A	5/11/98	TKC FJ150	5" ALL WEIGHTS PIN CONNECTORS
I	04776		6/26/98	TKC FJ150	5" BOX SETTING STANDARD - EDM FRAME STLYE
I	04775		6/26/98	TKC FJ150	5" PIN SETTING STANDARD - EDM FRAME STYLE
A	05853	A	03/19/01	TKC FJ150	5", ALL WEIGHTS, LIFT PLUG
I	04541	A	05/28/09	TKC FJ150	5 1/2" 14 - 23# PIN & BOX GAGE SET. DIM. FOR ROD STYLE STDS
A	07616	A	01/18/11	TKC FJ150	5 1/2" 20# LOW TORQUE PRESSURE TEST PLUG
A	07615	A	01/18/11	TKC FJ150	5 1/2" 20# LOW TORQUE PRESSURE TEST CAP
P	04918		10/27/98	TKC FJ150	5 1/2" ACCESSORY BLANKING DIMENSIONS
M	04209	B	10/27/05	TKC FJ150	5 1/2" ALL WEIGHTS BOX CONNECTOR
M	04210	A	5/11/98	TKC FJ150	5 1/2" ALL WEIGHTS PIN CONNECTOR
I	04778		6/26/98	TKC FJ150	5 1/2" BOX SETTING STANDARD - EDM FRAME STYLE
A	05281	A	03/19/04	TKC FJ150	5 1/2" LIFT PLUG, ALL WEIGHTS
I	04777		6/26/98	TKC FJ150	5 1/2" PIN SETTING STANDARD - EDM FRAME STYLE
P	04919		10/27/98	TKC FJ150	6 5/8" ACCESSORY BLANKING DIMENSIONS
M	04861	A	10/27/05	TKC FJ150	6 5/8" ALL WEIGHTS BOX CONNECTORS
M	04862		9/3/98	TKC FJ150	6 5/8" ALL WEIGHTS PIN CONNECTORS
G	04864		9/3/98	TKC FJ150	6 5/8" BOX SETTING STANDARD - EDM FRAME STYLE
A	05911	A	02/06/02	TKC FJ150	6 5/8" LIFT PLUG ALL WEIGHTS
G	04863		9/3/98	TKC FJ150	6 5/8" PIN SETTING STANDARD - EDM FRAME STYLE
M	05913		02/05/02	TKC FJ150	6 5/8" 24# X 3 1/2" SLIP CONNECTOR, SPECIAL END FINISH, USF/JOHNSON SCREEN
A	05912	A	10/27/05	TKC FJ150	6 5/8" 24# BOX CONNECTOR, USF/JOHNSON SCREEN
G	05952		03/21/02	TKC FJ150	6 5/8" 24# PIN GAGE SETTING STANDARD SPACER
P	04920		10/27/98	TKC FJ150	7" ACCESSORY BLANKING DIMENSIONS
M	04767	B	10/27/05	TKC FJ150	7" ALL WEIGHTS BOX CONNECTORS
A	05522	A	03/19/04	TKC FJ150	7" ALL WEIGHTS LIFT PLUG
M	04766	A	11/9/00	TKC FJ150	7" ALL WEIGHTS PIN CONNECTORS
I	04773		6/25/98	TKC FJ150	7" BOX SETTING STANDARD - EDM FRAME STLYE
I	04772		6/25/98	TKC FJ150	7" PIN SETTING STANDARD - EDM FRAME STYLE
M	06130	C	10/07/05	TKC FJ150	7" 20# BOX (HALLIBURTON)
M	06131	A	10/25/02	TKC FJ150	7" 20# PIN (HALLIBURTON)
M	05226	A	11/01/05	TKC FJ150	7" 23# BOX CONNECTOR, USF/JOHNSON SCREEN
M	05060		4/20/99	TKC FJ150	7" 23# CONCENTRIC COUPLING BLANK
G	05116		6/30/99	TKC FJ150	7" 23# PIN GAGE SETTING STANDARD SPACER
M	05227		09/16/99	TKC FJ150	7" 23# X 4" SLIP CONNECTOR, SPECIAL END FINISH, USF/JOHNSON SCREEN
A	04945		12/1/98	TKC FJ150	7" 23.00 LB/FT LIFT SUB FOR (JOHNSON SCREEN)

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
I	07340		05/27/09	TKC FJ150	7" 26# PIN & BOX GAGE SETTING DIMS. FOR MRP GAGE SETUP
I	07195		05/29/08	TKC FJ150+E3367	7" 23# PIN & BOX GAGE SETTING DIMS. FOR MRP GAGE SETUP
M	05058		4/16/99	TKC FJ150	7" 23# - 4" 11# CONCENTRIC COUPLING SPACER,
M	05062		4/20/99	TKC FJ150	7" 23# - 4" 11# CONCENTRIC COUPLING WELD ASSEMBLY,
M	05057		4/16/99	TKC FJ150	7" 23# - 4" 11# CONCENTRIC COUPLING
M	05059		4/16/99	TKC FJ150	7" 23# - 4" 11# CONCENTRIC PIN
P	04921		10/27/98	TKC FJ150	7 5/8" ACCESSORY BLANKING DIMENSIONS
M	04769	B	10/27/05	TKC FJ150	7 5/8" ALL WEIGHTS BOX CONNECTORS
M	04768		6/25/98	TKC FJ150	7 5/8" ALL WEIGHTS PIN CONNECTORS
I	04780		6/26/98	TKC FJ150	7 5/8" BOX SETTING STANDARD - EDM FRAME STYLE
A	06561		03/25/04	TKC FJ150	7 5/8" LIFT PLUG ALL WEIGHTS
I	04779		6/26/98	TKC FJ150	7 5/8" PIN SETTING STANDARD - EDM FRAME STYLE
M	04934		11/20/98	TKC FJ150	7 5/8" 24# SPECIAL PIN END BORE DETAIL
M	06171	A	10/27/05	TKC FJ150	7 5/8" 26.40# FJ-150 BOX CONNECTOR, USF/JOHNSON SCREEN
M	06170	A	06/02/03	TKC FJ150	7 5/8" 26.40# FJ-150 X 4" SLIP CONNECTOR, SPECIAL END FINISH USF/JOHNSON SCREEN
P	04984		1/19/99	TKC FJ150	8 5/8" ACCESSORY BLANKING DIMENSIONS
M	04981	A	10/27/05	TKC FJ150	8 5/8" ALL WEIGHTS BOX CONNECTOR
M	04980	A	03/30/04	TKC FJ150	8 5/8" ALL WEIGHTS PIN CONNECTOR
G	04983		1/19/99	TKC FJ150	8 5/8" BOX SETTING STANDARD - EDM FRAME STLYE
A	06562		03/25/04	TKC FJ150	8 5/8" LIFT PLUG ALL WEIGHTS
G	04982		1/19/99	TKC FJ150	8 5/8" PIN SETTING STANDARD - EDM FRAME STYLE
P	05393		03/15/00	TKC FJ150	9 5/8" ACCESSORY BLANKING DIMENSIONS
G	05392		03/15/00	TKC FJ150	9 5/8" BOX SETTING STANDARD - EDM FRAME STYLE
M	05390	A	10/27/05	TKC FJ150	9 5/8" BOX, ALL WEIGHTS
A	06563		03/25/04	TKC FJ150	9 5/8" LIFT PLUG ALL WEIGHTS
M	05389		03/15/00	TKC FJ150	9 5/8" PIN
G	05391		03/15/00	TKC FJ150	9 5/8" PIN SETTING STANDARD - EDM FRAME STYLE
A	07255		11/17/08	TKC FJ150	9 5/8" 36# FJ-150 PIN x NC-50 (4 1/2" IF) BOX, SAVER SUB
A	07180	A	04/22/08	TKC FJ150	9 5/8" 40# LIFT PLUG, X-LONG
A	07184		04/16/08	TKC FJ150	9 5/8" 40# FJ-150 PIN x NC-50 (4 1/2" IF) BOX SAVER SUB
M	07439		03/17/10	TKC FJ4040	2 3/8" - 5 1/2" PIN
M	07440		03/17/10	TKC FJ4040	2 3/8" - 5 1/2" BOX
A	07458		03/25/10	TKC FJ4040	2 3/8" - 5 1/2" LIFT PLUG
P	07459		03/25/10	TKC FJ4040	2 3/8" - 5 1/2" ACCESSORY BLANKING DIMS.
G	07456		03/25/10	TKC FJ4040	2 3/8" - 5 1/2" PIN SET. STD. - EDM FRAME STYLE
G	07457		03/25/10	TKC FJ4040	2 3/8" - 5 1/2" BOX SET. STD. - EDM FRAME STYLE
M	06933		11/09/06	TKC FJ4040	4 3/4" X .500" WALL BOX
G	06935		11/09/06	TKC FJ4040	4 3/4" X .500" WALL BOX SETTING STANDARD - EDM FRAME STYLE
M	06932		11/09/06	TKC FJ4040	4 3/4" X .500" WALL PIN

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
G	06934		11/09/06	TKC FJ4040	4 3/4" X .500" WALL PIN SETTING STANDARD - EDM FRAME STYLE
P	06940		11/09/06	TKC FJ4040	4 3/4" - 6 3/4" BLANKING DIMENSIONS
M	06937		11/09/06	TKC FJ4040	6 3/4" X .688" BOX
M	06936		11/09/06	TKC FJ4040	6 3/4" X .688" PIN
G	06939		11/09/06	TKC FJ4040	6 3/4" X .688" WALL BOX SETTING STANDARD - EDM FRAME STYLE
G	06938		11/09/06	TKC FJ4040	6 3/4" X .688" WALL PIN SETTING STANDARD - EDM FRAME STYLE
P	05420		04/20/00	TKC FJ4040MMS	2 3/8" - 4 1/2" ACCESSORY BLANKING DIMENSIONS
M	04049	G	09/14/15	TKC FJ4040MMS	2 3/8" - 4 1/2" BOX
G	05418		04/20/00	TKC FJ4040MMS	2 3/8" - 4 1/2" BOX P.D. SETTING STANDARD
A	06544	A	02/23/04	TKC FJ4040MMS	2 3/8" - 4 1/2" LIFT PLUG
M	04050	E	09/11/15	TKC FJ4040MMS	2 3/8" - 4 1/2" PIN END
G	05419		04/20/00	TKC FJ4040MMS	2 3/8" - 4 1/2" PIN P.D. SETTING STANDARD
M	04051	B	04/20/00	TKC FJ4040MMS	2 3/8" - 4/12" TEFLON SEAL RING
I	07237		09/18/08	TKC FJ4040MMS	4 1/2" 11.60# PIN & BOX GAGE SETTING DIMENSIONS FOR MRP GAGE SETUP
M	07109		12/18/07	TKC FJ4040MMS	5" 15# BOX
M	07110		12/18/07	TKC FJ4040MMS	5" 15# PIN
M	07111		12/18/07	TKC FJ4040MMS	5" 15# SEAL RING, TEFLON
G	07112		12/18/07	TKC FJ4040MMS	5" 15# BOX SET. STD. - EDM FRAME STYLE
G	07113		12/18/07	TKC FJ4040MMS	5" 15# PIN SET. STD. - EDM FRAME STYLE
P	07114		12/18/07	TKC FJ4040MMS	5" 15# ACC. BLANK. DIMS.
I	07115		12/18/07	TKC FJ4040MMS	5" 15# PIN & BOX GAGE SETTING DIMENSIONS FOR MRP GAGES
A	06611	B	12/18/07	TKC FJ4040MMS	5" - 7" LIFT PLUG
P	06423		11/03/03	TKC FJ4040MMS	5 1/2" 15.50# ACCESSORY BLANKING DIMENSIONS
M	06418	D	09/14/15	TKC FJ4040MMS	5 1/2" 15.50# BOX
G	06421		11/03/03	TKC FJ4040MMS	5 1/2" 15.50# BOX SETTING STANDARD - EDM FRAME STYLE
I	06424		11/03/03	TKC FJ4040MMS	5 1/2" 15.50# PIN & BOX GAGE SET. DIM. FOR ROD STYLE STDS
M	06419	B	09/14/15	TKC FJ4040MMS	5 1/2" 15.50# PIN END
G	06422		11/03/03	TKC FJ4040MMS	5 1/2" 15.50# PIN SETTING STANDARD - EDM FRAME STYLE
M	06420		11/03/03	TKC FJ4040MMS	5 1/2" 15.50# SEAL RING, TEFLON
G	07126		01/23/08	TKC FJ4040MMS	5 1/2" 15.50# SOFT BOX THREAD SET. STD. - ROUND STYLE
G	07129		01/25/08	TKC FJ4040MMS	5 1/2" 15.50# SOFT PIN THREAD SET. STD. - ROUND STYLE
M	07787		06/17/11	TKC FJ4040MMS	5 1/2" 17# BOX
M	07788		06/17/11	TKC FJ4040MMS	5 1/2" 17# PIN
M	07789		06/17/11	TKC FJ4040MMS	5 1/2" 17# SEAL RING, TEFLON
G	07790		06/17/11	TKC FJ4040MMS	5 1/2" 17# BOX SETTING STANDARD - EDM FRAME STYLE
G	07791		06/17/11	TKC FJ4040MMS	5 1/2" 17# PIN SETTING STANDARD - EDM FRAME STYLE
P	07792		06/17/11	TKC FJ4040MMS	5 1/2" 17# ACCESSORY BLANK. DIMS
P	05430		04/25/00	TKC FJ4040MMS	7" 23# ACCESSORY BLANKING DIMENSIONS
M	05425	B	10/07/05	TKC FJ4040MMS	7" 23# BOX

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
G	05428		04/25/00	TKC FJ4040MMS	7" 23# BOX SETTING STANDARD - EDM FRAME STYLE
I	05439		05/02/00	TKC FJ4040MMS	7" 23# GAGE SETTING DIMENSIONS FOR ROD STYLE STANDARDS (PIN & BOX)
M	05426	A	01/08/04	TKC FJ4040MMS	7" 23# PIN END
G	05429		04/25/00	TKC FJ4040MMS	7" 23# PIN SETTING STANDARD - EDM FRAME STYLE
M	05427		04/25/00	TKC FJ4040MMS	7" 23# TEFLON SEAL RING
M	03699		12/29/95	TKC FS150	1.135" - 2.063" NUE COUPLING CONNECTORS
G	04234		4/30/97	TKC FS150	1.315" - 2.063" COUPLING SETTING STANDARD
M	03700	A	3/10/98	TKC FS150	1.315" - 2.063" PIN
A	03702		12/29/95	TKC FS150	1.315" - 2.063" NUE ACCESSORY BOX
M	03701		12/29/95	TKC FS150	1.315" - 2.063" NUE CONVERTIBLE RING
M	04216	B	3/10/98	TKC FS150	1.315" - 2.063" NUE INTEGRAL COUPLING CONNECTOR
G	04235		4/30/97	TKC FS150	1.315" - 2.063" PIN SETTING STANDARD
P	03703		12/29/95	TKC FS150	1.315" - 2.063" NUE ACCESSORY BLANKING DIMENSIONS
G	03977		8/27/96	TKC FS150	2 3/8" - 4 1/2" COUPLING SETTING STANDARD
A	03657	A	3/10/98	TKC FS150	2 3/8" - 4 1/2" NUE ACCESSORY BOX
P	03658		12/27/95	TKC FS150	2 3/8" - 4 1/2" NUE BLANKING DIMENSIONS
M	03656	A	9/24/97	TKC FS150	2 3/8" - 4 1/2" NUE CONVERTIBLE RING
M	03655	A	3/10/98	TKC FS150	2 3/8" - 4 1/2" NUE COUPLING CONNECTOR
M	03535	A	3/10/98	TKC FS150	2 3/8" - 4 1/2" PIN
G	03978	A	11/16/05	TKC FS150	2 3/8" - 4 1/2" PIN SETTING STANDARD
M	05077	A	5/11/99	TKC FS150	4" NUE SPECIAL PITCH DIA. AND SHOULDER DEPTH
M	05075		4/30/99	TKC FS150	4" 11# COMCENTRIC COUPLING BLANK
P	05068		4/29/99	TKC FS150	7" ACCESSORY BLANKING DIMENSIONS
A	05066		4/29/99	TKC FS150	7" ACCESSORY BOX
M	05064		4/29/99	TKC FS150	7" COUPLING CONNECTOR
M	05065		4/29/99	TKC FS150	7" PIN
M	05067		4/29/99	TKC FS150	7" STEEL CENTER RING
M	05074		4/30/99	TKC FS150	7" 23# CONCENTRIC COUPLING BLANK
M	05071	A	5/11/99	TKC FS150	7" 23# - 4" 11# CONCENTRIC COUPLING
M	05072		4/29/99	TKC FS150	7" 23# - 4" 11# CONCENTRIC COUPLING SPACER
M	05076		4/30/99	TKC FS150	7" 23# - 4" 11# CONCENTRIC COUPLING WELD ASSEMBLY
M	05073		4/30/99	TKC FS150	7" 23# - 4" 11# CONCENTRIC PIN
M	05098		6/2/99	TKC FS150	7" 23# - 4" 11# CONCENTRIC PIN BLANKING
G	05079		5/3/99	TKC FS150	7" - 4" CONCENTRIC PIN EDM SETTING STANDARD
G	05078		5/3/99	TKC FS150	7" - 4" CONCENTRIC COUPLING EDM SETTING STANDARD
M	07758		05/13/11	TKC IJ-4040	4 1/2" COUPLING FOR THERMOPLASTIC LINER
G	07771		05/18/11	TKC IJ-4040	4 1/2" COUPLING SETTING STANDARD FOR THERMOPLASTIC LINER
M	07759		05/13/11	TKC IJ-4040	4 1/2" 12.75# PIN FOR THERMOPLASTIC LINER
A	06449		12/11/03	TKC LTC	4 1/2" PRESSURE TEST CAP

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
A	07118		01/03/08	TKC LTC	4 1/2" PRESSURE TEST CAP, HIGH PRESSURE
A	03558	A	05/17/04	TKC LTC	4 1/2" - 20" ACCESSORY BOX
M	03557		9/11/95	TKC LTC	4 1/2" - 20" END SEAL
M	03556	A	6/11/96	TKC LTC	4 1/2" - 20" NOSE SEAL
M	03555	D	05/17/04	TKC LTC	4 1/2" - 20" PIN END FINISH
P	03559	A	05/17/04	TKC LTC	4 1/2" - 20" ACCESSORY BLANKING DIMENSIONS
M	03554	B	05/17/04	TKC LTC	4 1/2" - 20" COUPLING
G	04137		2/3/97	TKC LTC	4 1/2" - 20" COUPLING P.D. SETTING STANDARD
G	04139		2/3/97	TKC LTC	4 1/2" - 20" MMS SPACER
G	04136		2/3/97	TKC LTC	4 1/2" - 20" PIN SETTING STANDARD
G	04138		2/3/97	TKC LTC	4 1/2" - 20" SPECIAL CLEARANCE SPACER
A	07119		01/03/08	TKC LTC	5" PRESSURE TEST CAP, HIGH PRESSURE
G	05481		06/19/00	TKC LTC	5 1/2" ALL WEIGHTS, PIN SETTING STANDARD - EDM STYLE
G	05480		05/19/00	TKC LTC	5 1/2" ALL WEIGHTS, STD. O.D. CPLG. BOX SETTING STANDARD - EDM STYLE
G	05483		06/19/00	TKC LTC	7" ALL WEIGHTS, PIN SETTING STANDARD - EDM STYLE
G	05482		05/19/00	TKC LTC	7" ALL WEIGHTS, STD. O.D. CPLG. BOX SETTING STANDARD - EDM STYLE
I	06760		06/22/05	TKC LTC	7 5/8" TKC LTC 8 ROUND COUPLING & PIN MIC TRAC SETTING DIMENSIONS
A	06002		05/30/02	TKC MMS	4 1/2" DRIFT (TOOLING)
A	05943		03/12/02	TKC MMS	5 1/2" DRIFT (TOOLING)
I	07222		09/03/8	TKC MMS	5 1/2" PIN & BOX GAGE SETTING DIMS. FOR MRP GAGE SETUP
I	07250		11/05/08	TKC MMS	6 5/8" PIN & BOX GAGE SETTING DIMS. FOR MRP GAGE SETUP
A	07509		07/29/10	TKC MMS	7" 23# DRIFT FOR TK-99
A	05942		03/12/02	TKC MMS	CASING FIELD DRIFT SINKER BAR (TOOLING)
G	06110		06/28/96	TKC MMS	MMS MARKING GAGE CALIBRATION
A	06873	A	12/13/07	TKC MMS	MMS PIN MARKING DRILL BIT HOLDER
A	04880		9/15/98	TKC MMS	TUBING AND CASING FIELD DRIFT SINKER BAR
A	07260	A	03/24/09	TKC MMS	NUE/EUE MMS TUBING DRIFT
G	05972		04/26/02	TKC MMS EUE	2 3/8" MMS EUE 8 RND COUPLING MARKING PLUG GAGE
G	05973		04/26/02	TKC MMS EUE	2 3/8" MMS EUE 8 RND MARKING RING GAGE
M	04949		12/3/98	TKC MMS EUE	2 3/8" - 3 1/2" MMS EUE 8 RND CENTER SEAL RING, TUBOSCOPE FGL
M	04948	A	01/07/02	TKC MMS EUE	2 3/8" - 3 1/2" MMS EUE 8 RND COUPLING, TUBOSCOPE FGL
G	04278	A	6/27/97	TKC MMS EUE	2 3/8" - 4 1/2" MMS EUE 8 RND (MO3591X) GROOVE WIDTH DO/NO GAUGE
P	03596		10/4/95	TKC MMS EUE	2 3/8" - 4 1/2" MMS EUE 8 RND ACCESSORY BLANKING DIMENSIONS
A	03594	C	01/07/02	TKC MMS EUE	2 3/8" - 4 1/2" MMS EUE 8 RND ACCESSORY BOX
A	03595	A	8/13/97	TKC MMS EUE	2 3/8" - 4 1/2" MMS EUE 8 RND ACCESSORY SEAL RING
M	03593	C	8/13/97	TKC MMS EUE	2 3/8" - 4 1/2" MMS EUE 8 RND CENTER SEAL RING
M	03591	E	01/07/02	TKC MMS EUE	2 3/8" - 4 1/2" MMS EUE 8 RND COUPLING
M	03592	A	9/6/96	TKC MMS EUE	2 3/8" - 4 1/2" MMS EUE 8 RND PIN
G	04117		1/22/97	TKC MMS EUE	2 3/8" - 4 1/2" MMS EUE 8 RND SPACER

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
G	05970		04/26/02	TKC MMS EUE	2 7/8" MMS EUE 8 RND COUPLING MARKING PLUG GAGE
G	05971		04/26/02	TKC MMS EUE	2 7/8" MMS EUE 8 RND MARKING RING GAGE
G	05968		04/26/02	TKC MMS EUE	3 1/2" MMS EUE 8 RND COUPLING MARKING PLUG GAGE
G	05969		04/26/02	TKC MMS EUE	3 1/2" MMS EUE 8 RND MARKING RING GAGE
M	05903	A	02/08/02	TKC MMS EUE	3 1/2" 4.300" MMS EUE 8 RND SPECIAL CLEARANCE O.D.
D	45106		3/18/93	TKC MMS EUE	4 1/2" MMS EUE 8 RND PIN MARKING GAUGE
M	05787		07/02/01	TKC MMS FGL	4" 15.50# LTC SPECIAL MMS RING FOR USE WITH TUBOSCOPE FGL PIPE
M	04473	A	01/07/02	TKC MMS FGL	4 1/2" - 9 5/8" LTC 8 RND COUPLING
M	05789		07/02/01	TKC MMS FGL	4 1/2" 12.60# LTC SPECIAL MMS RING FOR USE WITH TUBOSCOPE FGL PIPE
M	04474		10/16/97	TKC MMS FGL	5 1/2" 15.5# LTC SPECIAL MMS RING FOR USE WITH TUBOSCOPE FGL PIPE
M	05788		07/02/01	TKC MMS FGL	7" 29# LTC SPECIAL MMS RING FOR USE WITH TUBOSCOPE FGL PIPE
M	05794		07/17/01	TKC MMS FGL	SPACER PAD FOR EDM STYLE BOX SETTING STANDARD (TUBOSCOPE FGL)
A	03606	D	01/07/02	TKC MMS LTC	4 1/2" - 9 5/8" ACCESSORY BOX
M	03603	D	01/07/02	TKC MMS LTC	4 1/2" - 9 5/8" COUPLING
M	03604	A	9/6/96	TKC MMS LTC	4 1/2" - 9 5/8" PIN
P	03608	A	7/3/96	TKC MMS LTC	4 1/2" - 9 5/8" ACCESSORY BLANKING DIMENSIONS
A	03607		11/14/95	TKC MMS LTC	4 1/2" - 9 5/8" ACCESSORY SEAL RING
G	03907		6/27/96	TKC MMS LTC	4 1/2" - 9 5/8" MRP GAGE SET BAR STANDARD
M	03605	B	8/13/96	TKC MMS LTC	4 1/2" - 9 5/8" CENTER SEAL RING
G	05784		06/19/01	TKC MMS LTC	4 1/2" BOX MARKING GAUGE
G	05783		06/19/01	TKC MMS LTC	4 1/2" PIN MARKING GAUGE
M	06001		05/29/02	TKC MMS LTC	4 1/2" PIN MARKING GAUGE THICK FILM SHIM
M	04962	A	01/07/02	TKC MMS LTC	5" 18# T-95 S.C. COUPLING FOR SEVON OIL
G	04971		1/7/99	TKC MMS LTC	5" PIN MARKING GAUGE
M	05397		03/22/00	TKC MMS LTC	5" SPECIAL CLEARANCE O.D.
G	04611		1/21/98	TKC MMS LTC	5 1/2" PIN MARKING GAUGE
G	04643		2/25/98	TKC MMS LTC	5 1/2" COUPLING MARKING GAUGE
M	05915		02/15/02	TKC MMS LTC	5 1/2" PIN MARKING GAGE THICK FILM SHIM
G	07232		09/08/08	TKC MMS LTC	6 5/8" COUPLING MARKING GAGE
G	07231		09/08/08	TKC MMS LTC	6 5/8" PIN MARKING GAGE
G	04610	A	1/28/98	TKC MMS LTC	7" PIN MARKING GAUGE
G	04657		2/25/98	TKC MMS LTC	7" COUPLING MARKING GAUGE
M	05305		01/12/00	TKC MMS LTC	7" PIN MARKING GAGE THICK FILM SHIM
G	05733		04/20/01	TKC MMS LTC	7 5/8" COUPLING MARKING GAGE
G	05734		04/20/01	TKC MMS LTC	7 5/8" PIN MARKING GAGE
G	05745		05/01/01	TKC MMS LTC	9 5/8" COUPLING MARKING GAGE
G	05744		05/01/01	TKC MMS LTC	9 5/8" PIN MARKING GAGE
M	05955		04/01/02	TKC MMS LTC	9 5/8" PIN MARKING GAGE THICK FILM SHIM
P	05040		4/7/99	TKC MMS LTC	PIN COATING SPECIFICATION

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
G	04877	A	07/17/01	TKC MMS LTC	SPACER PAD FOR EDM STYLE BOX SETTING STANDARD
M	04849		8/18/98	TKC MMS NUE	2 3/8" - 3 1/2" NUE 10 RD CENTER SEAL RING
M	04847	A	01/07/02	TKC MMS NUE	2 3/8" - 3 1/2" NUE 10 RD COUPLING
M	04848		8/18/98	TKC MMS NUE	2 3/8" - 3 1/2" NUE 10 RD PIN
G	04523		11/25/97	TKC MMS RICE DUO LINE	2 3/8" - 4 1/2" 8 ROUND EUE SPACER
A	04519	B	07/08/09	TKC MMS RICE DUO LINE	2 3/8" - 4 1/2" EUE 8 RND ACCESSORY BOX
M	04520	A	07/08/09	TKC MMS RICE DUO LINE	2 3/8" - 4 1/2" EUE 8 RND ACCESSORY SEAL RING
M	03917	C	03/21/13	TKC MMS RICE DUO LINE	2 3/8" - 4 1/2" EUE 8 RND CENTER SEAL RING
M	03916	B	07/08/09	TKC MMS RICE DUO LINE	2 3/8" - 4 1/2" EUE 8 RND COUPLING
M	03870	A	07/08/09	TKC MMS RICE DUO LINE	2 3/8" - 4 1/2" EUE 8 RND PIN
G	05653		01/09/01	TKC MMS STC	4 1/2" COUPLING MARKING GAUGE
G	05652		01/09/01	TKC MMS STC	4 1/2" PIN MARKING GAUGE
M	03598	B	02/26/15	TKC MMS STC	4 1/2" - 10 3/4" PIN
P	03602	C	03/30/15	TKC MMS STC	4 1/2" - 10 3/4" ACCESSORY BLANKING DIMENSIONS
A	03601	A	02/26/15	TKC MMS STC	4 1/2" - 10 3/4" ACCESSORY SEAL RING
M	03599	C	02/26/15	TKC MMS STC	4 1/2" - 10 3/4" CENTER SEAL RING
A	03600	D	02/26/15	TKC MMS STC	4 1/2" - 10 3/4" ACCESSORY BOX
M	03597	D	02/26/15	TKC MMS STC	4 1/2" - 10 3/4" COUPLING
G	03909	A	02/26/15	TKC MMS STC	4 1/2" - 10 3/4" MRP GAGE SET BAR STANDARD
G	09075		02/26/15	TLC MMS STC	10 3/4" COUPLING MARKING GAGE
G	09076		02/26/15	TLC MMS STC	10 3/4" PIN MARKING GAGE
M	03543	C	08/20/07	TKC NUE	2 3/8" - 4 1/2" 10/8 RND PIN
P	03547		09/13/95	TKC NUE	2 3/8" - 4 1/2" 10/8 RND ACCESSORY BLANKING DIMENSIONS
M	03545	B	8/9/96	TKC NUE	2 3/8" - 4 1/2" 10/8 RND END SEAL
A	03546	A	8/9/96	TKC NUE	2 3/8" - 4 1/2" 10/8 RND ACCESSORY BOX
M	03542	A	8/9/96	TKC NUE	2 3/8" - 4 1/2" 10/8 RND COUPLING
M	03544	B	08/09/96	TKC NUE	2 3/8" - 4 1/2" 10/8 RND NOSE SEAL
G	05704		02/13/01	TKC P, TKC CBTC	7" ALL WEIGHTS COUPLING SET STD - EDM FRAME STYLE
G	05705		02/13/01	TKC P, TKC CBTC	9 5/8" ALL WEIGHTS COUPLING SET STD - EDM FRAME STYLE
A	03580	C	02/08/12	TKC PBTC	4 1/2" - 20" ACCESSORY BOX
P	03581	C	02/08/12	TKC PBTC	4 1/2" - 20" ACCESSORY BOX BLANKING DIMENSIONS
M	03579	D	02/08/12	TKC PBTC	4 1/2" - 20" COUPLING
P	03582	B	05/17/04	TKC PBTC	4 1/2" - 20" PIN ACCESSORY BLANKING DIMENSIONS
A	03568	A	08/19/09	TKC PEUE	2 3/8" - 4 1/2" ACCESSORY BOX
P	03569	A	03/07/11	TKC PEUE	2 3/8" - 4 1/2" ACCESSORY BLANKING DIMENSIONS
M	03567	B	03/07/11	TKC PEUE	2 3/8" - 4 1/2" COUPLING
P	03578	B	03/07/11	TKC PLTC	4 1/2" - 20" ACCESSORY BLANKING DIMENSIONS
A	03577	A	05/18/04	TKC PLTC	4 1/2" - 20" ACCESSORY BOX
M	03576	B	05/18/04	TKC PLTC	4 1/2" - 20" COUPLING

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
P	03572		9/13/95	TKC PNUE	2 3/8" - 4 1/2" ACCESSORY BLANKING DIMENSIONS
A	03571		9/11/95	TKC PNUE	2 3/8" - 4 1/2" ACCESSORY BOX
M	03570		9/12/95	TKC PNUE	2 3/8" - 4 1/2" COUPLING
A	03574		9/14/95	TKC PSTC	4 1/2" - 20" CASING ACCESSORY BOX (DEUCE)
M	03573		9/14/95	TKC PSTC	4 1/2" - 20" CASING COUPLING (DEUCE)
P	03575		12/21/95	TKC PSTC	4 1/2" - 20" ACCESSORY BLANKING DIMENSIONS (DEUCE)
M	03548		9/14/95	TKC STC	4 1/2" - 20" CASING COUPLING
M	03550		9/14/95	TKC STC	4 1/2" - 20" NOSE SEAL
M	03549	C	04/18/01	TKC STC	4 1/2" - 20" PIN END FINISH
P	03553		9/14/95	TKC STC	4 1/2" - 20" ACCESSORY BLANKING DIMENSIONS
A	03552		9/14/95	TKC STC	4 1/2" - 20" CASING ACCESSORY BOX
M	03551		9/14/95	TKC STC	10 3/4" - 18 5/8" END SEAL
P	03612		10/25/95	TKC TS-8	2 3/8" - 4 1/2" ACCESSORY BLANKING DIMENSIONS
A	03611	C	02/09/10	TKC TS-8	2 3/8" - 4 1/2" EUE 8 ROUND ACCESSORY BOX
M	03609	C	02/09/10	TKC TS-8	2 3/8" - 4 1/2" EUE 8 ROUND COUPLING
M	03610	A	4/16/97	TKC TS-8	2 3/8" - 4 1/2" PIN
P	03613		10/25/95	TKC TS-8	2 3/8" - 4 1/2" UPSET SPECIFICATIONS
I	07128		01/24/08	TKC, TKC P, TKC CONV LTC 8RD	5" ACC. BOX GAGE SET. DIMS. FOR MRP GAGES
I	07127		01/24/08	TKC, TKC P, TKC CONV LTC 8RD	4 1/2" ACC. BOX GAGE SET. DIMS. FOR MRP GAGES
G	04762	B	07/17/01	TKC, TKC P, TKC C, TKC MMS LTC	4 1/2 20" CASING BOX SET STD-EDM FRAME STLYE
G	05700		02/12/01	TKC BTC, TKC P BTC, TKC CONV. BTC	7" ALL WEIGHTS PIN SET STD - EDM FRAME STYLE
G	05702		02/12/01	TKC BTC, TKC P BTC, TKC CONV. BTC	9 5/8" ALL WEIGHTS PIN SET STD - EDM FRAME STYLE
G	04581	B	04/12/01	TSHD	2 3/8" BOX SETTING STANDARD
G	04583		01/08/98	TSHD	2 3/8" BOX SETTING STANDARD BASE PLATE (6 PITCH)
G	04578	A	03/26/01	TSHD	2 3/8" PIN SETING STANDARD (6 PITCH)
A	07240		10/16/08	TSHD	2 3/8" API REG BOX B.F.F. x 2 3/8" 5.95# TS-HD BOX CROSSOVER SUB FOR BAKER
M	04267M	G	09/10/10	TSHD	2 3/8" - 4 1/2" BOX CONNECTOR - METRIC
M	04266	H	06/05/06	TSHD	2 3/8" - 4 1/2" PIN
P	04782	E	09/10/10	TSHD	2 3/8" - 4 1/2" ACC. BLANK. DIM.
M	04267	G	09/10/10	TSHD	2 3/8" - 4 1/2" BOX CONNECTOR
G	06450	B	06/05/06	TSHD	2 3/8" - 4 1/2" BOX TIMING GAGE
A	06620	B	10/27/05	TSHD	2 3/8" - 4 1/2" HANDLING PLUG
M	04266M	H	06/05/06	TSHD	2 3/8" - 4 1/2" PIN CONNECTOR - METRIC
G	06451	A	06/05/06	TSHD	2 3/8" - 4 1/2" PIN TIMING GAGE
M	04266L		04/25/08	TSHD	2 3/8" - 4 1/2" PIN - LEFT HAND
M	04267L	A	09/10/10	TSHD	2 3/8" - 4 1/2" BOX - LEFT HAND
G	04588	B	04/12/01	TSHD	2 7/8" BOX SETTING STANDARD (6 PITCH)
G	04589		01/08/98	TSHD	2 7/8" BOX SETTING STANDARD BASE PLATE (6 PITCH)
G	04585	A	01/8/98	TSHD	2 7/8" PIN SETTING STANDARD (6 PITCH)

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
A	06663		10/26/04	TSHD	2 7/8" 7.90 - 10.70# PRESSURE TEST CAP
A	06662		10/26/04	TSHD	2 7/8" 7.90 - 10.70# PRESSURE TEST PLUG
G	04594	B	04/12/01	TSHD	3 1/2" BOX SETTING STANDARD (6 PITCH)
G	04595		01/08/98	TSHD	3 1/2" BOX SETTING STANDARD BASE PLATE (6 PITCH)
G	04591	A	01/08/98	TSHD	3 1/2" PIN SETTING STANDARD (6 PITCH)
A	07359		07/17/09	TSHD	3 1/2" 12.95# LIFT PLUG
A	06320		06/30/03	TSHD	3 1/2" 12.95 - 15.80# PRESSURE TEST CAP
A	06890		05/11/06	TSHD	3 1/2" 12.95 - 15.80# PRESSURE TEST PLUG
G	04641	B	04/12/01	TSHD	4" BOX SETTING STANDARD (6 PITCH)
G	04642		03/02/98	TSHD	4" BOX SETTING STANDARD BASE PLATE (6 PITCH)
G	04640	A	03/26/01	TSHD	4" PIN SETTING STANDARD (6 PITCH)
G	04600	B	04/12/01	TSHD	4 1/2" BOX SETTING STANDARD (6 PITCH)
G	04601		01/08/98	TSHD	4 1/2" BOX SETTING STANDARD BASE PLATE (6 PITCH)
G	04597	A	03/26/01	TSHD	4 1/2" PIN SETTING STANDARD 6 PITCH
A	06389		10/16/03	TSHD	4 1/2" 15.50 - 19.20# PRESSURE TEST CAP
A	06390		10/16/03	TSHD	4 1/2" 15.50 - 19.20# PRESSURE TEST PLUG
M	05517	C	09/10/10	TSHD SB	2 3/8" - 4 1/2" BOX (SMOOTH BORE)
M	05516	G	08/18/08	TSHD SB	2 3/8" - 4 1/2" PIN (SMOOTH BORE)
M	05521	B	04/17/03	TSHD SB-SR	2 3/8" - 4 1/2" BOX (SMOOTH BORE) FOR PLASTIC COATED APPLICATIONS
P	05527		08/01/00	TSHD SB-SR	2 3/8" - 4 1/2" PRESSURE SEAL RING (SMOOTH BORE)
G	04954	B	02/27/04	TSHD, TSHDSR	2 3/8" BOX FLAT SETTING STANDARD (6 PITCH)
G	04958	B	02/27/03	TSHD, TSHDSR	2 7/8" BOX FLAT SETTING STANDARD (6 PITCH)
G	04966	B	02/27/04	TSHD, TSHDSR	3 1/2" BOX FLAT SETTING STANDARD (6 PITCH)
G	04967	B	02/27/04	TSHD, TSHDSR	4" BOX FLAT SETTING STANDARD (6 PITCH)
G	04977	B	02/27/04	TSHD, TSHDSR	4 1/2" BOX FLAT SETTING STANDARD (6 PITCH)
M	06600	A	01/30/06	TSHD, TSHP	3/4" TO 4 1/2" PIN AND BOX SPECIAL CLEARANCE DIMENSIONS
M	06600M	A	07/19/07	TSHD, TSHP	3/4" TO 4 1/2" PIN AND BOX SPECIAL CLEARANCE DIMENSIONS - METRIC
M	04836	F	04/17/03	TSHDSR	2 3/8" - 4 1/2" BOX CONNECTOR FOR PLASTIC COATED APPLICATIONS
M	04836M	F	04/17/03	TSHDSR	2 3/8" - 4 1/2" BOX CONNECTOR FOR PLASTIC COATED APPLICATIONS - METRIC
P	04837	B	01/15/13	TSHDSR, TSHPSR	PLASTIC COATING SPEC. FOR TSHP-SR & TSHD-SR TUBING
G	05095	A	04/03/01	TSHP	3/4" (1.050" O.D.) (8 PITCH) BOX FLAT SETTING STANDARD
G	04626	A	04/12/01	TSHP	3/4" (1.050" O.D.) (8 PITCH) BOX SETTING STANDARD
G	04627		03/02/98	TSHP	3/4" (1.050" OD) BOX SETTING STANDARD BASE PLATE
G	04625	B	03/26/01	TSHP	3/4" (1.050" OD) PIN SETTING STANDARD (8 PITCH)
M	04268	C	09/16/04	TSHP	3/4" - 2 1/16" PIN
P	04783	C	09/10/10	TSHP	3/4" - 2 1/16" ACC. BLANK. DIM.
A	06619	B	10/27/05	TSHP	3/4" - 2 1/16" HANDLING PLUG
M	04269	D	09/10/10	TSHP	3/4" - 2-1/16" BOX CONNECTOR
M	04269M	D	09/10/10	TSHP	3/4" - 2-1/16" BOX CONNETOR - METRIC

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	04268M	C	09/16/04	TSHP	3/4" - 2-1/16" PIN CONNECTOR - METRIC
G	04653	A	04/12/01	TSHP	1" (1.315" OD) BOX SETTING STANDARD (8 PITCH)
G	04654		03/02/98	TSHP	1" (1.315" OD) BOX SETTING STANDARD BASE PLATE (8 PITCH)
G	04652	B	03/26/01	TSHP	1" (1.315" OD) PIN SETTING STANDARD (8 PITCH)
G	05094	A	04/03/01	TSHP	1" (1.315") (8 PITCH) BOX FLAT SETTING STANDARD
G	05093	A	04/03/01	TSHP	1 1/4" (1.660" O.D.) (8 PITCH) BOX FLAT SETTING STANDARD
G	04629	A	04/12/01	TSHP	1 1/4" (1.660" OD) BOX SETTING STANDARD (8 PITCH)
G	04630		03/02/98	TSHP	1 1/4" (1.660" OD) BOX SETTING STANDARD BASE PLATE (8 PITCH)
G	04628	B	03/26/01	TSHP	1 1/4" (1.660" OD) PIN SETTING STANDARD (8 PITCH)
G	05092	A	04/03/01	TSHP	1 1/2" (1.900" O.D.) (8 PITCH) BOX FLAT SETTING STANDARD
G	04633		03/02/98	TSHP	1 1/2" (1.900" OD) BOX SETTING STANDARD BASE PLATE (8 PITCH)
G	04632	A	04/12/01	TSHP	1 1/2" (1.900" OD) BOX SETTING STANDARD (8 PITCH)
G	04631	B	03/26/01	TSHP	1 1/2" (1.900" OD) PIN SETTING STANDARD (8 PITCH)
G	05091	A	04/03/01	TSHP	2 1/16" (8 PITCH) BOX FLAT SETTING STANDARD
G	04635	A	04/12/01	TSHP	2 1/16" BOX SETTING STANDARD (8 PITCH)
G	04636		03/02/98	TSHP	2 1/16" BOX SETTING STANDARD BASE PLATE (8 PITCH)
G	04634	B	03/26/01	TSHP	2 1/16" PIN SETTING STANDARD (8 PITCH)
G	04582	A	04/12/01	TSHP	2 3/8" BOX SETTING STANDARD 8 PITCH
G	04580		01/08/98	TSHP	2 3/8" BOX SETTING STANDARD BASE PLATE 8 PITCH
G	04576	B	03/26/01	TSHP	2 3/8" PIN SETTING STANDARD 8 PITCH
P	04784	D	09/10/10	TSHP	2 3/8" - 4 1/2" ACC. BLANK. DIM.
M	04264	E	09/10/10	TSHP	2 3/8" - 4 1/2" BOX
M	04264M	E	09/10/10	TSHP	2 3/8" - 4 1/2" BOX CONNECTOR - METRIC
A	06614	C	02/10/17	TSHP	2 3/8" - 4 1/2" HANDLING PLUG
M	04265	G	05/23/13	TSHP	2 3/8" - 4 1/2" PIN
M	04265M	F	01/30/06	TSHP	2 3/8" - 4 1/2" PIN CONNECTOR - METRIC
A	06348		08/15/03	TSHP	2 3/8" 4.70 - 5.30# PRESSUE TEST CAP
A	06349		08/15/03	TSHP	2 3/8" 4.70 - 5.30# PRESSUE TEST PLUG
G	04586	A	04/12/01	TSHP	2 7/8" BOX SETTING STANDARD 8 PITCH
G	04587		01/08/98	TSHP	2 7/8" BOX SETTING STANDARD BASE PLATE 8 PITCH
G	04584	B	03/26/01	TSHP	2 7/8" PIN SETTING STANDARD 8 PITCH
A	06650		10/14/04	TSHP	2 7/8" 6.50# PRESSURE TEST CAP
A	06651		10/14/04	TSHP	2 7/8" 6.50# PRESSURE TEST PLUG
A	07358		07/17/09	TSHP	2 7/8" 6.50# LIFT PLUG
G	04593		01/08/98	TSHP	3 1/2" BOX SETTING STANDARD BASE PLATE 8 PITCH
G	04592	A	04/12/01	TSHP	3 1/2" BOX SETTING STANDARD (8 PITCH)
G	04590	B	03/26/01	TSHP	3 1/2" PIN SETTING STANDARD (8 PITCH)
A	07845		09/29/11	TSHP	3 1/2" SPECIAL HANDLING PLUG
A	07343		05/29/09	TSHP	3 1/2" 9.30# LIFT PLUG

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
A	06648		10/12/04	TSHP	3 1/2" 9.30 - 10.30# PRESSURE TEST CAP
A	06649		10/12/04	TSHP	3 1/2" 9.30 - 10.30# PRESSURE TEST PLUG
G	04638	A	04/12/01	TSHP	4" BOX SETTING STANDARD (8 PITCH)
G	04639		01/8/98	TSHP	4" BOX SETTING STANDARD BASE PLATE (8 PITCH)
G	04637	B	03/26/01	TSHP	4" PIN SETTING STANDARD (8 PITCH)
I	07107		12/05/07	TSHP	4" PIN & BOX GAGE SETTING DIMENSIONS
G	04598	A	04/12/01	TSHP	4 1/2" BOX SETTING STANDARD 8 PITCH
G	04599		01/08/98	TSHP	4 1/2" BOX SETTING STANDARD BASE PLATE (8 PITCH)
G	04596	B	03/26/01	TSHP	4 1/2" PIN SETTING STANDARD 8 PITCH
A	07369		09/08/09	TSHP	4 1/2" 12.75 - 13.50# PRESSURE TEST PLUG
A	07370		09/08/09	TSHP	4 1/2" 12.75 - 13.50# PRESSURE TEST CAP
M	05515	D	09/10/10	TSHP SB	2 3/8" - 4 1/2" BOX (SMOOTH BORE)
M	05514	F	01/30/06	TSHP SB	2 3/8" - 4 1/2" PIN (SMOOTH BORE)
M	05520	A	03/19/01	TSHP SB-SR	2 3/8" - 4 1/2" BOX (SMOOTH BORE) FOR PLASTIC COATED APPLICATIONS
P	05526		08/01/00	TSHP SB-SR	2 3/8" - 4 1/2" PRESSURE SEAL RING (SMOOTH BORE)
G	04926	A	04/03/01	TSHP, TSHPSR	2 3/8" BOX FLAT SETTING STANDARD (8 PITCH)
G	04927	A	04/03/01	TSHP, TSHPSR	2 7/8" BOX FLAT SETTING STANDARD (8 PITCH)
G	04931	A	04/03/01	TSHP, TSHPSR	3 1/2" BOX FLAT SETTING STANDARD (8 PITCH)
G	04932	A	04/03/01	TSHP, TSHPSR	4" BOX FLAT SETTING STANDARD (8 PITCH)
G	04940	A	04/03/01	TSHP, TSHPSR	4 1/2" BOX FLAT SETTING STANDARD (8 PITCH)
M	04835	G	01/10/13	TSHPSR	2 1/16" - 4 1/2" BOX CONNECTOR FOR PLASTIC COATED APPLICATIONS
A	04839	C	03/12/14	TSHPSR	2 1/16" - 4 1/2" BOX BLASTING AND COATING MASKS
M	04835M	F	01/31/13	TSHPSR	2 3/8" - 4 1/2" BOX CONNECTOR FOR PLASTIC COATED APPLICATIONS
A	08106	B	03/12/14	TSHPSR	2 1/16" - 4 1/2" MANUAL BOX COATING MASK
M	01572	A	07/29/08	UPSET/ SWAGING	2 3/8" SL LI-6 Pin swaging / boring dimensions
M	01474	A	4-19-89	UPSET/ SWAGING	2 3/8" - 2 7/8" Pin dimensions for HD lock-it
P	01103		7-19-88	UPSET/ SWAGING	2 3/8" - 3 1/2" Pins- TC NU-lock, TC NU-lock PR, & TC NU-lock PC
M	01108	A	5-18-89	UPSET/ SWAGING	2 3/8" - 3 1/2" Pins- TC NU-lock, TC NU-lock PR, & TC NU-lock PC
M	03213		7-22-94	UPSET/ SWAGING	2 7/8" Flush seal-lock pin, all applicable weights
T	01523		4-19-89	UPSET/ SWAGING	2 7/8" HD lock-it swage die profile for axial swage press
M	01483		3-27-89	UPSET/ SWAGING	3 1/2" Flush seal-lock pin, all applicable weights
M	00787	A	8-29-88	UPSET/ SWAGING	4" Flush seal-lock pin end
M	00942		7-5-88	UPSET/ SWAGING	4 1/2" Flush seal-lock pin, all applicable weights
M	00710	A	12/10/02	UPSET/ SWAGING	5" flush seal-lock forming pin end, all weights
T	00777		2-18-88	UPSET/ SWAGING	5" OD Flush seal-lock product line
P	00514		4-28-87	UPSET/ SWAGING	5" - 9 5/8" I-J NU-lock casing forging dimensions O.D.
M	00827	B	5-26-98	UPSET/ SWAGING	5 1/2" Flush seal-lock pin, all applicable weights
T	00870		3-22-88	UPSET/ SWAGING	5 1/2" OD Flush seal-lock product line
M	03252		8-18-94	UPSET/ SWAGING	6 5/8" Flush seal-lock pin, all applicable weights

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	01526	B	09/14/10	UPSET/ SWAGING	7" 23# Pin & bored dimensions for seal-lock & HC
M	01780		11-6-89	UPSET/ SWAGING	7" Flush seal-lock pin, all applicable weights
T	01527		4-20-89	UPSET/ SWAGING	7" Seal-lock & SLHC swage die profile for axial swage press
M	02539		1-29-92	UPSET/ SWAGING	7 3/4" Flush seal-lock pin, all applicable weights
M	00998		4-28-89	UPSET/ SWAGING	7 5/8" Flush seal-lock pin, all applicable weights
M	02115	A	05/05/16	UPSET/ SWAGING	8 1/8" (.438" WALL) 35.99# SEAL-LOCK FLUSH PIN SWAGING
M	04395	A	05/09/16	UPSET/ SWAGING	8 5/8" Flush seal-lock pin, all applicable weights
M	04160		2-19-97	UPSET/ SWAGING	9 5/8" 36 - 43.50# Seal-lock apex forming pin connector
M	04344		8-7-97	UPSET/ SWAGING	9 5/8" 53.50# Forming boss pin connector
M	02382		11-19-91	UPSET/ SWAGING	9 5/8" Flush seal-lock forming pin connector- all weights
M	00978	A	05/05/99	UPSET/ SWAGING	10 3/4" Flush seal-lock Pin Swaging, all applicable weights
M	03953		7-24-96	UPSET/ SWAGING	10 3/4" x .430 Flush seal-lock pin wall titanium
M	01447		2-14-89	UPSET/ SWAGING	11 3/4" Flush seal-lock pin, all applicable weights
T	01914	A	3-5-90	UPSET/ SWAGING	11 3/4" Flush seal-lock swage die profile for axial swage press
M	04465		10-6-97	UPSET/ SWAGING	11 7/8" Flush seal-lock pin, all applicable weights
M	03242	A	03/06/15	UPSET/ SWAGING	13 3/8" SL FLUSH pin, all applicable weights
M	04415		8-28-97	UPSET/ SWAGING	13 5/8" Flush seal-lock pin, all applicable weights
P	00448	F	08/25/09	UPSET/ SWAGING	Upset Specifications for TS-HP, TS-HD, SL-XP, AND I-J Nu-lock pin & box connectors
T	09186	A	05/02/16	UPSET/ SWAGING	SWAGE DIE FOR SWAGE ASSEMBLY
T	09187	B	05/11/16	UPSET/ SWAGING	ARBOR FOR SWAGE ASSEMBLY
T	09188	A	05/11/16	UPSET/ SWAGING	ANGLE FOR SWAGE ASSEMBLY
P	07587	A	10/06/11	WEDGE LOCK FLUSH	4 1/2" ACC. BLANK. DIMS.
M	07851		10/06/11	WEDGE LOCK FLUSH	4 1/2" 11.60# PIN
M	07852		10/06/11	WEDGE LOCK FLUSH	4 1/2" 11.60# BOX
G	07855		10/06/11	WEDGE LOCK FLUSH	4 1/2" 11.60# PIN SET. STD. - EDM FRAME STYLE
G	07856		10/06/11	WEDGE LOCK FLUSH	4 1/2" 11.60# BOX SET. STD. - EDM FRAME STYLE
A	07872		10/10/11	WEDGE LOCK FLUSH	4 1/2" 11.60# LIFT PLUG
G	07873		10/06/11	WEDGE LOCK FLUSH	4 1/2" 11.60# PIN - .156" ROD HOLDER
G	07874		10/06/11	WEDGE LOCK FLUSH	4 1/2" 11.60# BOX - .156" ROD HOLDER
G	07591		12/08/10	WEDGE LOCK FLUSH	4 1/2" 13.50# PIN - .156" ROD HOLDER
G	07592		12/08/10	WEDGE LOCK FLUSH	4 1/2" 13.50# BOX - .156" ROD HOLDER
M	07584		12/08/10	WEDGE LOCK FLUSH	4 1/2" 13.50# PIN
M	07585		12/08/10	WEDGE LOCK FLUSH	4 1/2" 13.50# BOX
G	07588		12/08/10	WEDGE LOCK FLUSH	4 1/2" 13.50# PIN SET. STD. - EDM FRAME STYLE
G	07589		12/08/10	WEDGE LOCK FLUSH	4 1/2" 13.50# BOX SET. STD. - EDM FRAME STYLE
A	07586		12/14/10	WEDGE LOCK FLUSH	4 1/2" 13.50# LIFT PLUG
P	07508	B	03/03/11	WEDGE LOCK FLUSH	5" ACC. BLANKING DIMENSIONS
M	07679		03/03/11	WEDGE LOCK FLUSH	5" 15# PIN
M	07680		03/03/11	WEDGE LOCK FLUSH	5" 15# BOX

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
G	07681		03/03/11	WEDGE LOCK FLUSH	5" 15# PIN SET. STD. - EDM FRAME STYLE
G	07682		03/03/11	WEDGE LOCK FLUSH	5" 15# BOX SET. STD. - EDM FRAME STYLE
A	07685		03/03/11	WEDGE LOCK FLUSH	5" 15# LIFT PLUG
G	07683		03/03/11	WEDGE LOCK FLUSH	.156 ROD HOLDER FOR 5" 15# PIN
G	07684		03/03/11	WEDGE LOCK FLUSH	.156 ROD HOLDER FOR 5" 15# BOX
M	07267	G	12/13/10	WEDGE LOCK FLUSH	5" 18# PIN
M	07268	F	12/13/10	WEDGE LOCK FLUSH	5" 18# BOX
I	07269	E	04/13/10	WEDGE LOCK FLUSH	5" 18# PN & BOX GAGE SETTING DIMS FOR ROD STYLE STANDARDS
G	07485		07/02/10	WEDGE LOCK FLUSH	5" 18# PN SETTING STD - EDM FRAME STYLE
G	07486		07/02/10	WEDGE LOCK FLUSH	5" 18# BOX SETTING STD - EDM FRAME STYLE
A	07496	B	03/14/11	WEDGE LOCK FLUSH	5" 18# LIFT PLUG
M	07692		03/10/11	WEDGE LOCK FLUSH	5" 18# PIN SWAGING
G	07367	A	09/08/09	WEDGE LOCK FLUSH	.156" ROD HOLDER FOR 5" 18# PIN
G	07368	A	09/08/09	WEDGE LOCK FLUSH	.156" ROD HOLDER FOR 5" 18# BOX
M	07620		01/18/11	WEDGE LOCK FLUSH	5" 21.40# PIN
M	07621		01/18/11	WEDGE LOCK FLUSH	5" 21.40# BOX
A	07635		01/21/11	WEDGE LOCK FLUSH	5" 21.40# LIFT PLUG
G	07622		01/18/11	WEDGE LOCK FLUSH	5" 21.40# PIN SET. STD. - EDM FRAME STYLE
G	07623		01/18/11	WEDGE LOCK FLUSH	5" 21.40# BOX SET. STD. - EDM FRAME STYLE
G	07624		01/18/11	WEDGE LOCK FLUSH	.156" ROD HOLDER FOR 5" 21.40# PIN
G	07625		01/18/11	WEDGE LOCK FLUSH	.156" ROD HOLDER FOR 5" 21.40# BOX
M	07626		01/18/11	WEDGE LOCK FLUSH	5" 23.20# PIN
M	07627		01/18/11	WEDGE LOCK FLUSH	5" 23.20# BOX
A	07636		01/21/11	WEDGE LOCK FLUSH	5" 23.20# LIFT PLUG
G	07628		01/18/11	WEDGE LOCK FLUSH	5" 23.20# PIN SET. STD. - EDM FRAME STYLE
G	07629		01/18/11	WEDGE LOCK FLUSH	5" 23.20# BOX SET. STD. - EDM FRAME STYLE
G	07630		01/18/11	WEDGE LOCK FLUSH	.156" ROD HOLDER FOR 5" 23.20# PIN
G	07631		01/18/11	WEDGE LOCK FLUSH	.156" ROD HOLDER FOR 5" 23.20# BOX
M	08110		03/19/13	WEDGE LOCK FLUSH	5 1/2" 17# PIN
M	08111		03/19/13	WEDGE LOCK FLUSH	5 1/2" 17# BOX
A	08229		11/22/13	WEDGE LOCK FLUSH	5 1/2" 17# HANDLING PLUG
G	08112		03/19/13	WEDGE LOCK FLUSH	5 1/2" 17# PIN SETTING STANDARD - EDM FRAME STYLE
G	08113		03/19/13	WEDGE LOCK FLUSH	5 1/2" 17# BOX SETTING STANDARD - EDM FRAME STYLE
G	08114		03/19/13	WEDGE LOCK FLUSH	.156" ROD HOLDER FOR 5 1/2" 17# BOX
G	08115		03/19/13	WEDGE LOCK FLUSH	.156" ROD HOLDER FOR 5 1/2" 17# PIN
M	08116		03/19/13	WEDGE LOCK FLUSH	5 1/2" 20# PIN
M	08117		03/19/13	WEDGE LOCK FLUSH	5 1/2" 20# BOX
G	08118		03/19/13	WEDGE LOCK FLUSH	5 1/2" 20# PIN SETTING STANDARD - EDM FRAME STYLE
G	08119		03/19/13	WEDGE LOCK FLUSH	5 1/2" 20# BOX SETTING STANDARD - EDM FRAME STYLE

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
G	08120		03/19/13	WEDGE LOCK FLUSH	5 1/2" 20# PIN ROD HOLDER .156"
G	08121		03/19/13	WEDGE LOCK FLUSH	5 1/2" 20# BOX ROD HOLDER .156"
M	08122		03/19/13	WEDGE LOCK FLUSH	5 1/2" 23# PIN
M	08123		03/19/13	WEDGE LOCK FLUSH	5 1/2" 23# BOX
G	08124		03/19/13	WEDGE LOCK FLUSH	5 1/2" 23# PIN SETTING STANDARD - EDM FRAME STYLE
G	08125		03/19/13	WEDGE LOCK FLUSH	5 1/2" 23# BOX SETTING STANDARD - EDM FRAME STYLE
G	08126		03/19/13	WEDGE LOCK FLUSH	5 1/2" 23# PIN ROD HOLDER .156"
G	08127		03/19/13	WEDGE LOCK FLUSH	5 1/2" 23# BOX ROD HOLDER .156"
P	07947		03/09/12	WEDGE LOCK FLUSH	6 5/8" ACCESSORY BLANKING DIMENSIONS
M	07939		03/07/12	WEDGE LOCK FLUSH	6 5/8" 24# PIN
M	07940		03/07/12	WEDGE LOCK FLUSH	6 5/8" 24# BOX
G	07941		03/07/12	WEDGE LOCK FLUSH	6 5/8" 24# PIN SET. STD. - EDM FRAME STYLE
G	07942	A	03/21/12	WEDGE LOCK FLUSH	6 5/8" 24# BOX SET. STD. - EDM FRAME STYLE
G	07943		03/07/12	WEDGE LOCK FLUSH	6 5/8" 24# PIN ROD HOLDER .156"
G	07944		03/07/12	WEDGE LOCK FLUSH	6 5/8" 24# BOX ROD HOLDER .156"
A	07945		03/07/12	WEDGE LOCK FLUSH	6 5/8" 24# LIFT PLUG
P	07566	B	06/21/13	WEDGE LOCK FLUSH	7" ACCESSORY BLANKING DIMENSIONS
M	07515	A	10/06/10	WEDGE LOCK FLUSH	7" 23# PIN
M	07516	B	12/13/10	WEDGE LOCK FLUSH	7" 23# BOX
G	07521	A	10/15/10	WEDGE LOCK FLUSH	7" 23# PIN SETTING STANDARD - EDM FRAME STYLE
G	07522		08/09/10	WEDGE LOCK FLUSH	7" 23# BOX SETTING STANDARD - EDM FRAME STYLE
I	07520		08/09/10	WEDGE LOCK FLUSH	7" 23# PIN & BOX GAGE SETTING DIMS. FOR ROD STYLE STANDARDS
G	07527		08/11/10	WEDGE LOCK FLUSH	7" 23# PIN ROD HOLDER .156"
G	07528		08/11/10	WEDGE LOCK FLUSH	7" 23# BOX ROD HOLDER .156"
A	07567		10/14/10	WEDGE LOCK FLUSH	7" 23# LIFT PLUG
M	07594		12/20/10	WEDGE LOCK FLUSH	7" 29# PIN
M	07595		12/20/10	WEDGE LOCK FLUSH	7" 29# BOX
G	07596		12/20/10	WEDGE LOCK FLUSH	7" 29# PIN SETTING STD. - EDM FRAME STYLE
G	07597		12/20/10	WEDGE LOCK FLUSH	7" 29# BOX SETTING STD. - EDM FRAME STYLE
G	07608		01/05/11	WEDGE LOCK FLUSH	7" 29# PIN .156" ROD HOLDER
G	07609		01/05/11	WEDGE LOCK FLUSH	7" 29# BOX .156" ROD HOLDER
A	07606		01/05/11	WEDGE LOCK FLUSH	7" 29# LIFT PLUG
P	07662		02/14/11	WEDGE LOCK FLUSH	7 5/8" ACCESSORY BLANKING DIMENSIONS
G	07664		02/14/11	WEDGE LOCK FLUSH	7 5/8" 39# .156" ROD HOLDER - PIN
G	07663		02/14/11	WEDGE LOCK FLUSH	7 5/8" 39# .156" ROD HOLDER - BOX
A	07666		02/14/11	WEDGE LOCK FLUSH	7 5/8" 39# LIFT PLUG
M	07658		02/14/11	WEDGE LOCK FLUSH	7 5/8" 39# PIN
M	07659		02/14/11	WEDGE LOCK FLUSH	7 5/8" 39# BOX
G	07660		02/14/11	WEDGE LOCK FLUSH	7 5/8" 39# PIN SET. STD. - EDM FRAME STYLE

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
G	07661		02/14/11	WEDGE LOCK FLUSH	7 5/8" 39# BOX SET. STD. - EDM FRAME STYLE
M	07815		07/18/11	WEDGE LOCK FLUSH	9 5/8" 53.50# PIN
M	07816		07/18/11	WEDGE LOCK FLUSH	9 5/8" 53.50# BOX
G	07850	A	10/04/11	WEDGE LOCK FLUSH	MAKE-UP GO/NO GO GAGE
X	08280	B	09/03/15	WEDGE LOCK SF	5 1/2" (.361" WALL) 20# PIN
X	08281	B	09/03/15	WEDGE LOCK SF	5 1/2" (.361" WALL) 20# BOX
X	08217		11/05/13	WEDGE LOCK SF	7" 38# PIN FORMING
X	08218		11/05/13	WEDGE LOCK SF	7" 38# BOX FORMING
X	08211	A	09/10/15	WEDGE LOCK SF	7" (.540" WALL) 38# PIN
X	08212	A	09/10/15	WEDGE LOCK SF	7" (.540" WALL) 38# BOX
X	08213	A	09/10/15	WEDGE LOCK SF	7" (.540" WALL) 38# PIN SET. STD. - EDM FRAME STYLE
X	08214	A	09/10/15	WEDGE LOCK SF	7" (.540" WALL) 38# BOX SET. STD. - EDM FRAME STYLE
X	08215		09/14/15	WEDGE LOCK SF	7" (.540" WALL) 38# ACCESSORY BLANKING DIMENSIONS
X	08219		09/14/15	WEDEG LOCK SF	7" (.540" WALL) 38# HANDLING PLUG
M	08568		07/31/15	WEDGE LOCK SF	7 5/8" (.375" WALL) 29.70# PIN
M	08569		07/31/15	WEDGE LOCK SF	7 5/8" (.375" WALL) 29.70# BOX
G	08570		07/31/15	WEDGE LOCK SF	7 5/8" (.375" WALL) 29.70# PIN SET. STD. - EDM FRAME STYLE
G	08571		07/31/15	WEDGE LOCK SF	7 5/8" (.375" WALL) 29.70# BOX SET. STD. - EDM FRAME STYLE
P	08572		07/31/15	WEDGE LOCK SF	7 5/8" (.375" WALL) 29.70# ACCESSORY BLANKING DIMENSIONS
M	08574		07/31/15	WEDGE LOCK SF	7 5/8" (.375" WALL) 29.70# PIN FORMING
M	08575		07/31/15	WEDGE LOCK SF	7 5/8" (.375" WALL) 29.70# BOX FORMING
A	08576		07/31/15	WEDGE LOCK SF	7 5/8" (.375" WALL) 29.70# HANDLING PLUG
G	07983	E	07/14/16	WEDGE LOCK SF	7 5/8" (.500" WALL) 39# PIN SET. STD. - EDM FRAME STYLE
G	07984	E	07/14/16	WEDGE LOCK SF	7 5/8" (.500" WALL) 39# BOX SET. STD. - EDM FRAME STYLE
M	08002	F	07/14/16	WEDGE LOCK SF	7 5/8" (.500" WALL) 39# PIN
M	08003	F	07/14/16	WEDGE LOCK SF	7 5/8" (.500" WALL) 39# BOX
A	07989	E	07/14/16	WEDGE LOCK SF	7 5/8" (.500" WALL) 39# HANDLING PLUG
M	07988	C	07/14/16	WEDGE LOCK SF	7 5/8" (.500" WALL) 39# BOX FORMING
M	07987	C	07/14/16	WEDGE LOCK SF	7 5/8" (.500" WALL) 39# PIN FORMING
P	07985	A	07/14/16	WEDGE LOCK SF	7 5/8" (.500" WALL) 39# ACCESSORY BLANKING DIMENSIONS
M	08159	D	07/14/16	WEDGE LOCK SF	9 5/8" (.545" WALL) 53.50# PIN
M	08160	D	07/14/16	WEDGE LOCK SF	9 5/8" (.545" WALL) 53.50# BOX
G	08161	C	07/14/16	WEDGE LOCK SF	9 5/8" (.545" WALL) 53.50# PIN SET. STD. - EDM FRAME STYLE
G	08162	C	07/14/16	WEDGE LOCK SF	9 5/8" (.545" WALL) 53.50# BOX SET. STD. - EDM FRAME STYLE
P	08163	A	07/14/16	WEDGE LOCK SF	9 5/8" (.545" WALL) 53.50# ACCESSORY BLANKING DIMENSIONS
M	08165	B	07/14/16	WEDGE LOCK SF	9 5/8" (.545" WALL) 53.50# PIN FORMING
M	08166	A	07/14/16	WEDGE LOCK SF	9 5/8" (.545" WALL) 53.50# BOX FORMING
A	08167	D	07/14/16	WEDGE LOCK SF	9 5/8" (.545" WALL) 53.50# HANDLING PLUG
M	08171	D	07/07/16	WEDGE LOCK SF	9 7/8" (.625" WALL) 62.80# PIN

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
M	08172	D	07/07/16	WEDGE LOCK SF	9 7/8" (.625" WALL) 62.80# BOX
G	08173	B	07/07/16	WEDGE LOCK SF	9 7/8" (.625" WALL) 62.80# PIN SET. STD. - EDM FRAME STYLE
G	08174	B	07/07/16	WEDGE LOCK SF	9 7/8" (.625" WALL) 62.80# BOX SET. STD. - EDM FRAME STYLE
P	08176	A	07/07/16	WEDGE LOCK SF	9 7/8" (.625" WALL) 62.80# ACCESSORY BLANKING DIMENSIONS
M	08177	A	07/07/16	WEDGE LOCK SF	9 7/8" (.625" WALL) 62.80# PIN FORMING
M	08178	A	07/07/16	WEDGE LOCK SF	9 7/8" (.625" WALL) 62.80# BOX FORMING
A	08179	D	07/07/16	WEDGE LOCK SF	9 7/8" (.625" WALL) 62.80# HANDLING PLUG
M	08191	C	07/14/16	WEDGE LOCK SF	9 7/8" (.650" WALL) 65.10# PIN
M	08192	C	07/14/16	WEDGE LOCK SF	9 7/8" (.650" WALL) 65.10# BOX
G	08193	C	07/14/16	WEDGE LOCK SF	9 7/8" (.650" WALL) 65.10# PIN SET. STD. - EDM FRAME STYLE
G	08194	C	07/14/16	WEDGE LOCK SF	9 7/8" (.650" WALL) 65.10# BOX SET. STD. - EDM FRAME STYLE
P	08195	A	07/14/16	WEDGE LOCK SF	9 7/8" (.650" WALL) 65.10# ACCESSORY BLANKING DIMENSIONS
M	08197	B	07/14/16	WEDGE LOCK SF	9 7/8" (.650" WALL) 65.10# PIN FORMING
M	08198	B	07/14/16	WEDGE LOCK SF	9 7/8" (.650" WALL) 65.10# BOX FORMING
A	08199	D	07/14/16	WEDGE LOCK SF	9 7/8" (.650" WALL) 65.10# HANDLING PLUG
M	09004	C	07/06/16	WEDGE LOCK SF	10 1/8" (.758" WALL) 75.90# PIN
M	09005	C	07/06/16	WEDGE LOCK SF	10 1/8" (.758" WALL) 75.90# BOX
G	09006	A	07/06/16	WEDGE LOCK SF	10 1/8" (.758" WALL) 75.90# PIN SET. STD. - EDM FRAME STYLE
G	09007	A	07/06/16	WEDGE LOCK SF	10 1/8" (.758" WALL) 75.90# BOX SET. STD. - EDM FRAME STYLE
M	09008	A	07/06/16	WEDGE LOCK SF	10 1/8" (.758" WALL) 75.90# PIN FORMING
M	09009	A	07/06/16	WEDGE LOCK SF	10 1/8" (.758" WALL) 75.90# BOX FORMING
A	09010	D	07/06/16	WEDGE LOCK SF	10 1/8" (.758" WALL) 75.90# HANDLING PLUG
P	09051	B	07/06/16	WEDGE LOCK SF	10 1/8" (.758" WALL) 75.90# ACCESSORY BLANKING DIMENSIONS
M	08394		07/08/14	WEDGE LOCK SF	10 3/4" 60.70# & 65.70# PIN FORMING
M	08395		07/08/14	WEDGE LOCK SF	10 3/4" 60.70# & 65.70# BOX FORMING
M	08389	A	08/21/14	WEDGE LOCK SF	10 3/4" (.545" WALL) 60.70# & (.595" WALL) 65.70# BOX
M	08388		07/08/14	WEDGE LOCK SF	10 3/4" (.545" WALL) 60.70# & (.595" WALL) 65.70# PIN
G	08390		07/08/14	WEDGE LOCK SF	10 3/4" (.545" WALL) 60.70# & (.595" WALL) 65.70# PIN SET. STD. - EDM FRAME STYLE
G	08391		07/08/14	WEDGE LOCK SF	10 3/4" (.545" WALL) 60.70# & (.595" WALL) 65.70# BOX SET. STD. - EDM FRAME STYLE
X	09189		02/12/16	WEDGE LOCK SF	10 3/4" (.797" WALL) 85.30# PIN
X	09190		02/12/16	WEDGE LOCK SF	10 3/4" (.797" WALL) 85.30# BOX
X	09193		06/27/16	WEDGE LOCK SF	10 3/4" (.797" WALL) 85.30# PIN FORMING
X	09194		06/27/16	WEDGE LOCK SF	10 3/4" (.797" WALL) 85.30# BOX FORMING
M	08421		04/07/14	WEDGE LOCK SF	11 3/4" 65# PIN FORMING
M	08422		04/07/14	WEDGE LOCK SF	11 3/4" 65# BOX FORMING
M	08415	A	08/31/15	WEDGE LOCK SF	11 3/4" (.534" WALL) 65# PIN
M	08416	B	08/31/15	WEDGE LOCK SF	11 3/4" (.534" WALL) 65# BOX
G	08417	A	08/31/15	WEDGE LOCK SF	11 3/4" (.534" WALL) 65# PIN SET. STD. - EDM FRAME STYLE
G	08418	A	08/31/15	WEDGE LOCK SF	11 3/4" (.534" WALL) 65# BOX SET. STD. - EDM FRAME STYLE

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
P	08419		09/09/15	WEDGE LOCK SF	11 3/4" (.534" WALL) 65# ACCESSORY BLANKING DIMENSIONS
A	08423	C	08/31/15	WEDGE LOCK SF	11 3/4" (.534" WALL) 65# HANDLING PLUG
M	08439	A	08/20/14	WEDGE LOCK SF	11 3/4" (.797" WALL) 93.23# PIN FORMING
M	08440	A	08/20/14	WEDGE LOCK SF	11 3/4" (.797" WALL) 93.23# BOX FORMING
M	08433	B	08/31/15	WEDGE LOCK SF	11 3/4" (.797" WALL) 93.23# PIN
M	08434	B	08/31/15	WEDGE LOCK SF	11 3/4" (.797" WALL) 93.23# BOX
G	08435	B	08/31/15	WEDGE LOCK SF	11 3/4" (.797" WALL) 93.23# PIN SET. STD. - EDM FRAME STYLE
G	08436	B	08/31/15	WEDGE LOCK SF	11 3/4" (.797" WALL) 93.23# BOX SET. STD. - EDM FRAME STYLE
P	08437		09/10/15	WEDGE LOCK SF	11 3/4" (.797" WALL) 93.23# ACCESSORY BLANKING DIMENSIONS
A	08441		09/10/15	WEDGE LOCK SF	11 3/4" (.797" WALL) 93.23# HANDLING PLUG
M	08448	A	08/18/14	WEDGE LOCK SF	11 7/8" (.582" WALL) 71.80# PIN FORMING
M	08449	A	08/18/14	WEDGE LOCK SF	11 7/8" (.582" WALL) 71.80# BOX FORMING
M	08442	A	08/18/14	WEDGE LOCK SF	11 7/8" (.582" WALL) 71.80# PIN
M	08443	A	08/18/14	WEDGE LOCK SF	11 7/8" (.582" WALL) 71.80# BOX
G	08444	A	08/18/14	WEDGE LOCK SF	11 7/8" (.582" WALL) 71.80# PIN SET. STD. - EDM FRAME STYLE
G	08445	A	08/18/14	WEDGE LOCK SF	11 7/8" (.582" WALL) 71.80# BOX SET. STD. - EDM FRAME STYLE
A	08450	B	04/28/15	WEDGE LOCK SF	11 7/8" (.582" WALL) 71.80# HANDLING PLUG
M	08475		04/07/14	WEDGE LOCK SF	13 5/8" 88.20# PIN FORMING
M	08476		04/07/14	WEDGE LOCK SF	13 5/8" 88.20# BOX FORMING
M	08469		04/07/14	WEDGE LOCK SF	13 5/8" (.625" WALL) 88.20# PIN
M	08470	A	04/07/14	WEDGE LOCK SF	13 5/8" (.625" WALL) 88.20# BOX
G	08471		04/07/14	WEDGE LOCK SF	13 5/8" (.625" WALL) 88.20# PIN SET. STD. - EDM FRAME STYLE
G	08472	A	08/19/14	WEDGE LOCK SF	13 5/8" (.625" WALL) 88.20# BOX SET. STD. - EDM FRAME STYLE
M	09101		07/29/15	WEDGE LOCK SF	13 7/8" (.750" WALL) 105.23# PIN
M	09102		07/29/15	WEDGE LOCK SF	13 7/8" (.750" WALL) 105.23# BOX
G	09103		07/29/15	WEDGE LOCK SF	13 7/8" (.750" WALL) 105.23# PIN SET. STD. - EDM FRAME STYLE
G	09104		07/29/15	WEDGE LOCK SF	13 7/8" (.750" WALL) 105.23# BOX SET. STD. - EDM FRAME STYLE
M	09105		07/29/15	WEDGE LOCK SF	13 7/8" (.750" WALL) 105.23# PIN FORMING
M	09106		07/29/15	WEDGE LOCK SF	13 7/8" (.750" WALL) 105.23# BOX FORMING
A	09107		07/29/15	WEDGE LOCK SF	13 7/8" (.750" WALL) 105.23# HANDLING PLUG
P	09108		07/29/15	WEDGE LOCK SF	13 7/8" (.750" WALL) 105.23# ACCESSORY BLANKING DIMENSIONS
M	09279	F	01/13/17	WEDGE LOCK SF	13 7/8" 105.89# & 14" 115.53# PIN
M	09280	F	01/13/17	WEDGE LOCK SF	13 7/8" 105.89# & 14" 115.53# BOX
G	09281	A	10/17/16	WEDGE LOCK SF	13 7/8" (.755 WALL) 105.89# & 14" (.820 WALL) 115.53# PIN SET. STD. - EMD FRAME STYLE
G	09282	B	10/17/16	WEDGE LOCK SF	13 7/8" (.755 WALL) 105.89# & 14" (.820 WALL) 115.53# BOX SET. STD. - EMD FRAME STYLE
M	09283	A	10/17/16	WEDGE LOCK SF	13 7/8" (.755 WALL) 105.89# & 14" (.820 WALL) 115.53# PIN FORMING
M	09284	A	10/17/16	WEDGE LOCK SF	13 7/8" (.755 WALL) 105.89# & 14" (.820 WALL) 115.53# BOX FORMING
M	08478		08/13/14	WEDGE LOCK SF	14" (.797" WALL) 112.60# PIN
M	08479		08/13/14	WEDGE LOCK SF	14" (.797" WALL) 112.60# BOX

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
G	08480		08/13/14	WEDGE LOCK SF	14" (.797" WALL) 112.60# PIN SET. STD. - EDM FRAME STYLE
G	08481		08/13/14	WEDGE LOCK SF	14" (.797" WALL) 112.60# BOX SET. STD. - EDM FRAME STYLE
M	08484		08/13/14	WEDGE LOCK SF	14" (.797" WALL) 112.60# PIN FORMING
M	08485		08/13/14	WEDGE LOCK SF	14" (.797" WALL) 112.60# BOX FORMING
M	08487		08/21/14	WEDGE LOCK SF	14" (.800" WALL) 112.89# PIN
M	08488		08/21/14	WEDGE LOCK SF	14" (.800" WALL) 112.89# BOX
G	08489		08/21/14	WEDGE LOCK SF	14" (.800" WALL) 112.89# PIN SET. STD. - EDM FRAME STYLE
G	08490		08/21/14	WEDGE LOCK SF	14" (.800" WALL) 112.89# BOX SET. STD. - EDM FRAME STYLE
M	08493		08/21/14	WEDGE LOCK SF	14" (.800" WALL) 112.89# PIN FORMING
M	08494		08/21/14	WEDGE LOCK SF	14" (.800" WALL) 112.89# BOX FORMING
M	08496		08/21/14	WEDGE LOCK SF	14" (.812" WALL) 114.48# PIN
M	08497		08/21/14	WEDGE LOCK SF	14" (.812" WALL) 114.48# BOX
G	08498		08/21/14	WEDGE LOCK SF	14" (.812" WALL) 114.48# PIN SET. STD. - EDM FRAME STYLE
G	08499		08/21/14	WEDGE LOCK SF	14" (.812" WALL) 114.48# BOX SET. STD. - EDM FRAME STYLE
M	08502		08/21/14	WEDGE LOCK SF	14" (.812" WALL) 114.48# PIN FORMING
M	08503		08/21/14	WEDGE LOCK SF	14" (.812" WALL) 114.48# BOX FORMING
M	08505	C	06/23/16	WEDGE LOCK SF	14" (.820" WALL) 115.53# PIN
M	08506	C	06/23/16	WEDGE LOCK SF	14" (.820" WALL) 115.53# BOX
G	08507	C	06/23/16	WEDGE LOCK SF	14" (.820" WALL) 115.53# PIN SET. STD. - EDM FRAME STYLE
G	08508	C	06/23/16	WEDGE LOCK SF	14" (.820" WALL) 115.53# BOX SET. STD. - EDM FRAME STYLE
P	08509	A	06/23/16	WEDGE LOCK SF	14" (.820" WALL) 115.53# ACCESSORY BLANKING DIMENSIONS
M	08511	C	06/23/16	WEDGE LOCK SF	14" (.820" WALL) 115.53# PIN FORMING
A	08513	C	06/23/16	WEDGE LOCK SF	14" (.820" WALL) 115.53# HANDLING PLUG
M	08512	B	06/23/16	WEDGE LOCK SF	14" (.820" WALL) 115.53# BOX FORMING
M	08514	A	06/24/16	WEDGE LOCK SF	14.150" (.895" WALL) 126.82# PIN
M	08515	A	06/24/16	WEDGE LOCK SF	14.150" (.895" WALL) 126.82# BOX
G	08516	A	06/24/16	WEDGE LOCK SF	14.150" (.895" WALL) 126.82# PIN SET. STD. - EDM FRAME STYLE
G	08517	A	06/24/16	WEDGE LOCK SF	14.150" (.895" WALL) 126.82# BOX SET. STD. - EDM FRAME STYLE
P	08518	A	06/24/16	WEDGE LOCK SF	14.150" (.895" WALL) 126.82# ACCESSORY BLANKING DIMENSIONS
M	08520	A	06/24/16	WEDGE LOCK SF	14.150" (.895" WALL) 126.82# PIN FORMING
M	08521	A	06/24/16	WEDGE LOCK SF	14.150" (.895" WALL) 126.82# BOX FORMING
A	08522	A	06/24/16	WEDGE LOCK SF	14.150" (.895" WALL) 126.82# HANDLING PLUG
M	08529		04/07/14	WEDGE LOCK SF	16" 97# PIN FORMING
M	08530		04/07/14	WEDGE LOCK SF	16" 97# BOX FORMING
M	08523	A	08/28/15	WEDGE LOCK SF	16" (.575" WALL) 97# PIN
M	08524	B	08/28/15	WEDGE LOCK SF	16" (.575" WALL) 97# BOX
G	08525	A	08/28/15	WEDGE LOCK SF	16" (.575" WALL) 97# PIN SET. STD. - EDM FRAME STYLE
G	08526	A	08/28/15	WEDGE LOCK SF	16" (.575" WALL) 97# BOX SET. STD. - EDM FRAME STYLE
P	08527	A	04/30/15	WEDGE LOCK SF	16" (.575" WALL) 97# ACCESSORY BLANKING DIMENSION

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
A	08531		09/10/15	WEDGE LOCK SF	16" (.575" WALL) 97# HANDLING PLUG
M	08041	F	06/14/16	WEDGE LOCK SF	16" (.656" WALL) 109# PIN
M	08042	G	06/14/16	WEDGE LOCK SF	16" (.656" WALL) 109# BOX
G	08043	E	06/14/16	WEDGE LOCK SF	16" (.656" WALL) 109# PIN SET. STD. - EDM FRAME STYLE
G	08044	E	06/14/16	WEDGE LOCK SF	16" (.656" WALL) 109# BOX SET. STD. - EDM FRAME STYLE
A	08049	D	06/14/16	WEDGE LOCK SF	16" (.656" WALL) 109# HANDLING PLUG
M	08047	D	06/14/16	WEDGE LOCK SF	16" (.656" WALL) 109# PIN FORMING
P	08045	A	06/14/16	WEDGE LOCK SF	16" (.656" WALL) 109# ACCESSORY BLANKING DIMENSIONS
M	08048	C	06/14/16	WEDGE LOCK SF	16" 109# BOX FORMING
M	09033	C	06/09/16	WEDGE LOCK SF	16.040" (.667" WALL) 109.61# PIN
M	09034	C	06/09/16	WEDGE LOCK SF	16.040" (.667" WALL) 109.61# BOX
G	09035	C	06/09/16	WEDGE LOCK SF	16.040" (.667" WALL) 109.61# PIN SET. STD. - EDM FRAME STYLE
G	09036	C	06/09/16	WEDGE LOCK SF	16.040" (.667" WALL) 109.61# BOX SET. STD - EDM FRAME STYLE
M	09037	C	06/09/16	WEDGE LOCK SF	16.040" (.667" WALL) 109.61# PIN FORMING
M	09038	B	06/09/16	WEDGE LOCK SF	16.040" (.667" WALL) 109.61# BOX FORMING
A	09039	C	06/09/16	WEDGE LOCK SF	16.040" (.667" WALL) 109.61# HANDLING PLUG
P	09091	C	06/09/16	WEDGE LOCK SF	16.040" (.667" WALL) 109.61# ACCESSORY BLANKING DIMENSIONS
T	09275		08/02/16	WEDGE LOCK SF	16.040" 109.61# 6 5/8" FULL HOLE X 16.040" RETRIEVAL SWAGE TOOL
M	08548		04/07/14	WEDGE LOCK SF	16.100" 103.39# BOX FORMING
M	08547		04/07/14	WEDGE LOCK SF	16.100" 103.39# PIN FORMING
M	08541	A	08/27/15	WEDGE LOCK SF	16.100" (.625" WALL) 103.39# PIN
M	08542	B	08/27/15	WEDGE LOCK SF	16.100" (.625" WALL) 103.39# BOX
G	08543	A	08/27/15	WEDGE LOCK SF	16.100" (.625" WALL) 103.39# PIN SET. STD. - EDM FRAME STYLE
G	08544	A	08/27/15	WEDGE LOCK SF	16.100" (.625" WALL) 103.39# BOX SET. STD. - EDM FRAME STYLE
P	08545		08/27/15	WEDGE LOCK SF	16.100" (.625" WALL) 103.39# ACCESSORY BLANKING DIMENSIONS
A	08549		08/27/15	WEDGE LOCK SF	16.100" (.625" WALL) 103.39# HANDLING PLUG
M	08556	B	06/10/16	WEDGE LOCK SF	16.150" (.723" WALL) 119.23# PIN FORMING
M	08557	A	06/10/16	WEDGE LOCK SF	16.150" (.723" WALL) 119.23# BOX FORMING
M	08550	B	06/10/16	WEDGE LOCK SF	16.150" (.723" WALL) 119.23# PIN
M	08551	B	06/10/16	WEDGE LOCK SF	16.150" (.723" WALL) 119.23# BOX
G	08552	B	06/10/16	WEDGE LOCK SF	16.150" (.723" WALL) 119.23# PIN SET. STD. - EDM FRAME STYLE
G	08553	B	06/10/16	WEDGE LOCK SF	16.150" (.723" WALL) 119.23# BOX SET. STD. - EDM FRAME STYLE
P	08554	B	06/10/16	WEDGE LOCK SF	16.150" (.723" WALL) 119.23# ACCESSORY BLANKING DIMENSIONS
A	08558	B	06/10/16	WEDGE LOCK SF	16.150" (.723" WALL) 119.23# HANDLING PLUG
T	09254	B	08/09/16	WEDGE LOCK SF	16.150" 119.23# 6 5/8" FULL HOLE X 16.150" RETRIEVAL SWAGE TOOL
M	08565	C	01/10/17	WEDGE LOCK SF	16.150" (.772" WALL) 126.91# PIN FORMING
M	08566	B	01/10/17	WEDGE LOCK SF	16.150" (.772" WALL) 126.91# BOX FORMING
M	08559	D	01/10/17	WEDGE LOCK SF	16.150" (.772" WALL) 126.91# PIN
M	08560	C	01/10/17	WEDGE LOCK SF	16.150" (.772" WALL) 126.91# BOX

DRAWING LOG 2/10/17

BY PRODUCT

Dwg Int	Dwg #	Rev #	Date	Product Abreviation	Description
G	08561	A	06/14/16	WEDGE LOCK SF	16.150" (.772" WALL) 126.91# PIN SET. STD. - EDM FRAME STYLE
G	08562	A	06/14/16	WEDGE LOCK SF	16.150" (.772" WALL) 126.91# BOX SET. STD. - EDM FRAME STYLE
P	08563	C	01/10/17	WEDGE LOCK SF	16.150" (.772" WALL) 126.91# ACCESSORY BLANKING DIMENSIONS
A	08567	D	04/13/16	WEDGE LOCK SF	16.150" (.772" WALL) 126.91# HANDLING PLUG
T	09255	B	08/09/16	WEDGE LOCK SF	16.150" 126.91# 6 5/8" FULL HOLE X 16.150" RETRIEVAL SWAGE TOOL
M	09081	C	06/09/16	WEDGE LOCK SF	16.200" (.800" WALL) 131.70# PIN
M	09082	D	06/20/16	WEDGE LOCK SF	16.200" (.800" WALL) 131.70# BOX
M	09083	B	06/09/16	WEDGE LOCK SF	16.200" (.800" WALL) 131.70# PIN FORMING
M	09084	A	06/09/16	WEDGE LOCK SF	16.200" (.800" WALL) 131.70# BOX FORMING
P	09085	B	06/09/16	WEDGE LOCK SF	16.200" (.800" WALL) 131.70# ACCESSORY BLANKING DIMENSIONS
A	09058	D	04/12/16	WEDGE LOCK SF	16.200" (.800" WALL) 131.70# & 16 1/4" (.825" WALL) 136.04# HANDLING PLUG
G	09054	B	04/01/16	WEDGE LOCK SF	16.200" (.800" WALL) 131.70# & 16 1/4" (.825" WALL) 136.04 PIN SET. STD. - EDM FRAME STYLE
G	09055	B	04/29/16	WEDGE LOCK SF	16.200" (.800" WALL) 131.70# & 16 1/4" (.825" WALL) 136.04 BOX SET. STD. - EDM FRAME STYLE
T	09253	B	08/09/16	WEDGE LOCK SF	16.250" 136.04# & 16.200" 131.70# 6 5/8" FULL HOLE X 16.250" / 16.200" RETRIEVAL SWAGE TOOL
M	09050	E	06/20/16	WEDGE LOCK SF	16 1/4" (.825" WALL) 136.04 BOX
M	09052	D	04/29/16	WEDGE LOCK SF	16 1/4" (.825" WALL) 136.04 PIN
M	09056	B	04/29/16	WEDGE LOCK SF	16 1/4" (.825" WALL) 136.04 PIN FORMING
M	09057	A	04/29/16	WEDGE LOCK SF	16 1/4" (.825" WALL) 136.04 BOX FORMING
P	09059	B	04/29/16	WEDGE LOCK SF	16 1/4" (.825" WALL) 136.04# ACCESSORY BLANKING DIMENSIONS
X	09170	A	08/17/15	WEDGE LOCK SF	16 1/4" (.825" WALL) 136.04# OUTBOARD TEST PIN
G	09164	A	10/14/16	WEDGE LOCK SF	LOCKUP INDICATOR GAGE SETTING STANDARD
X	09165	A	10/14/16	WEDGE LOCK SF	LOCKUP INDICATOR GAGE SETTING STANDARD (PROTOTYPE)
A	09184		10/14/15	WEDGE LOCK SF	STABBING GUIDE INSERT
G	07297		03/26/09	WIDTH GAGE	EXTERNAL THREAD WIDTH GAGE: .0420 LOAD FLANK x .0560 STAB FLANK
G	07298		03/26/09	WIDTH GAGE	INTERNAL THREAD WIDTH GAGE: .0420 LOAD FLANK x .0560 STAB FLANK
P	09169		09/14/15	AMERIPORT TEST FACILITY	13 3/8" - 14.150" END CAP
P	09177		09/29/15	AMERIPORT TEST FACILITY	14.150" 126.82# END CAP
P	09185		12/08/15	AMERIPORT TEST FACILITY	9.625" 53.50# END CAP
P	09260		06/15/16	AMERIPORT TEST FACILITY	10.750" 85.30# END CAP
P	09278		08/10/16	AMERIPORT TEST FACILITY	16.150" 126.91# WEDGE-LOCK SF, END CAP
P	09263		06/01/16	AMERIPORT TEST FACILITY	16.250" 136.04# END CAP